## REPUBLIC OF KENYA



# MINISTRY OF WATER, SANITATION AND IRRIGATION



## NORTHERN WATER WORKS DEVELOPMENT AGENCY

## **BIDDING DOCUMENT**

**FOR** 

## DRILLING OF OLDONYIRO WARD BOREHOLE-3 BOREHOLE-4 IN ISIOLO COUNTY

TENDER No.

NWWDA/T/DB/020/ 2023-2024

**ISSUE DATE: 16<sup>TH</sup> JANUARY, 2024** 



## TABLE OF CONTENTS

INVITATION TO TENDER	1
A. Address for obtaining further information	2
B. Address for Submission of Tenders	2
C. Address for Opening of Tenders.	2
PART 1 - TENDERING PROCEDURES	3
SECTION I: INSTRUCTIONS TO TENDERERS	4
A. General Provisions	4
1. Scope of Tender	4
2. Fraud and Corruption	4
3. Eligible Tenderers	4
4. Eligible Goods, Equipment, and Services.	6
5. Tenderer's Responsibilities	7
B. Contents of Tender Documents	7
6. Sections of Tender Document	7
7. Site Visit	8
8. Pre-Tender Meeting	8
9. Clarification and amendments of Tender Documents	8
10. Amendment of Tendering Document	8
C. Preparation of Tenders	9
11. Cost of Tendering	9
12. Language of Tender	9
13. Documents Comprising the Tender	9
14. Form of Tender and Schedules	10
15. Alternative Tenders	10
16. Tender Prices and Discounts	10
17. Currencies of Tender and Payment	11
18. Documents Comprising the Technical Proposal	11
19. Documents Establishing the Eligibility and Qualifications of the Tenderer	11
20. Period of Validity of Tenders	12
21. Tender Security	13
22. Format and Signing of Tender	14
D. Submission and Opening of Tenders	14
23. Sealing and Marking of Tenders	14
24. Deadline for Submission of Tenders	15
25. Late Tenders	15
26. Withdrawal, Substitution, and Modification of Tenders	15
27. Tender Opening	16
E. Evaluation and Comparison of Tenders	17
28. Confidentiality	17

29. Clarification of Tenders	17
30. Deviations, Reservations, and Omissions	17
31. Determination of Responsiveness	17
32. Non-material Non-conformities	18
33. Arithmetical Errors	18
34. Currency provisions	19
35. Margin of Preference and Reservations	19
36. Nominated Subcontractors	19
37. Evaluation of Tenders	19
38. Comparison of Tenders	19
39. Abnormally Low Tenders	20
40. Abnormally High Tenders	20
41. Unbalanced and/or Front-Loaded Tenders	20
42. Qualifications of the Tenderer	21
43. Best Evaluated Tender	21
44. Procuring Entity's Right to Accept Any Tender, and to Reject Any or All Tenders	22
F. Award of Contract	22
45.Award Criteria	22
46. Notice of Intention to enter into a Contract	22
47. Standstill Period	22
48. Debriefing by the Procuring Entity	22
49. Letter of Award	22
50. Signing of Contract	23
51. Appointment of Adjudicator	23
52. Performance Security	23
53. Publication of Procurement Contract	23
54. Procurement Related Complaints and Administrative Review	24
SECTION II - TENDER DATA SHEET (TDS)	25
SECTION III - EVALUATION AND QUALIFICATION CRITERIA	29
1. General Provisions	29
2. Preliminary examination for Determination of Responsiveness	29
Technical evaluation	31
FINANCIAL EVALUATION	33
1. The procuring entity reserves the right to carry out due diligence on the responsive tenders pricture contract	
2. Any false information provided by a bidder shall lead to automatic disqualification	33
3. Multiple Contracts/ Not Applicable	34
4. Alternative Tenders (ITT 13.1): Not Applicable	34
5. Margin of Preference is not applicable	34
6. Technical Qualification criteria	34
7. Technical Qualification criteria	34
8. QUALIFICATION FORM SUMMARY	36
OUALIFICATION FORMS.	39

1. FOR	M EQU: EQUIPMENT	39
2. FOR	M PER -1	40
3. FORM	PER-2:	41
Declaration.		42
4. TENDE	ERER'S QUALIFICATION WITHOUT PRE-QUALIFICATION	43
OTHER FO	RMS	54
5. FORM	OF TENDER	54
A. TENDER	ER'S ELIGIBILITY- CONFIDENTIAL BUSINESS QUESTIONNAIRE	58
B. CERTII	FICATE OF INDEPENDENTTENDER DETERMINATION	61
C. SELF - D	ECLARATION FORMS	62
FORM SD2		63
	CLARATION THAT THE PERSON/TENDERER WILL NOT ENGAGE IN ANY CORRUPT OF LENT PRACTICE	
DECLAR	ATION AND COMMITMENT TO THE CODE OF ETHICS	64
A. APPEN	IDIX 1- FRAUD AND CORRUPTION	65
FORM OF T	TENDER SECURITY-[Option 1-Demand Bank Guarantee]	69
FORMAT O	F TENDER SECURITY [Option 2–Insurance Guarantee]	70
TENDER-SI	ECURING DECLARATION FORM	71
Appendix to	Tender	81
PART II - W	ORK REQUIREMENTS	82
SECTION V	' - DRAWINGS	83
SECTION V	I – TECHNICAL SPECIFICATIONS –Borehole Drilling	83
1.1 GE	NERAL	83
1.2 REC	GULATIONS AND STANDARDS	83
1.2 MO	BILIZATION, DEMOBILIZATION AND RESTITUTION	83
1.3. DR	ILLING	84
1.4 SAN	MPLE COLLECTION, STORAGE AND RECORD KEEPING	84
1.5 SUI	PPLY AND INSTALLATION OF CASINGS AND SCREENS	84
1.5.1 C	ASING AND SCREEN SPECIFICATIONS	84
1.5.2 C	ASINGS AND SCREEN INSTALLATION	85
1.5.3 A	DMISSIBLE RATES	85
SUPPLY AN	ND INSTALLATION OF GRAVEL PACK	85
1.6.1 S	PECIFICATIONS	85
1.6.2 A	DMISSIBLE RATES	86
1.7 INS	TALLATION OF BACKFILL	86
1.7.1 S	PECIFICATIONS	86
1.7.2 A	DMISSIBLE RATES	86
1.8 DE	VELOPMENT	86
1.8.1 B	OREHOLE CLEANING	86
1.8.2 C	HEMICAL DEVELOPMENT	87
1.8.3 P	HYSICAL DEVELOPMENT	87
1.9 AQ	UIFER TESTING	89
101 17	NSTALLATION PLANT AND METHODOLOGY	80

1.10 WATER SAMPLING AND ANALYSIS	90
1.11 BOREHOLE DISINFECTION	90
1.12 BOREHOLE HEAD WORKS	91
a) SANITARY SEAL CASING	91
b). GROUT SEAL	91
a) CONCRETE PLINTH	91
d). TEMPORARY CAP	91
1.13 RECORDS	91
1.14 TECHNICAL LITERATURE	92
BOREHOLE GANTRY	92
SECTION VII- BILLS OF QUANTITIES	93
Borehole Design:	96
NOTES FOR PREPARING BILLS OF QUANTITIES	97
PART III - CONDITIONS OF CONTRACT AND CONTRACT FORMS	100
SECTION VIII - GENERAL CONDITIONS OF CONTRACT	101
General Conditions of Contract	101
A. General	101
B. Time Control	110
C. Quality Control	111
D. Cost Control	111
E. Finishing the Contract	116
SECTION IX - SPECIAL CONDITIONS OF CONTRACT	120
A. General	120
B. Time Control	122
C. Quality Control	122
D. Cost Control	122
E. Finishing the Contract	123
FORM No 1: NOTIFICATION OF INTENTION TO AWARD	
FORM NO. 2 - REQUEST FOR REVIEW	130
FORM NO 3: LETTER OF AWARD	
FORM NO 4: CONTRACT AGREEMENT	
FORM NO. 5 - PERFORMANCE SECURITY	135
FORM No. 6 - PERFORMANCE SECURITY	
FORM NO. 7 - ADVANCE PAYMENT SECURITY	
FORM NO. 8 - RETENTION MONEY SECURITY	139
FORM NO 9 RENEFICIAL OWNERSHIP DISCLOSURE FORM	140

#### INVITATION TO TENDER

Northern Water Works Development Agency of P. O Box 495-70100, Garissa Contract Description: Drilling, development, and test pumping of Oldonyiro Ward Borehole-3 in Isiolo County

The Northern Water Works Development Agency invites sealed tenders for the Drilling, development and test pumping of Oldonyiro Ward Borehole-3 in Isiolo County.

- 1. Tendering will be conducted under open National competitive method using a standardized tender document. Tendering is open to <u>all qualified and interested Citizen Contractors.</u>
- 2. Qualified and interested tenderers may obtain further information and inspect the Tender Documents during office hours 0800 to1700 hours at the address given below. More details on the works are provided in **PART 2 works' Requirements**, Section V Description of Services of the Tender Document.
- 3. A complete set of tender documents may be obtained by interested tenderers from the Website <a href="www.nwwda.go.ke/">www.nwwda.go.ke/</a> or <a href="www.tenders.go.ke">www.tenders.go.ke</a> . Tender documents obtained online will be free of charge.

Tender documents may be viewed and downloaded for free from the Agency or at the Public Procurement Information Portal <a href="www.nwwda.go.ke">www.nwwda.go.ke</a> or <a href="www.tenders.go.ke">www.tenders.go.ke</a>.

Tenderers who download the tender document must forward their particulars immediately to <a href="mailto:info@nwwda.go.ke">info@nwwda.go.ke</a> to facilitate any further clarification or addendum.

- 4. All Tenders must be accompanied by Tender security of **Kshs 100,000** in the form of Bank Guarantee
- 5. The Tenderer shall chronologically serialize all pages of the tender documents submitted.
- 6. Completed tenders must be delivered to the address below on or before 1100Hrs on 1st February 2024
- 7. Electronic Tenders *will not* be permitted.
- 8. Tenders will be opened immediately after the deadline date and time specified above or any deadline date and time specified later. Tenders will be publicly opened in the presence of the Tenderers' designated representatives who choose to attend at the address below.
- 9. Late tenders will be rejected.
- 10. The addresses referred to above are:

## A. Address for obtaining further information

## NORTHERN WATER WORKS DEVELOPMENT AGENCY P.O Box 495-70100, Garissa,

TEL: 0711 559995,

Email: info@nwwda.go.ke Website: www.nwwda.go.ke

B. Address for Submission of Tenders

## NORTHERN WATER WORKS DEVELOPMENT AGENCY

Maji House, Kismayo Road P.O Box 495-70100, Garissa,

TEL: 0711 559995,

Email: info@nwwda.go.ke Website: www.nwwda.go.ke

C. Address for Opening of Tenders.

## NORTHERN WATER WORKS DEVELOPMENT AGENCY

Conference Room, Maji House, Kismayo Road **P.O Box 495-70100, Garissa,** 

[Authorized Official (name, designation, Signature and date)]		
Name:	_(Official of the Procuring	
Entity issuing the invitation)		
Designation Signature	. Date	

PART 1 - TENDERING PROCEDURES

#### SECTION I: INSTRUCTIONS TO TENDERERS

#### A. General Provisions

## 1. Scope of Tender

**1.1** The Procuring Entity as defined in the Appendix to Conditions of Contract invites tenders for Works Contract as described in the tender documents. The name, identification, and number of lots (contracts) of this Tender Document are **specified in the TDS.** 

### 2. Fraud and Corruption

- 2.1 The Procuring Entity requires compliance with the provisions of the Public Procurement and Asset Disposal Act, 2015, Section 62 "Declaration not to engage in corruption". The tender submitted by a person shall include a declaration that the person shall not engage in any corrupt or fraudulent practice and a declaration that the person or his or her sub-contractors are not debarred from participating in public procurement proceedings.
- 2.2 The Procuring Entity requires compliance with the provisions of the Competition Act 2010, regarding collusive practices in contracting. Any tenderer found to have engaged in collusive conduct shall be disqualified and criminal and/or civil sanctions may be imposed. To this effect, Tenders shall be required to complete and sign the "Certificate of Independent Tender Determination" annexed to the Form of Tender.
- 2.3 Unfair Competitive Advantage Fairness and transparency in the tender process require that the firms or their Affiliates competing for a specific assignment do not derive a competitive advantage from having provided consulting services related to this tender. To that end, the Procuring Entity shall indicate in the **Data Sheet** and make available to all the firms together with this tender document all information that would in that respect give such firm any unfair competitive advantage over competing firms.
- 2.4 Unfair Competitive Advantage -Fairness and transparency in the tender process require that the Firms or their Affiliates competing for a specific assignment do not derive a competitive advantage from having provided consulting services related to this tender being tendered for. The Procuring Entity shall indicate in the **TDS** firms (if any) that provided consulting services for the contract being tendered for. The Procuring Entity shall check whether the owners or controllers of the Tenderer are same as those that provided consulting services. The Procuring Entity shall, upon request, make available to any tenderer information that would give such firm unfair competitive advantage over competing firms.

#### 3. Eligible Tenderers

- **3.1** A Tenderer may be a firm that is a private entity, a state-owned enterprise or institution subject to ITT 3.7 or any combination of such entities in the form of a joint venture (JV) under an existing agreement or with the intent to enter into such an agreement supported by a letter of intent. Public employees and their close relatives (*spouses*, *children*, *brothers*, *sisters and uncles and aunts*) are not eligible to participate in the tender. In the case of a joint venture, all members shall be jointly and severally liable for the execution of the entire Contract in accordance with the Contract terms. The JV shall nominate a Representative who shall have the authority to conduct all business for and on behalf of any and all the members of the JV during the tendering process and, in the event the JV is awarded the Contract, during contract execution. The maximum number of JV members shall be specified in the **TDS**.
- 3.2 Public Officers of the Procuring Entity, their Spouses, Child, Parent, Brothers or Sister. Child, Parent, Brother or Sister of a Spouse, their business associates or agents and

firms/organizations in which they have a substantial or controlling interest shall not be eligible to tender or be awarded a contract. Public Officers are also not allowed to participate in any procurement proceedings.

- 3.3 A Tenderer shall not have a conflict of interest. Any tenderer found to have a conflict of interest shall be disqualified. A tenderer may be considered to have a conflict of interest for the purpose of this tendering process, if the tenderer:
  - a) Directly or indirectly controls, is controlled by or is under common control with another tenderer; or
  - b) Receives or has received any direct or indirect subsidy from another tenderer; or
  - c) Has the same legal representative as another tenderer; or
  - d) Has a relationship with another tenderer, directly or through common third parties, that puts it in a position to influence the tender of another tenderer, or influence the decisions of the Procuring Entity regarding this tendering process; or
  - e) Any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the works that are the subject of the tender; or
  - f) any of its affiliates has been hired (or is proposed to be hired) by the Procuring Entity as Engineer for the Contract implementation; or
  - g) Would be providing goods, works, or non-consulting services resulting from or directly related to consulting services for the preparation or implementation of the contract specified in this Tender Document or
  - h) Has a close business or family relationship with a professional staff of the Procuring Entity who?
    - i) are directly or indirectly involved in the preparation of the Tender document or specifications of the Contract, and/or the Tender evaluation process of such contract; or
    - ii) would be involved in the implementation or supervision of such Contract unless the conflict stemming from such relationship has been resolved in a manner acceptable to the Procuring Entity throughout the tendering process and execution of the Contract.
- 3.4 A tenderer shall not be involved in corrupt, coercive, obstructive, collusive or fraudulent practice. A tenderer that is proven to have been involved any of these practices shall be automatically disqualified.
- 3.5 A Tenderer (either individually or as a JV member) shall not participate in more than one Tender, except for permitted alternative tenders. This includes participation as a subcontractor in other Tenders. Such participation shall result in the disqualification of all Tenders in which the firm is involved. A firm that is not a tenderer or a JV member may participate as a subcontractor in more than one tender. Members of a joint venture may not also make an individual tender, be a subcontractor in a separate tender or be part of another joint venture for the purposes of the same Tender.
- 3.6 A Tenderer may have the nationality of any country, subject to the restrictions pursuant to ITT 4.8.A Tenderer shall be deemed to have the nationality of a country if the Tenderer is constituted, incorporated or registered in and operates in conformity with the provisions of the laws of that country, as evidenced by its articles of incorporation (or equivalent documents of constitution or association) and its registration documents, as the case may be. This criterion also shall apply to the determination of the nationality of proposed subcontractors or sub- consultants for any part of the Contract including related Services.
- 3.7 Tenderer that has been debarred from participating in public procurement shall be ineligible to tender or be awarded a contract. The list of debarred firms and individuals is available from the website of PPRA www.ppra.go.ke.

- 3.8 Tenderers that are state-owned enterprises or institutions may be eligible to compete and be awarded a Contract(s) only if they are accredited by PPRA to be (i) a legal public entity of the state Government and/or public administration, (ii) financially autonomous and not receiving any significant subsidies or budget support from any public entity or Government, and (iii) operating under commercial law and vested with legal rights and liabilities similar to any commercial enterprise to enable it compete with firms in the private sector on an equal basis.
- 3.9 A Firms and individuals may be ineligible if their countries of origin (a) as a matter of law or official regulations, Kenya prohibits commercial relations with that country, or (b) by an act of compliance with a decision of the United Nations Security Council taken under Chapter VII of the Charter of the United Nations, Kenya prohibits any import of goods or contracting of works or services from that country, or any payments to any country, person, or entity in that country. A tenderer shall provide such documentary evidence of eligibility satisfactory to the Procuring Entity, as the Procuring Entity shall reasonably request.
- 3.10 Foreign tenderers are required to source at least forty (40%) percent of their contract inputs (in supplies, subcontracts and labor) from national suppliers and contractors. To this end, a foreign tenderer shall provide in its tender documentary evidence that this requirement is met. Foreign tenderers not meeting this criterion will be automatically disqualified. Information required to enable the Procuring Entity determine if this condition is met shall be provided in for this purpose is be provided in "SECTION III EVALUATION AND QUALIFICATION CRITERIA, Item 9".
- 3.11 Pursuant to the eligibility requirements of ITT 4.10, a tender is considered a foreign tenderer, if the tenderer is not registered in Kenya or if the tenderer is registered in Kenya and has <u>less than 51 percent</u> ownership by Kenyan
  - Citizens. JVs are considered as foreign tenderers if the individual member firms are not registered in Kenya or if are registered in Kenya and have less than 51 percent ownership by Kenyan citizens. The JV shall not subcontract to foreign firms more than 10 percent of the contract price, excluding provisional sums.
- 3.12 The National Construction Authority Act of Kenya requires that all local and foreign contractors be registered with the National Construction Authority and be issued with a Registration Certificate before they can undertake any construction works in Kenya. Registration shall not be a condition for tender, but it shall be a condition of contract award and signature. A selected tenderer shall be given opportunity to register before such award and signature of contract. Application for registration with National Construction Authority may be accessed from the website <a href="www.nca.go.ke">www.nca.go.ke</a>.
- 3.13 The Competition Act of Kenya requires that firms wishing to tender as Joint Venture undertakings which may prevent, distort or lessen competition in provision of services are prohibited unless they are exempt in accordance with the provisions of Section 25 of the Competition Act, 2010. JVs will be required to seek for exemption from the Competition Authority. Exemption shall not be a condition for tender, but it shall be a condition of contract award and signature. A JV tenderer shall be given opportunity to seek such exemption as a condition of award and signature of contract. Application for exemption from the Competition Authority of Kenya may be accessed from the website www.cak.go.ke
- 3.14 A Kenyan tenderer shall provide evidence of having fulfilled his/her tax obligations by producing a valid tax clearance certificate or tax exemption certificate issued by the Kenya Revenue Authority.
- 4. Eligible Goods, Equipment, and Services
- 4.1 Goods, equipment and services to be supplied under the Contract may have their origin in any country that is not eligible under ITT 3.9. At the Procuring Entity's request, Tenderers may be required to provide evidence of the origin of Goods, equipment and services.

4.2 Any goods, works and production processes with characteristics that have been declared by the relevant national environmental protection agency or by other competent authority as harmful to human beings and to the environment shall not be eligible for procurement.

#### 5. Tenderer's Responsibilities

- 5.1 The tenderer shall bear all costs associated with the preparation and submission of his/her tender, and the Procuring Entity will in no case be responsible or liable for those costs.
- 5.2 The tenderer, at the tenderer's own responsibility and risk, is encouraged to visit and examine the Site of the Works and its surroundings, and obtain all information that may be necessary for preparing the tender and entering into a contract for construction of the Works. The costs of visiting the Site shall be at the tenderer's own expense.
- 5.3 The Tenderer and any of its personnel or agents will be granted permission by the Procuring Entity to enter upon its premises and lands for the purpose of such visit. The Tenderer shall indemnify the Procuring Entity against all liability arising from death or personal injury, loss of or damage to property, and any other losses and expenses incurred as a result of the inspection.
- 5.4 The tenderer shall provide in the Form of Tender and Qualification Information, a preliminary description of the proposed work method and schedule, including charts, as necessary or required.

#### B. Contents of Tender Documents

#### 6. Sections of Tender Document

6.1 The tender document consists of Parts 1, 2, and 3, which includes all the sections specified below, and which should be read in conjunction with any Addenda issued in accordance with ITT 8.

#### **PART 1 Tendering Procedures**

- i) Section I Instructions to Tenderers (ITT)
- ii) Section II Tender Data Sheet (TDS)
- iii) Section III Evaluation and Qualification Criteria
- iv) Section IV Tendering Forms

#### **PART 2 Works Requirements**

- i) Section V Drawings
- ii) Section VI Specifications
- iii) Section VII Bills of Quantities

#### **PART 3 Conditions of Contract and Contract Forms**

- i) Section VIII General Conditions of Contract (GCC)
- ii) Section IX Special Conditions of Contract (SC)
- iii) Section X Contract Forms
- 6.2 The Invitation to Tender Document (ITT) issued by the Procuring Entity is not part of the Contract documents.
- 6.3 Unless obtained directly from the Procuring Entity, the Procuring Entity is not responsible for the completeness of the Tender document, responses to requests for clarification, the minutes of the pre-Tender meeting (if any), or Addenda to the Tender document in accordance with ITT 8. In case of any contradiction, documents obtained directly from the Procuring Entity shall prevail.

The Tenderer is expected to examine all instructions, forms, terms, and specifications in the Tender Document and to furnish with its Tender all information and documentation as is required by the Tender document.

#### 7. Site Visit

7.1 The Tenderer, at the Tenderer's own responsibility and risk, is encouraged to visit and examine and inspect the Site of the Required Services and its surroundings and obtain all information that may be necessary for preparing the Tender and entering into a contract for the Services. The costs of visiting the Site shall be at the Tenderer's own expense.

### 8. Pre-Tender Meeting

- 8.1 The Procuring Entity shall specify in the **TDS** if a pre-tender meeting will be held, when and where. The Procuring Entity shall also specify in the **TDS** if a pre- arranged pretender site visit will be held and when. The Tenderer's designated representative is invited to attend a pre- arranged pretender visit of the site of the works. The purpose of the meeting will be to clarify issues and to answer questions on any matter that may be raised at that stage.
- 8.2 The Tenderer is requested to submit any questions in writing, to reach the Procuring Entity not later than the period specified in the **TDS** before the meeting.
- 8.3 Minutes of the pre-Tender meeting and the pre-arranged pretender site visit of the site of the works, if applicable, including the text of the questions asked by Tenderers and the responses given, together with any responses prepared after the meeting, will be transmitted promptly to all Tenderers who have acquired the Tender Documents in accordance with ITT 6.3. Minutes shall not identify the source of the questions asked.
- 8.4 The Procuring Entity shall also promptly publish anonym zed (*no names*) Minutes of the pre-Tender meeting and the pre-arranged pretender visit of the site of the works at the web page identified in the **TDS**. Any modification to the Tender Documents that may become necessary as a result of the pre-tender meeting and the pre-arranged pretender site visit, shall be made by the Procuring Entity exclusively through the issue of an Addendum pursuant to ITT 8 and not through the minutes of the pre-Tender meeting. Nonattendance at the pre-Tender meeting will not be a cause for disqualification of a Tenderer.

#### 9. Clarification and amendments of Tender Documents

9.1 A Tenderer requiring any clarification of the Tender Document shall contact the Procuring Entity in writing at the Procuring Entity's address specified in the **TDS** or raise its enquiries during the pre-Tender meeting and the pre- arranged pretender visit of the site of the works if provided for in accordance with ITT 8.4. The Procuring Entity will respond in writing to any request for clarification, provided that such request is received no later than the period specified in the **TDS** prior to the deadline for submission of tenders. The Procuring Entity shall forward copies of its response to all tenderers who have acquired the Tender Documents in accordance with ITT 6.3, including a description of the inquiry but without identifying its source. If specified in the **TDS**, the Procuring Entity shall also promptly publish its response at the web page identified in the **TDS**. Should the clarification result in changes to the essential elements of the Tender Documents, the Procuring Entity shall amend the Tender Documents appropriately following the procedure under ITT 8.4.

## 10. Amendment of Tendering Document

10.1 At any time prior to the deadline for submission of Tenders, the Procuring Entity may amend

the Tendering document by issuing addenda.

- 10.2 Any addendum issued shall be part of the tendering document and shall be communicated in writing to all who have obtained the tendering document from the Procuring Entity in accordance with ITT 6.3. The Procuring Entity shall also promptly publish the addendum on the Procuring Entity's web page in accordance with ITT 8.4.
- **10.3** To give prospective Tenderers reasonable time in which to take an addendum into account in preparing their Tenders, the Procuring Entity shall extend, as necessary, the deadline for submission of Tenders, in accordance with ITT 25.2 below.

## C. Preparation of Tenders

## 11. Cost of Tendering

11.1 The Tenderer shall bear all costs associated with the preparation and submission of its Tender, and the Procuring Entity shall not be responsible or liable for those costs, regardless of the conduct or outcome of the tendering process.

## 12. Language of Tender

12.1 The Tender, as well as all correspondence and documents relating to the tender exchanged by the tenderer and the Procuring Entity, shall be written in the English Language. Supporting documents and printed literature that are part of the Tender may be in another language provided they are accompanied by an accurate and notarized translation of the relevant passages into the English Language, in which case, for purposes of interpretation of the Tender, such translation shall govern.

#### 13. Documents Comprising the Tender

- 13.1 The Tender shall comprise the following:
  - a) Form of Tender prepared in accordance with ITT 14;
  - b) Schedules including priced Bill of Quantities, completed in accordance with ITT 14 and ITT 16;
  - c) Tender Security or Tender-Securing Declaration, in accordance with ITT 21.1;
  - d) Alternative Tender, if permissible, in accordance with ITT 15;
  - e) Authorization: written confirmation authorizing the signatory of the Tender to commit the Tenderer, in accordance with ITT 22.3;
  - f) Qualifications: documentary evidence in accordance with ITT 19establishing the Tenderer's qualifications to perform the Contract if its Tender is accepted;
  - g) Conformity: a technical proposal in accordance with ITT 18;
  - h) Any other document required in the **TDS**.
- 13.2 In addition to the requirements under ITT 11.1, Tenders submitted by a JV shall include a copy of the Joint Venture Agreement entered into by all members. Alternatively, a letter of intent to execute a Joint Venture Agreement in the event of a successful Tender shall be signed by all members and submitted with the Tender, together with a copy of the proposed Agreement. The Tenderer shall chronologically serialize pages of all tender documents submitted.
- **13.3** The Tenderer shall furnish in the Form of Tender information on commissions and gratuities, if any, paid or to be paid to agents or any other party relating to this Tender.

#### 14. Form of Tender and Schedules

14.1 The Form of Tender and Schedules, including the Bill of Quantities, shall be prepared using the relevant forms furnished in Section IV, Tendering Forms. The forms must be completed without any alterations to the text, and no substitutes shall be accepted except as provided under ITT 20.3. All blank spaces shall be filled in with the information requested.

#### 15. Alternative Tenders

- 15.1 Unless otherwise specified in the **TDS**, alternative Tenders shall not be considered. 15.2When
- alternative times for completion are explicitly invited, a statement to that effect will be included in the **TDS**, and the method of evaluating different alternative times for completion will be described in Section III, Evaluation and Qualification Criteria.
- 15.3Except as provided under ITT 13.4 below, Tenderers wishing to offer technical alternatives to the requirements of the Tender Documents must first price the Procuring Entity's design as described in the Tender Documents and shall further provide all information necessary for a complete evaluation of the alternative by the Procuring Entity, including drawings, design calculations, technical specifications, breakdown of prices, and proposed construction methodology and other relevant details. Only the technical alternatives, if any, of the Tenderer with the Winning Tender conforming to the basic technical requirements shall be considered by the Procuring Entity. When specified in the **TDS**, Tenderers are permitted to submit alternative technical solutions for specified parts of the Works, and such parts will be identified in the **TDS**, as will the method for their evaluating, and described in Section VII, Works' Requirements.

#### 16. Tender Prices and Discounts

- 16.1 The prices and discounts (including any price reduction) quoted by the Tenderer in the Form of Tender and in the Bill of Quantities shall conform to the requirements specified below.
- 16.2 The Tenderer shall fill in rates and prices for all items of the Works described in the Bill of Quantities. Items against which no rate or price is entered by the Tenderer shall be deemed covered by the rates for other items in the Bill of Quantities and will not be paid for separately by the Procuring Entity. An item not listed in the priced Bill of Quantities shall be assumed to be not included in the Tender, and provided that the Tender is determined substantially responsive notwithstanding this omission, the average price of the item quoted by substantially responsive Tenderers will be added to the Tender price and the equivalent total cost of the Tender so determined will be used for price comparison.
- 16.3 The price to be quoted in the Form of Tender, in accordance with ITT 14.1, shall be the total price of the Tender, including **VAT** and any discounts offered.
- 16.4 The Tenderer shall quote any discounts and the methodology for their application in the Form of Tender, in accordance with ITT 14.1.
- 16.5 It will be specified in the **TDS** if the rates and prices quoted by the Tenderer are or are not subject to adjustment during the performance of the Contract in accordance with the provisions of the Conditions of Contract, except in cases where the contract is subject to <u>fluctuations and adjustments</u>, not fixed price. In such a case, the Tenderer shall furnish the indices and weightings for the price adjustment formulae in the Schedule of Adjustment Data and the Procuring Entity may require the Tenderer to justify its proposed indices and

weightings.

- 16.6 Where tenders are being invited for individual lots (contracts)or for any combination of lots (packages), tenderers wishing to offer discounts for the award of more than one Contract shall specify in their Tender the price reductions applicable to each package, or alternatively, to individual Contracts within the package. Discounts shall be submitted in accordance with ITT 16.4, provided the Tenders for all lots (contracts) are opened at the same time.
- 16.7 All duties, taxes, and other levies payable by the Contractor under the Contract, or for any other cause, as of the date 30 days prior to the deadline for submission of Tenders, shall be included in the rates and prices and the total Tender Price submitted by the Tenderer.

#### 17. Currencies of Tender and Payment

17.1 Tenderers shall quote entirely in Kenya Shillings. The unit rates and the prices shall be quoted by the Tenderer in the Bill of Quantities, entirely in Kenya shillings. A Tenderer expecting to incur expenditures in other currencies for inputs to the Works supplied from outside Kenya shall device own ways of getting foreign currency to meet those expenditures.

### 18. Documents Comprising the Technical Proposal

18.1 The Tenderer shall furnish a technical proposal including a statement of work methods, equipment, personnel, schedule and any other information as stipulated in Section IV, Tender Forms, in sufficient detail to demonstrate the adequacy of the Tenderer's proposal to meet the work's requirements and the completion time.

## 19. Documents Establishing the Eligibility and Qualifications of the Tenderer

- 19.1 Tenderers shall complete the Form of Tender, included in Section IV, Tender Forms, to establish Tenderer's eligibility in accordance with ITT 4.
- 19.2 In accordance with Section III, Evaluation and Qualification Criteria, to establish its qualifications to perform the Contract the Tenderer shall provide the information requested in the corresponding information sheets included in Section IV, Tender Forms.
- 19.3 A margin of preference will not be allowed. Preference and reservations will be allowed, individually or in joint ventures. Applying for eligibility for Preference and reservations shall supply all information required to satisfy the criteria for eligibility specified in accordance with ITT 33.1.
- 19.4 Tenderers shall be asked to provide, as part of the data for qualification, such information, including details of ownership, as shall be required to determine whether, according to the classification established by the Procuring Entity, a contractor or group of contractors qualifies for a margin of preference. Further the information will enable the Procuring Entity identify any actual or potential conflict of interest in relation to the procurement and/or contract management processes, or a possibility of collusion between tenderers, and thereby help to prevent any corrupt influence in relation to the procurement process or contract management.
- 19.5 The purpose of the information described in ITT 19.4 above overrides any claims to confidentiality which a tenderer may have. There can be no circumstances in which it would be justified for a tenderer to keep information relating to its ownership and control confidential where it is tendering to undertake public sector work and receive public sector funds. Thus, confidentiality will not be accepted by the Procuring Entity as a justification

for a Tenderer's failure to disclose, or failure to provide required information on its ownership and control.

- 19.6 The Tenderer shall provide further documentary proof, information or authorizations that the Procuring Entity may request in relation to ownership and control which information on any changes to the information which was provided by the tenderer under ITT 6.3. The obligations to require this information shall continue for the duration of the procurement process and contract performance and after completion of the contract, if any change to the information previously provided may reveal a conflict of interest in relation to the award or management of the contract.
- 19.7 All information provided by the tenderer pursuant to these requirements must be complete, current and accurate as at the date of provision to the Procuring Entity. In submitting the information required pursuant to these requirements, the Tenderer shall warrant that the information submitted is complete, current and accurate as at the date of submission to the Procuring Entity.
- 19.8 If a tenderer fails to submit the information required by these requirements, its tender will be rejected. Similarly, if the Procuring Entity is unable, after taking reasonable steps, to verify to a reasonable degree the information submitted by a tenderer pursuant to these requirements, then the tender will be rejected.
- 19.9 If information submitted by a tenderer pursuant to these requirements, or obtained by the Procuring Entity (whether through its own enquiries, through notification by the public or otherwise), shows any conflict of interest which could materially and improperly benefit the tenderer in relation to the procurement or contract management process, then:
  - i) if the procurement process is still ongoing, the tenderer will be disqualified from the procurement process,
  - ii) if the contract has been awarded to that tenderer, the contract award will be set aside,
  - iii) the tenderer will be referred to the relevant law enforcement authorities for investigation of whether the tenderer or any other persons have committed any criminal offence.
- 19.10 If a tenderer submits information pursuant to these requirements that is incomplete, inaccurate or out-of-date, or attempts to obstruct the verification process, then the consequences ITT 6.7 will ensue unless the tenderer can show to the reasonable satisfaction of the Procuring Entity that any such act was not material, or was due to genuine error which was not attributable to the intentional act, negligence or recklessness of the tenderer.

#### 20. Period of Validity of Tenders

- 20.1 Tenders shall remain valid for the Tender Validity period specified in the **TDS**. The Tender Validity period starts from the date fixed for the Tender submission deadline (as prescribed by the Procuring Entity in accordance with ITT 24). A Tender valid for a shorter period shall be rejected by the Procuring Entity as non- responsive.
- 20.2 In exceptional circumstances, prior to the expiration of the Tender validity period, the Procuring Entity may request Tenderers to extend the period of validity of their Tenders. The request and the responses shall be made in writing. If a Tender Security is requested in accordance with ITT 21.1, it shall also be extended for thirty (30) days beyond the deadline of the extended validity period. A Tenderer may refuse the request without forfeiting its

Tender security. A Tenderer granting the request shall not be required or permitted to modify its Tender, except as provided in ITT 20.3.

- **20.3** If the award is delayed by a period exceeding the number of days to be specified in the **TDS** days beyond the expiry of the initial tender validity period, the Contract price shall be determined as follows:
  - a) in the case of **fixed price** contracts, the Contract price shall be the tender price adjusted by the factor specified in the **TDS**;
  - b) in the case of **adjustable price** contracts, no adjustment shall be made; or in any case, tender evaluation shall be based on the tender price without taking into consideration the applicable correction from those indicated above.

#### 21. Tender Security

- **21.1** The Tenderer shall furnish as part of its Tender, either a Tender-Securing Declaration or a Tender Security as specified in the **TDS**, in original form and, in the case of a Tender Security, in the amount and currency specified in the **TDS**. A Tender-Securing Declaration shall use the form included in Section IV, Tender Forms.
- 21.2 If a Tender Security is specified pursuant to ITT 19.1, the Tender Security shall be a demand guarantee in any of the following forms at the Tenderer's option:
  - a) an unconditional Bank Guarantee issued by reputable commercial bank); or
  - b) an irrevocable letter of credit;
  - c) a Banker's cheque issued by a reputable commercial bank; or
  - d) another security specified in the TDS,
- 21.3 If an unconditional bank guarantee is issued by a bank located outside Kenya, the issuing bank shall have a correspondent bank located in Kenya to make it enforceable. The Tender Security shall be valid for thirty (30) days beyond the original validity period of the Tender, or beyond any period of extension if requested under ITT 20.2.
- 21.4 If a Tender Security or Tender-Securing Declaration is specified pursuant to ITT 19.1, any Tender not accompanied by a substantially responsive Tender Security or Tender-Securing Declaration shall be rejected by the Procuring Entity as non- responsive.
- 21.5 If a Tender Security is specified pursuant to ITT 21.1, the Tender Security of unsuccessful Tenderers shall be returned as promptly as possible upon the successful Tenderer's signing the Contract and furnishing the Performance Security and any other documents required in the **TDS**. The Procuring Entity shall also promptly return the tender security to the tenderers where the procurement proceedings are terminated, all tenders were determined nonresponsive or a bidder declines to extend tender validity period.
- 21.6 The Tender Security of the successful Tenderer shall be returned as promptly as possible once the successful Tenderer has signed the Contract and furnished the required Performance Security, and any other documents required in the **TDS**.
- 21.7 The Tender Security may be forfeited or the Tender-Securing Declaration executed:
  - e) if a Tenderer withdraws its Tender during the period of Tender validity specified by the Tenderer on the Form of Tender, or any extension thereto provided by the Tenderer; or
  - f) if the successful Tenderer fails to:
    - i) sign the Contract in accordance with ITT 50; or

- ii) furnish a Performance Security and if required in the **TDS**, and any other documents required in the **TDS**.
- 21.8 Where tender securing declaration is executed, the Procuring Entity shall recommend to the PPRA that PPRA debars the Tenderer from participating in public procurement as provided in the law.
- 21.9 The Tender Security or the Tender-Securing Declaration of a JV shall be in the name of the JV that submits the Tender. If the JV has not been legally constituted into a legally enforceable JV at the time of tendering, the Tender Security or the Tender-Securing Declaration shall be in the names of all future members as named in the letter of intent referred to in ITT 4.1 and ITT 11.2.
- 21.10 A tenderer shall not issue a tender security to guarantee itself.

## 22. Format and Signing of Tender

- 22.1 The Tenderer shall prepare one original of the documents comprising the Tender as described in ITT 13 and clearly mark it "ORIGINAL." Alternative Tenders, if permitted in accordance with ITT 15, shall be clearly marked "ALTERNATIVE." In addition, the Tenderer shall submit copies of the Tender, in the number specified in the **TDS** and clearly mark them "COPY." In the event of any discrepancy between the original and the copies, the original shall prevail.
- 22.2 Tenderers shall mark as "CONFIDENTIAL" all information in their Tenders which is confidential to their business. This may include proprietary information, trade secrets, or commercial or financially sensitive information.
- 22.3 The original and all copies of the Tender shall be typed or written in indelible ink and shall be signed by a person duly authorized to sign on behalf of the Tenderer. This authorization shall consist of a written confirmation as specified in the **TDS** and shall be attached to the Tender. The name and position held by each person signing the authorization must be typed or printed below the signature. All pages of the Tender where entries or amendments have been made shall be signed or initialed by the person signing the Tender.
- 22.4 In case the Tenderer is a JV, the Tender shall be signed by an authorized representative of the JV on behalf of the JV, and to be legally binding on all the members as evidenced by a power of attorney signed by their legally authorized representatives.
- 22.5 Any inter-lineation, erasures, or overwriting shall be valid only if they are signed or initialed by the person signing the Tender.

#### D. Submission and Opening of Tenders

#### 23. Sealing and Marking of Tenders

a) Depending on the sizes or quantities or weight of the tender documents, a tenderer may use an envelope, package or container. The Tenderer shall deliver the Tender in a single sealed envelope, or in a single sealed package, or in a single sealed container bearing the name and Reference number of the Tender, addressed to the Procuring Entity and a warning not to open before the time and date for Tender opening date. Within the single envelope, package or container, the Tenderer shall place the following separate, sealed envelopes: in an envelope or package or container marked

- "ORIGINAL", all documents comprising the Tender, as described in ITT 11; and
- b) in an envelope or package or container marked "COPIES", all required copies of the Tender; and
- c) if alternative Tenders are permitted in accordance with ITT 15, and if relevant:
  - i) in an envelope or package or container marked "ORIGINAL ALTERNATIVE TENDER", the alternative Tender; and
  - ii) in the envelope or package or container marked "COPIES- ALTERNATIVE TENDER", all required copies of the alternative Tender.

The inner envelopes or packages or containers shall:

- a) bear the name and address of the Procuring Entity.
- b) bear the name and address of the Tenderer; and
- c) bear the name and Reference number of the Tender.
- 23.2 If an envelope or package or container is not sealed and marked as required, the *Procuring Entity* will assume no responsibility for the misplacement or premature opening of the Tender. Tenders that are misplaced or opened prematurely will not be accepted.

#### 24. Deadline for Submission of Tenders

- 24.1 Tenders must be received by the Procuring Entity at the address specified in the **TDS** and no later than the date and time also specified in the **TDS**. When so specified in the **TDS**, Tenderers shall have the option of submitting their Tenders electronically. Tenderers submitting Tenders electronically shall follow the electronic Tender submission procedures specified in the **TDS**.
- 24.2 The Procuring Entity may, at its discretion, extend the deadline for the submission of Tenders by amending the Tender Documents in accordance with ITT 8, in which case all rights and obligations of the Procuring Entity and Tenderers previously subject to the deadline shall thereafter be subject to the deadline as extended.

#### 25. Late Tenders

25.1 The Procuring Entity shall not consider any Tender that arrives after the deadline for submission of tenders, in accordance with ITT 24. Any Tender received by the Procuring Entity after the deadline for submission of Tenders shall be declared late, rejected, and returned unopened to the Tenderer.

#### 26. Withdrawal, Substitution, and Modification of Tenders

- 26.1 A Tenderer may withdraw, substitute, or modify its Tender after it has been submitted by sending a written notice, duly signed by an authorized representative, and shall include a copy of the authorization in accordance with ITT 22.3, (except that withdrawal notices do not require copies). The corresponding substitution or modification of the Tender must accompany the respective written notice. All notices must be:
  - a) prepared and submitted in accordance with ITT 22 and ITT 23 (except that withdrawals notices do not require copies), and in addition, the respective envelopes shall be clearly marked "WITHDRAWAL," "SUBSTITUTION," "MODIFICATION; "and received by the Procuring Entity prior to the deadline prescribed for submission of Tenders, in accordance with ITT 24.
- 26.2 Tenders requested to be withdrawn in accordance with ITT 26.1 shall be returned unopened

to the Tenderers.

26.3 No Tender may be withdrawn, substituted, or modified in the interval between the deadline for submission of Tenders and the expiration of the period of Tender validity specified by the Tenderer on the Form of Tender or any extension thereof.

#### 27. Tender Opening

- 27.1 Except in the cases specified in ITT 23 and ITT 26.2, the Procuring Entity shall publicly open and read out all Tenders received by the deadline, at the date, time and place specified in the **TDS**, in the presence of Tenderers' designated representatives who chooses to attend. Any specific electronic Tender opening procedures required if electronic Tendering is permitted in accordance with ITT 24.1, shall be as specified in the **TDS**.
- 27.2 First, envelopes marked "WITHDRAWAL" shall be opened and read out and the envelopes with the corresponding Tender shall not be opened, but returned to the Tenderer. No Tender withdrawal shall be permitted unless the corresponding withdrawal notice contains a valid authorization to request the withdrawal and is read out at Tender opening.
- 27.3 Next, envelopes marked "SUBSTITUTION" shall be opened and read out and exchanged with the corresponding Tender being substituted, and the substituted Tender shall not be opened, but returned to the Tenderer. No Tender substitution shall be permitted unless the corresponding substitution notice contains a valid authorization to request the substitution and is read out at Tender opening.
- 27.4 Next, envelopes marked "MODIFICATION" shall be opened and read out with the corresponding Tender. No Tender modification shall be permitted unless the corresponding modification notice contains a valid authorization to request the modification and is read out at Tender opening.
- 27.5 Next, all remaining envelopes shall be opened one at a time, reading out: the name of the Tenderer and whether there is a modification; the total Tender Price, per lot (contract) if applicable, including any discounts and alternative Tenders; the presence or absence of a Tender Security or Tender-Securing Declaration, if required; and any other details as the Procuring Entity may consider appropriate.
- 27.6 Only Tenders, alternative Tenders and discounts that are opened and read out at Tender opening shall be considered further for evaluation. The Form of Tender and pages of the Bills of Quantities are to be initialed by the members of the tender opening committee attending the opening. The number of representatives of the Procuring Entity to sign shall be specified in the **TDS**.
- 27.7 At the Tender Opening, the Procuring Entity shall neither discuss the merits of any Tender nor reject any Tender (except for late Tenders, in accordance with ITT 25.1).

## 27.8 The Procuring Entity shall prepare minutes of the Tender Opening that shall include, as a minimum:

- a) the name of the Tenderer and whether there is a withdrawal, substitution, or modification;
- b) the Tender Price, per lot (contract) if applicable, including any discounts;
- c) any alternative Tenders;
- d) the presence or absence of a Tender Security, if one was required.

- e) number of pages of each tender document submitted.
- 27.9 The Tenderers' representatives who are present shall be requested to sign the minutes. The omission of a Tenderer's signature on the minutes shall not invalidate the contents and effect of the minutes. A copy of the tender opening register shall be distributed to all Tenderers upon request.

### E. Evaluation and Comparison of Tenders

## 28. Confidentiality

- 28.1 Information relating to the evaluation of Tenders and recommendation of contract award shall not be disclosed to Tenderers or any other persons not officially concerned with the Tender process until information on Intention to Award the Contract is transmitted to all Tenderers in accordance with ITT 46.
- 28.2 Any effort by a Tenderer to influence the Procuring Entity in the evaluation of the Tenders or Contract award decisions may result in the rejection of its tender.
- **28.3** Notwithstanding ITT 28.2, from the time of tender opening to the time of contract award, if a tenderer wishes to contact the Procuring Entity on any **matter related to the tendering process, it shall do so in writing.**

#### 29. Clarification of Tenders

- 29.1 To assist in the examination, evaluation, and comparison of the tenders, and qualification of the tenderers, the Procuring Entity may, at its discretion, ask any tenderer for a clarification of its tender, given a reasonable time for a response. Any clarification submitted by a tenderer that is not in response to a request by the Procuring Entity shall not be considered. The Procuring Entity's request for clarification and the response shall be in writing. No change, including any voluntary increase or decrease, in the prices or substance of the tender shall be sought, offered, or permitted, except to confirm the correction of arithmetic errors discovered by the Procuring Entity in the evaluation of the tenders, in accordance with ITT 33.
- 29.2 If a tenderer does not provide clarifications of its tender by the date and time set in the Procuring Entity's request for clarification, its Tender may be rejected.

#### 30. Deviations, Reservations, and Omissions

- 30.1 During the evaluation of tenders, the following definitions apply:
  - a) "Deviation" is a departure from the requirements specified in the tender document;
  - b) "Reservation" is the setting of limiting conditions or withholding from complete acceptance of the requirements specified in the tender document; and
  - c) "Omission" is the failure to submit part or all of the information or documentation required in the Tender document.

#### 31. Determination of Responsiveness

- 31.1 The Procuring Entity's determination of a Tender's responsiveness is to be based on the contents of the tender itself, as defined in ITT 13.
- **31.2** A substantially responsive Tender is one that meets the requirements of the Tender

document without material deviation, reservation, or omission. A material deviation, reservation, or omission is one that, if accepted, would:

- a) affect in any substantial way the scope, quality, or performance of the Works specified in the Contract; or
- b) limit in any substantial way, inconsistent with the tender document, the Procuring Entity's rights or the tenderer's obligations under the proposed contract; or
- c) if rectified, would unfairly affect the competitive position of other tenderers presenting substantially responsive tenders.
- 31.3 The Procuring Entity shall examine the technical aspects of the tender submitted in accordance with ITT 18, to confirm that all requirements of Section VII, Works' Requirements have been met without any material deviation, reservation or omission.
- 31.4 If a tender is not substantially responsive to the requirements of the tender document, it shall be rejected by the Procuring Entity and may not subsequently be made responsive by correction of the material deviation, reservation, or omission.

#### 32. Non-material Non-conformities

- 32.1 Provided that a tender is substantially responsive, the Procuring Entity may waive any non-conformities in the tender.
- 32.2 Provided that a Tender is substantially responsive, the Procuring Entity may request that the tenderer submit the necessary information or documentation, within a reasonable period, to rectify nonmaterial non-conformities in the tender related to documentation requirements. Requesting information or documentation on such non-conformities shall not be related to any aspect of the price of the tender. Failure of the tenderer to comply with the request may result in the rejection of its tender.
- **32.3** Provided that a tender is substantially responsive, the Procuring Entity shall rectify quantifiable nonmaterial non-conformities related to the Tender Price. To this effect, the Tender Price shall be adjusted, for comparison purposes only, to reflect the price of a missing or non-conforming item or component in the manner specified in the **TDS**.

#### 33. Arithmetical Errors

- 33.1 The tender sum as submitted and read out during the tender opening shall be absolute and final and shall not be the subject of correction, adjustment or amendment in any way by any person or entity.
- 33.2 Provided that the Tender is substantially responsive, the Procuring Entity shall handle errors on the following basis:
  - a) Any error detected if considered a major deviation that affects the substance of the tender, shall lead to disqualification of the tender as non- responsive.
  - b) Any errors in the submitted tender arising from a miscalculation of unit price, quantity, and subtotal and total bid price shall be considered as a major deviation that affects the substance of the tender and shall lead to disqualification of the tender as non-responsive. and
  - c) if there is a discrepancy between words and figures, the amount in words shall prevail
- 33.3 Tenderers shall be notified of any error detected in their bid during the notification of a ward.

#### 34. Currency provisions

34.1 Tenders will priced be in Kenya Shillings only. Tenderers quoting in currencies other than in Kenya shillings will be determined non-responsive and rejected.

#### 35. Margin of Preference and Reservations

- 35.1 No margin of preference shall be allowed on contracts for small works.
- 35.2 Where it is intended to reserve the contract to specific groups under Small and Medium Enterprises, or enterprise of women, youth and/or persons living with disability, who are appropriately registered as such by the authority to be specified in the **TDS**, a procuring entity shall ensure that the invitation to tender specifically indicates that only businesses/firms belonging to those specified groups are the only ones eligible to tender. Otherwise if no so stated, the invitation will be open to all tenderers.

#### 36. Nominated Subcontractors

- 36.1 Unless otherwise stated in the **TDS**, the Procuring Entity does not intend to execute any specific elements of the Works by subcontractors selected in advance by the Procuring Entity.
- 36.2 Tenderers may propose subcontracting up to the percentage of total value of contracts or the volume of works as specified in the **TDS**. Subcontractors proposed by the Tenderer shall be fully qualified for their parts of the Works.
- 36.3 The subcontractor's qualifications shall not be used by the Tenderer to qualify for the Works unless their specialized parts of the Works were previously designated by the Procuring Entity in the **TDS** as can be met by subcontractors referred to hereafter as 'Specialized Subcontractors', in which case, the qualifications of the Specialized Subcontractors proposed by the Tenderer may be added to the qualifications of the Tenderer.

#### 37. Evaluation of Tenders

- 37.1 The Procuring Entity shall use the criteria and methodologies listed in this ITT and Section III, Evaluation and Qualification Criteria. No other evaluation criteria or methodologies shall be permitted. By applying the criteria and methodologies the Procuring Entity shall determine the Best Evaluated Tender in accordance with ITT
- 37.2 To evaluate a Tender, the Procuring Entity shall consider the following:
  - price adjustment due to discounts offered in accordance with ITT 16;
  - b) converting the amount resulting from applying (a) and (b) above, if relevant, to a single currency in accordance with ITT39;
  - c) price adjustment due to quantifiable nonmaterial non-conformities in accordance with ITT 30.3; and
  - d) any additional evaluation factors specified **in the TDS** and Section III, Evaluation and Qualification Criteria.
- 37.3 The estimated effect of the price adjustment provisions of the Conditions of Contract, applied over the period of execution of the Contract, shall not be considered in Tender evaluation.
- **37.4** In the case of multiple contracts or lots, Tenderers shall be allowed to tender for one or more lots and the methodology to determine the lowest evaluated cost of the lot (contract) combinations, including any discounts offered in the **Form of Tender**, **is specified in Section III**, **Evaluation and Qualification Criteria**.

## 38. Comparison of Tenders

38.1 The Procuring Entity shall compare the evaluated costs of all substantially responsive Tenders established in accordance with ITT 38.2 to determine the Tender that has the lowest evaluated cost.

#### 39. Abnormally Low Tenders

- 39.1 An Abnormally Low Tender is one where the Tender price, in combination with other elements of the Tender, appears so low that it raises material concerns as to the capability of the Tenderer in regards to the Tenderer's ability to perform the Contract for the offered Tender Price or that genuine competition between Tenderers is compromised.
- 39.2 In the event of identification of a potentially Abnormally Low Tender, the Procuring Entity shall seek written clarifications from the Tenderer, including detailed price analyses of its Tender price in relation to the subject matter of the contract, scope, proposed methodology, schedule, allocation of risks and responsibilities and any other requirements of the Tender document.
- 39.3 After evaluation of the price analyses, in the event that the Procuring Entity determines that the Tenderer has failed to demonstrate its capability to perform the Contract for the offered Tender Price, the Procuring Entity shall reject the Tender.

#### 40. Abnormally High Tenders

- 40.1 An abnormally high price is one where the tender price, in combination with other constituent elements of the Tender, appears unreasonably too high to the extent that the Procuring Entity is concerned that it (the Procuring Entity) may not be getting value for money or it may be paying too high a price for the contract compared with market prices or that genuine competition between Tenderers is compromised.
- 40.2 In case of an abnormally high tender price, the Procuring Entity shall make a survey of the market prices, check if the estimated cost of the contract is correct and review the Tender Documents to check if the specifications, scope of work and conditions of contract are contributory to the abnormally high tenders. The Procuring Entity may also seek written clarification from the tenderer on the reason for the high tender price. The Procuring Entity shall proceed as follows:
  - i) If the tender price is abnormally high based on wrong estimated cost of the contract, the Procuring Entity <u>may accept or not accept</u> the tender depending on the Procuring Entity's budget considerations.
  - ii) If specifications, scope of work and/or conditions of contract are contributory to the abnormally high tender prices, the Procuring Entity shall reject all tenders and may retender for the contract based on revised estimates, specifications, scope of work and conditions of contract, as the case may be.
- **40.3** If the Procuring Entity determines that the Tender Price is abnormally too high because genuine competition between tenderers is compromised (often due to collusion, corruption or other manipulations), the Procuring Entity shall reject all Tenders and shall institute or cause competent Government Agencies to institute an investigation on the cause of the compromise, before retendering.

#### 41. Unbalanced and/or Front-Loaded Tenders

41.1 If in the Procuring Entity's opinion, the Tender that is evaluated as the lowest evaluated price is seriously unbalanced and/or front loaded, the Procuring Entity may require the

Tenderer to provide written clarifications. Clarifications may include detailed price analyses to demonstrate the consistency of the tender prices with the scope of works, proposed methodology, schedule and any other requirements of the Tender document.

- 41.2 After the evaluation of the information and detailed price analyses presented by the Tenderer, the Procuring Entity may as appropriate:
  - a) accept the Tender; or
  - b) require that the total amount of the Performance Security be increased at the expense of the Tenderer to a level not exceeding a 30% of the Contract Price; or
  - c) agree on a payment mode that eliminates the inherent risk of the Procuring Entity paying too much for undelivered works; or
  - d) reject the Tender,

#### 42. Qualifications of the Tenderer

- 42.1 The Procuring Entity shall determine to its satisfaction whether the eligible Tenderer that is selected as having submitted the lowest evaluated cost and substantially responsive Tender, meets the qualifying criteria specified in Section III, Evaluation and Qualification Criteria.
- 42.2 The determination shall be based upon an examination of the documentary evidence of the Tenderer's qualifications submitted by the Tenderer, pursuant to ITT 19. The determination shall not take into consideration the qualifications of other firms such as the Tenderer's subsidiaries, parent entities, affiliates, subcontractors (other than Specialized Subcontractors if permitted in the Tender document), or any other firm(s) different from the Tenderer.
- 42.3 An affirmative determination shall be a prerequisite for award of the Contract to the Tenderer. A negative determination shall result in disqualification of the Tender, in which event the Procuring Entity shall proceed to the Tenderer who offers a substantially responsive Tender with the next lowest evaluated price to make a similar determination of that Tenderer's qualifications to perform satisfactorily.
- 42.4 An Abnormally Low Tender is one where the Tender price, in combination with other elements of the Tender, appears so low that it raises material concerns as to the capability of the Tenderer in regards to the Tenderer's ability to perform the Contract for the offered Tender Price.
- 42.5 In the event of identification of a potentially Abnormally Low Tender, the Procuring Entity shall seek written clarifications from the Tenderer, including detailed price analyses of its Tender price in relation to the subject matter of the contract, scope, proposed methodology, schedule, allocation of risks and responsibilities and any other requirements of the Tender document.
- 42.6 After evaluation of the price analyses, if the Procuring Entity determines that the Tenderer has failed to demonstrate its capability to perform the Contract for the offered Tender Price, the Procuring Entity shall reject the Tender.

#### 43. Best Evaluated Tender

43.1 Having compared the evaluated prices of Tenders, the Procuring Entity shall determine the Best Evaluated Tender. The Best Evaluated Tender is the Tender of the Tenderer that meets the Qualification Criteria and whose Tender has been determined to be:

- a) Most responsive to the Tender document; and
- b) the lowest evaluated price.
- 44. Procuring Entity's Right to Accept Any Tender, and to Reject Any or All Tenders.
  - 44.1 The Procuring Entity reserves the right to accept or reject any Tender and to annul the Tender process and reject all Tenders at any time prior to Contract Award, without thereby incurring any liability to Tenderers. In case of annulment, all Tenderers shall be notified with reasons and all Tenders submitted and specifically, Tender securities, shall be promptly returned to the Tenderers.

#### F. Award of Contract

#### 45.Award Criteria

45.1 The Procuring Entity shall award the Contract to the successful tenderer whose tender has been determined to be the Lowest Evaluated Tender.

#### 46. Notice of Intention to enter into a Contract

- a) Upon award of the contract and prior to the expiry of the Tender Validity Period the Procuring Entity shall issue a Notification of Intention to Enter into a Contract / Notification of award to all tenderers which shall contain, at a minimum, the following information: the name and address of the Tenderer submitting the successful tender;
- b) the Contract price of the successful tender;
- c) a statement of the reason(s) the tender of the unsuccessful tenderer to whom the letter is addressed was unsuccessful, unless the price information in (c) above already reveals the reason;
- d) the expiry date of the Standstill Period; and
- e) instructions on how to request a debriefing and/or submit a complaint during the standstill period;

#### 47. Standstill Period

- 47.1 The Contract shall not be signed earlier than the expiry of a Standstill Period of 14 days to allow any dissatisfied tender to launch a complaint. Where only one Tender is submitted, the Standstill Period shall not apply.
- **47.2** Where a Standstill Period applies, it shall commence when the Procuring Entity has transmitted to each Tenderer the Notification of Intention to Enter **into a Contract with the successful Tenderer.**

## 48. Debriefing by the Procuring Entity

- 48.1 On receipt of the Procuring Entity's Notification of Intention to Enter into a Contract referred to in ITT 46, an unsuccessful tenderer may make a written request to the Procuring Entity for a debriefing on specific issues or concerns regarding their tender. The Procuring Entity shall provide the debriefing within five days of receipt of the request.
- **48.2** Debriefings of unsuccessful Tenderers may be done in writing or verbally. The Tenderer shall bear its own costs of attending **such a debriefing meeting.**

#### 49. Letter of Award

49.1 Prior to the expiry of the Tender Validity Period and upon expiry of the Standstill Period specified in ITT 42.1, upon addressing a complaint that has been filed within the Standstill Period, the Procuring Entity shall transmit the <u>Letter of Award</u> to the successful Tenderer. The letter of award shall request the successful tenderer to furnish the Performance Security within 21days of the date of the letter.

## **50. Signing of Contract**

- 50.1 Upon the expiry of the fourteen days of the Notification of Intention to enter into contract and upon the parties meeting their respective statutory requirements, the Procuring Entity shall send the successful Tenderer the Contract Agreement.
- 50.2 Within fourteen (14) days of receipt of the Contract Agreement, the successful Tenderer shall sign, date, and return it to the Procuring Entity.
- 50.3 The written contract shall be entered into within the period specified in the notification of award and before expiry of the tender validity period

### 51. Appointment of Adjudicator

51.1 The Procuring Entity proposes the person named in the **TDS** to be appointed as Adjudicator under the Contract, at the hourly fee specified in the **TDS**, plus reimbursable expenses. If the Tenderer disagrees with this proposal, the Tenderer should so state in his Tender. If, in the Letter of Acceptance, the Procuring Entity does not agree on the appointment of the Adjudicator, the Procuring Entity will request the Appointing Authority designated in the Special Conditions of Contract (SCC) pursuant to Clause 23.1 of the General Conditions of Contract (GCC), to appoint the Adjudicator.

## **52. Performance Security**

- 52.1 Within twenty-one (21) days of the receipt of the Letter of Acceptance from the Procuring Entity, the successful Tenderer shall furnish the Performance Security and, any other documents required in the **TDS**, in accordance with the General Conditions of Contract, subject to ITT 40.2 (b), using the Performance Security and other Forms included in Section X, Contract Forms, or another form acceptable to the Procuring Entity. A foreign institution providing a bank guarantee shall have a correspondent financial institution located in Kenya, unless the Procuring Entity has agreed in writing that a correspondent bank is not required.
- 52.2 Failure of the successful Tenderer to submit the above-mentioned Performance Security and other documents required in the **TDS**, or sign the Contract shall constitute sufficient grounds for the annulment of the award and forfeiture of the Tender Security. In that event the Procuring Entity may award the Contract to the Tenderer offering the next Best Evaluated Tender.
- **52.3** Performance security shall not be required for contracts estimated to cost less than Kenya shillings five million.

#### **53. Publication of Procurement Contract**

53.1 Within fourteen days after signing the contract, the Procuring Entity shall publish the awarded contract at its notice boards and websites; and on the Website of the Authority. At the minimum, the notice shall contain the following information:

- a) name and address of the Procuring Entity;
- b) name and reference number of the contract being awarded, a summary of its scope and the selection method used;
- c) the name of the successful Tenderer, the final total contract price, the contract duration.
- d) dates of signature, commencement and completion of contract;
- e) names of all Tenderers that submitted Tenders, and their Tender prices as read out at Tender opening.

## 54. Procurement Related Complaints and Administrative Review

- 54.1 The procedures for making Procurement-related Complaints are as specified in the **TDS**.
- 54.2 A request for administrative review shall be made in the form provided under contract forms.

## SECTION II - TENDER DATA SHEET (TDS)

The following specific data shall complement, supplement, or amend the provisions in the Instructions to Tenderers (ITT). Whenever there is a conflict, the provisions herein shall prevail over those in ITT.

ITT Reference	PARTICULARS OF APPENDIX TO INSTRUCTIONS TO TENDERS
	A. General
ITT 1.1	The name of the contract is DRILLING, DEVELOPMENT AND TEST PUMPING of Oldonyiro Ward Borehole-3 In Isiolo County  The reference number of the Contract is NWWDA/T/DB/020/ 2023-2024
ITT 2.3	The project is financed by <b>The Government of Kenya</b> The Procuring entity is <b>Northern Water Works Development Agency</b> represented by the employer whose name and address shall be;
	The Chief executive Officer, Northern Water Works Development Agency
	P.O Box 495 - 70100, Garissa
	Physical address: Maji House, Kismayo Road
	Telephone: 0711 559 995 Electronic mail address: info@nwwda.go.ke
	Electronic man address: wyo chin nangome
	The Financial Year of project implementation is 2023/24 Financial Year
	Works under the contract include but NOT limited to the following:  1. Drilling, Casing and gravel packing
	2. Physical and chemical Development
	3. Test pumping and caping of the borehole
	4. Installation of Sign Boards and Gantry
ITT 2.4	The firms that provided consulting services for the contract being tendered for are: N/A
ITT 3.1	Maximum number of members in the Joint Venture (JV) shall be: 2
	Tender Document
8.1	(A) Pre-Tender conference <i>shall take</i> place on <b>N/A</b>
ITT 8.2	The Tenderer will submit any questions in writing, to reach the Procuring Entity not later than 7 days to closing of tender
ITT 8.4	NOT APPLICABLE
ITT 9.1	For clarification of tender process only the Procuring Entity's address is
	The Chief Executive Officer,
	Northern Water Works Development Agency P.O Box 495 - 70100, Garissa
	Physical address: Maji House, Kismayo Road
	Telephone: 0711 559 995
	Electronic mail address: info@nwwda.go.ke
	Web page. <u>www.nwwda.go.ke</u>

C. Preparation	C. Preparation of Tenders		
ITP 13.1 (h)	The tenderer shall submit the following additional documents amongst any other		
	as indicated in its tender		
	a) Copies of original documents defining the constitution or legal status, place of		
	registration, and principal, place of business including;		
	i) Valid VAT/KRA PIN certificate.		
	ii) Valid Registration certificate.		
	iii) Valid Tax compliant certificate		
	b) Written power of attorney to authorize the signatory of the Tender to commit the Tenderer.		
	c) Registration as Civil Engineering Contractors (Water Works) minimum of		
	Class NCA 7 or above with the National Construction Authority of Kenya.		

ITT Reference	PARTICULARS OF APPENDIX TO INSTRUCTIONS TO TENDERS
TOTAL CITE	(Valid NCA certificate)
	d) Certified copy of CR 12 Form indicating Directorship of Company.
	e) Submission of audited books of accounts for the last three (3)
ITT 15.1	years. Alternative Tenders <i>shall not be</i> considered.
ITT 15.1	
ITT 15.2	Alternative times for completion <i>shall not be</i> permitted.  N/A
111 15.4	IV/A
ITT 16.5	The prices quoted by the Tenderer shall be: <b>FIXED</b>
ITT 20.1	The Tender validity period shall be <b>120</b> days.
ITT 21.1	A Tender-Securing Declaration <i>shall be</i> required.
ITT 22.1	In addition to the original of the Tender, the Tenderer should submit 1 copy (i.e.
	Original and a copy) of the Tender
	It is mandatory requirement to serialize each of the pages of the Bid.
ITT 22.3	The written confirmation of authorization to sign on behalf of the Tenderer shall
	consist of: The power of attorney. Issued by registered Directors or licensed
	commissioner of oaths.
D. Submission	and Opening of Tenders
ITT 24.1	Chief Executive Officer
	Northern Water Works Development Agency
	Maji House, Kismayo Road
	P.O. Box 495-70100 Garissa, Kenya
	Mobile No. 0711 559 995
	E-mail: info@nwwda.go.ke
	2 man moen waargone
	Date and time for submission of Tenders: 1st February, 2024
	Time: 1100hrs
	Tenderers <b>shall not submit</b> tenders electronically.
ITT 27.1	The Tender opening shall take place at the time and the address for Opening of
	Tenders provided below:
	(1) Northern Water Works Development Agency
	Maji House, Kismayo Road P.O Box 495- 70100 Garissa
	(2) Time of tender opening. Day: 1st February, 2024 Time: 1130hrs
ITT 27.1	N/A
ITT 27.6	The number of representatives of the Procuring Entity to sign is: <b>Three</b>
	and Comparison of Tenders
ITT 32.3	NOT APPLICABLE
ITT 35.2	The invitation to tender is extended to the following group that qualify for
111 55.2	ReservationsN/A
	Nebel varionsIVA
ITT 36.1	At this time, NWWDA <i>does not intend</i> to execute any specific parts of the Works
111 50.1	by subcontractors selected in advance.
	1 of succonfidences selected in advance.

ITT	PARTICULARS OF APPENDIX TO INSTRUCTIONS TO TENDERS	
Reference		
ITT 36.2	Contractor's may propose subcontracting: Maximum percentage of subcontracting permitted is: _N/A% of the total contract amount. Tenderers planning to subcontract more than 10% of total volume of work shall specify, in the Form of Tender, the activity (ies) or parts of the Works to be subcontracted along with complete details of the subcontractors and their qualification and experience: N/A	
ITT 36.3	NOT APPLICABLE	
ITT 37.2 (d)	Additional requirements apply. These are detailed in the evaluation criteria in	
	Section III, Evaluation and Qualification Criteria.	
ITT 51.1	NOT APPLICABLE	
ITT 54.1	For the attention:  Title/position: <b>THE CHIEF EXECUTIVE OFFICER</b> Procuring Entity: <i>NORTHERN WATER WORKS DEVELOPMENT AGENCY</i> Email address: <i>info@nwwda.go.ke</i>	

#### SECTION III - EVALUATION AND QUALIFICATION CRITERIA

#### 1. General Provisions

Wherever a Tenderer is required to state a monetary amount, Tenderers should indicate the Kenya Shilling equivalent using the rate of exchange determined as follows:

- a) For construction turnover or financial data required for each year Exchange rate prevailing on the last day of the respective calendar year (in which the amounts for that year is to be converted) was originally established.
- b) Value of single contract Exchange rate prevailing on the date of the contract signature.
- c) Exchange rates shall be taken from the publicly available source identified in the ITT 14.3. Any error in determining the exchange rates in the Tender may be corrected by the Procuring Entity.

This section contains the criteria that the Employer shall use to evaluate tender and qualify tenderers. No other factors, methods or criteria shall be used other than specified in this tender document. The Tenderer shall provide all the information requested in the forms included in Section IV, Tendering Forms. The Procuring Entity should use <u>The Standard Tender Evaluation Document for Goods and Works</u> for evaluating Tenders.

#### **Evaluation and contract award Criteria**

The Procuring Entity shall use the criteria and methodologies listed in this Section to evaluate tenders and arrive at the Lowest Evaluated Tender. The tender that (i) meets the qualification criteria, (ii) has been determined to be substantially responsive to the Tender Documents, and (iii) is determined to have the Lowest Evaluated Tender price shall be selected for award of contract.

#### 2. Preliminary examination for Determination of Responsiveness

The Procuring Entity will start by examining all tenders to ensure they meet in all respects the eligibility criteria and other requirements in the ITT, and that the tender is complete in all aspects in meeting the requirements of "Part 2 – Procuring Entity's Works Requirements", including checking for tenders with unacceptable errors, abnormally low tenders, abnormally high tenders and tenders that are front loaded. The Standard Tender Evaluation Report Document for Goods and Works for evaluating Tenders provides very clear guide on how to deal with review of these requirements. Tenders that do not pass the Preliminary Examination will be considered irresponsive and will not be considered further.

# Preliminary Evaluation (Any other requirement as outlined in the qualification form summary or bid document)

	Preliminary Evaluation and Mandatory Requirements		
No	Mandatory Eligibility criteria	R	NR
1	The Tender is signed and by the person with power of attorney, without		
	material deviation, reservation, or omission.		
2	There is a letter granting power of attorney to sign the contract, if so		
	required.		
3	Tenderer is a legally registered entity- Attach copy of Certificate of		
	incorporation and current CR12		
4	If Tenderer is a JV, it is properly constituted.		
5	Copy of Valid Tax Compliance Certificate		
6	Tender Security in form of Bank Guarantee of Kshs 100,000 valid for 150		
	days		
7	A Tenderer has not participated in more than one Tender, except for		
	permitted alternative tenders		
8	Tenderer has not been debarred by the PPRA or any other recognized		
	institution.		
9	Tenderer is a commercially autonomous Kenyan State-owned Enterprise.		
10	Tenderer has no conflicts of interest.		
11	Tender has met all scope of requirements and specifications without any		
	material deviation, reservation or omission.		
12	The tenderer is not insolvent, in receivership, bankrupt or in the process of		
	being wound up.		
13	The tender is valid for the required number of days.		
14	Must duly fill and sign all the forms in the provided format		
	At this stage, the tenderers submission will either be		
	responsive or non- responsive. The non- responsive		
	submission will be eliminated from the entire evaluation		
	process and will not be considered further.		
ſ	NB: Bidders are also informed to organize their evidentiary		
	documentation in the order above for ease of reference.		

## **Technical evaluation**

The detailed evaluation requirements are tabulated below

## **Technical Evaluation**

Item	Description		
1.	Key Personnel (Attach evidence)	Compliance requirement	Documentation required
	(i) Site Agent/Foreman;1No At least Diploma in a Civil/water engineering or equivalent. with 5 years relevant experience	Must meet requirements	<ul> <li>□ Copies of academic certificates</li> <li>□ Up to Date CV with evidence of undertaking similar works</li> </ul>
	(ii) Foreman;1No At least Diploma in a Civil/water engineering or equivalent. with 5 years relevant experience	Must meet requirements	<ul> <li>□ Copies of academic certificates</li> <li>□ Up to Date CV with evidence of undertaking similar works</li> </ul>
	(iii) Plant operator; 2 No  At least trade test, grade III or equivalent in plant operation with 5 years relevant experience	Must meet requirements	<ul> <li>□ Copies of academic certificates</li> <li>□ Up to Date CV with evidence of undertaking similar works</li> </ul>
2	Equipment detail	Compliance requirement	Documentation required
	Drilling rig (max drill) equipped with compressor, mud pump and capable of drilling borehole of maximum depth i. 300m(1No)	Must meet requirements	☐ (Log book or lease/hire agreements must be attached specifying the registration or serial numbers) (The leased/hired equipment validity period should exceed at least one year from the date submission)
	Test Pumping unit capable of testing ii. borehole 300m deep(1No)	Must meet requirements	☐ (Log book or lease/hire agreements must be attached specifying the registration or serial numbers) (The leased/hired equipment validity period should exceed at least one year from the date submission)
	iii. Support Truck/Lorry (1 No.)	Must meet requirements	☐ (Log book or lease/hire agreements must be attached specifying the registration or serial numbers)  (The leased/hired equipment validity period should exceed at least one year from the date submission)
3.	General Construction Experience Experience under construction contracts in the role of prime contractor, JV member, sub-contractor, or management contractor for at least the last Three [3] years prior to the applications submission deadline.	Must meet requirements	<ul> <li>□ Notification of award with corresponding certificate of practical completion</li> <li>□ Copies of LSOs with corresponding certificate of practical completion</li> <li>□ Copies of Dully signed, stamped</li> <li>Contract of works with corresponding certificate of practical completion</li> </ul>
4.	Specific Construction & Contract Management Experience  A minimum number of <i>one</i> similar contract specified below that have been satisfactorily and substantially completed as a prime contractor, joint venture member, management contractor or sub-contractor between 2020 and tender submission deadline i.e., 31st January 2024 (number) contracts, each of minimum value Kenya shillings	Must meet requirements	<ul> <li>Notification of award with corresponding certificate of practical completion</li> <li>□ Copies of LSOs with corresponding certificate of practical completion</li> <li>□ Copies of Dully signed, stamped</li> <li>Contract of works with corresponding certificate of practical completion</li> </ul>

4,000,000	
The similarity of the contracts shall be based on the	

5.	following:  Drilling of boreholes with cumulative contract value of not less than 4M for each project  Financial Capability  i) The minimum required annual volume of construction work for the successful Tenderer in the last 3 years shall be: Ksh.10 million Kenya Shillings.  ii) Bidder to submit audited accounts for the last 3 years  iii) Demonstrate access to, or availability of, financial resources such as liquid assets, lines of credit, and other financial means, other than any contractual advance payments to meet cash flow of Ksh.4,000,000 or equivalent in a freely convertible currency, and the overall	Must meet requirements	Audited financial statements for the last 3 years  Letters from banks affirming availability of credit facilities should be dully signed and stamped by the authorized officers.
6.	cash requirements for this contract and its concurrent commitments  History of Non-Performing Contracts  Non-performance of a contract did not occur as a result of contractor default	Must meet requirements	Form CON-2
7.	Pending Litigation Tender's financial position and prospective long-term profitability still sound according to criteria established in 3.1 and assuming that all pending litigation will NOT be resolved against the Tenderer.	Must meet requirements	Form CON – 2
8.	Litigation History No consistent history of court/arbitral award decisions against the Tenderer	Must meet requirements	Form CON – 2

Only bidders who qualify at this stage will be subjected to the award criteria. Financial comparison which will be in accordance to Section 82, PPADA 2015

#### FINANCIAL EVALUATION

Bids that pass the Technical Evaluation shall be subjected to Financial Evaluation. **NOTE** 

# 1. The procuring entity reserves the right to carry out due diligence on the responsive tenders prior to award of the contract.

2. Any false information provided by a bidder shall lead to automatic disqualification.

## **Tender Evaluation (ITT 35) Price evaluation:**

In addition to the criteria listed in ITT 35.2 (a) - (c) the following criteria shall apply:

- i) Alternative Completion Times, if permitted under ITT 13.2, will be evaluated as follows:
   Not Applicable
- ii) Alternative Technical Solutions for specified parts of the Works, if permitted

iii) Other Criteria; if permitted under ITT 35.2(d): Not Applicable

#### 3. Multiple Contracts/ Not Applicable

Multiple contracts will be permitted in accordance with ITT 35.4. Tenderers are evaluated on basis of Lots and the lowest evaluated tenderer identified for each Lot. The Procuring Entity will select one Option of the two Options listed below for award of Contracts.

#### **OPTION 1**

- i) If a tenderer wins only one Lot, the tenderer will be awarded a contract for that Lot, provided the tenderer meets the Eligibility and Qualification Criteria for that Lot.
- ii) If a tenderer wins more than one Lot, the tender will be awarded contracts for all won Lots, provided the tenderer meets the aggregate Eligibility and Qualification Criteria for all the Lots. The tenderer will be awarded the combination of Lots for which the tenderer qualifies and the others will be considered for award to second lowest the tenderers.

## **OPTION 2**

The Procuring Entity will consider all possible combinations of won Lots [contract(s)] and determine the combinations with the lowest evaluated price. Tenders will then be awarded to the Tenderer or Tenderers in the combinations provided the tenderer meets the aggregate Eligibility and Qualification Criteria for all the won Lots.

#### 4. Alternative Tenders (ITT 13.1): Not Applicable

An alternative if permitted under ITT 13.1, will be evaluated as follows:

The Procuring Entity shall consider Tenders offered for alternatives as specified in Part 2-Works Requirements. Only the technical alternatives, if any, of the Tenderer with the Best Evaluated Tender conforming to the basic technical requirements shall be considered by the Procuring Entity.

#### 5. Margin of Preference is not applicable

#### 6. Technical Qualification criteria

#### 7. Technical Qualification criteria

- a) The minimum required annual volume of construction work for the successful Tenderer in any of the last 3 years shall be: **Ksh.10,000,000 (Ten Million)**
- b) Experience as prime contractor in the construction of at **least 1 project** of a **nature and complexity** equivalent to the Works in the last 3 years or the period stated above to comply with this requirement, works cited should be at least 80 percent complete. **History of performance for bidders who have worked with the Agency shall be considered**)
- Experience under contracts in the role of contractor, subcontractor, or management contractor for at least the last Three (3) years prior to the application submission deadline and with activity in at least
   (6) months in each year.
- d) Participation as a contractor, subcontractor, or management contractor in at least **one** (1) contracts within the last three (3) years with a value of **at least Ksh. 4,000,000(Four million)**, or equivalent in a freely convertible currency, that have been successfully and substantially completed

and that are similar to the proposed works. The similarity shall be based on the physical size, complexity, method/technology or other characteristics as described as Employer's requirements as below:

e) The essential equipment to be made available for the Contract by the successful Tenderer (Log book or lease/hire agreements must be attached specifying the registration or serial numbers) shall be:

Equipment Detail	Minimum required number
Drilling Rig Eqipped with compressor and	
mudpump	1
Test Pumping Equipment mounted on a truck	1
Support Truck (30 tonnne)	1
4WD Pick-Up – 1 Ton	1

f) Contractor's Representative and Key Personnel, which are specified as

No.	Position	Minimum Qualifications	Experience in Similar Works (years)
1.	Geologist	<ul> <li>Diploma or Degree in Geology and registered with Geology Registration Board</li> </ul>	3
2.	General Foreman (1No)	<ul> <li>Diploma in Geology, Civil or Water Engineering</li> </ul>	3
3.	Plumber -	Certificate in plumbing	3

CVs (including academic and professional certificates of proposed Personnel

The Bidder shall provide further details of proposed items of personnel using the relevant Form

#### a) History of non-performing contracts:

Tenderer and each member of JV in case the Tenderer is a JV, shall demonstrate that Non- performance of a contract did not occur because of the default of the Tenderer, or the member of a JV in the last 3 years The required information shall be furnished in the appropriate form.

## b) Pending Litigation

Financial position and prospective long-term profitability of the Single Tenderer, and in the case the Tenderer is a JV, of each member of the JV, shall remain sound according to criteria established with respect to Financial Capability under Paragraph (i) above if all pending litigation will be resolved against the Tenderer. Tenderer shall provide information on pending litigations in the appropriate form.

#### c) Litigation History

There shall be no consistent history of court/arbitral award decisions against the Tenderer, in the last 3 years All parties to the contract shall furnish the information in the appropriate form about any litigation or arbitration resulting from contracts completed or ongoing under its execution over the years specified. A consistent history of awards against the Tenderer or any member of a JV may result in rejection of the tender.

## **8.** QUALIFICATION FORM SUMMARY

1	2	3	4	5
Item No.	Qualification Subject	Qualification Requirement	Document To be Completed/Provided by Tenderer/	For Procuring Entity's Use (Qualification met or Not Met)
1.	Nationality	Nationality in accordance with ITT 3.6	Forms ELI – 1.1 and 1.2, with attachments	
2.	Tax Obligations for Kenyan Tenderers	Has produced a current tax clearance certificate or tax exemption certificate issued by the Kenya Revenue Authority in accordance with ITT 3.14.	Form of Tender	
3.	Conflict of Interest	No conflicts of interest in accordance with ITT 3.3	Form of Tender	
4.	PPRA Eligibility	Not having been declared ineligible by the PPRA as described in ITT 3.8	Form of Tender	
5.	State- owned Enterprise	Meets conditions of ITT 3.7	Forms ELI – 1.1 and 1.2, with attachments	
6.	Goods, equipment and services to be supplied under the contract	To have their origin in any country that is not determined ineligible under ITT 4.1	Forms ELI – 1.1 and 1.2, with attachments	
7.	History of Non- Performing Contracts	Non-performance of a contract did not occur as a result of contractor default	Form CON-2	
8.	Suspension Based on Execution of Tender/Proposal Securing Declaration by the Procuring Entity	Not under suspension based on-execution of a Tender/Proposal Securing Declaration pursuant to ITT 19.9	Form of Tender	
9.	Pending Litigation	Tender's financial position and prospective long-term profitability still sound according to criteria established in 3.1 and assuming that all pending litigation will NOT be resolved against the Tenderer.	Form CON – 2	

10.	Litigation History	No consistent history of court/arbitral award decisions against the Tenderer Fo	orm CON – 2
11.	Financial Capabilities	(i) The Tenderer shall demonstrate that it has access to, or has available, liquid assets, unencumbered real assets, lines of credit, and other financial means (independent of any contractual advance payment) sufficient to meet the construction cash flow requirements estimated as Kenya Shillings 4,000,000/= equivalent for the subject contract(s) net of the Tenderer's other commitments.  (ii) The Tenderers shall also demonstrate, to the satisfaction of the Procuring Entity, that it has adequate sources of finance to	orm FIN -3.1, with attachments

		meet the cash flow requirements on works currently in progress and for future contract commitments.  (iii) The audited balance sheets or, if not required by the laws of the Tenderer's country, other financial statements acceptable to the Procuring Entity, for the last <i>three</i> years shall be submitted and must demonstrate the current soundness of the Tenderer's financial position and indicate its prospective long-term profitability.		
12.	Average Annual Construction Turnover	Minimum average annual construction turnover of Kenya Shillings 10,000,000.00 equivalent calculated as total certified payments received for contracts in progress and/or completed within the last three years, divided by [insert number of years] years	Form FIN – 3.2	
13.	General Construction Experience	Experience under construction contracts in the role of prime contractor, JV member, sub-contractor, or management contractor for at least the last three years	Form EXP – 4.1	
14.	Specific Construction & Contract Management Experience	A minimum number of <i>one</i> similar contract specified below that have been satisfactorily and substantially completed as a prime contractor, joint venture member, management contractor or sub-contractor between 31 <sup>st</sup> December 2020 and tender submission deadline i.e. 1 <sup>st</sup> February ,2024 (number) contracts, each of minimum value Kenya shillings 4,000,000.00 equivalent. [In case the Works are to be tender as individual contracts under multiple contract procedure, the minimum number of contracts required for purposes of evaluating qualification shall be selected from the options mentioned in ITT 35.4]  The similarity of the contracts shall be based on the following: [Based on Section VII, Scope of Works, specify the minimum key requirements in terms of physical size, complexity, construction method, technology and/or other characteristics including part of the requirements that may be met by specialized subcontractors, if permitted in accordance with ITT 34.3]	Form EXP 4.2(a)	

#### **QUALIFICATION FORMS**

(Bidders must fill this form and provide accompanying document of ownership)

## 1. FORM EQU: EQUIPMENT

The Tenderer shall provide adequate information to demonstrate clearly that it has the capability to meet the requirements for the key equipment listed in Section III, Evaluation and Qualification Criteria. A separate Form shall be prepared for each item of equipment listed, or for alternative equipment proposed by the Tenderer.

Item of equipme	nt	
Equipment information	Name of manufacturer	Model and power rating
	Capacity	Year of manufacture
Current status	Current location	
	Details of current commitments	
Source	Indicate source of the equipment  Owned  Rented	Leased Specially manufactured

Omit the following information for equipment owned by the Tenderer.

Owner	Name of owner		
	Address of owner		
	Telephone	Contact name and title	
	Fax	Telex	
Agreements	Details of rental / lease / manufacture agreemen	etails of rental / lease / manufacture agreements specific to the project	

### 2. **FORM PER -1**

Contractor's Representative and Key Personnel Schedule

Tenderers should provide the names and details of the suitably qualified Contractor's Representative and Key Personnel to perform the Contract. The data on their experience should be supplied using the Form PER-2 below for each candidate.

## **Contractor' Representative and Key Personnel**

1.	Title of position: Contractor's Representative		
	Name of candidate:	3 1 1 0 1 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1	
	<b>Duration of</b>	[insert the whole period (start and end dates) for which this position will be	
	appointment:	engaged	
	Time commitment: for	[insert the number of days/week/months/ that has been scheduled for this	
	this position:	position]	
	<b>Expected time schedule</b>	[insert the expected time schedule for this position (e.g. attach high level Gantt	
	for this position:	chart]	
2.	Title of position: [	]	
	Name of candidate:		
	<b>Duration of</b>	[insert the whole period (start and end dates) for which this position will be	
	appointment:	engaged]	
	Time commitment: for	[insert the number of days/week/months/ that has been scheduled for this	
	this position:	position]	
	<b>Expected time schedule</b>	[insert the expected time schedule for this position (e.g. attach high level Gantt	
	for this position:	chart]	
3.	Title of position: [	]	
	Name of candidate:		
	<b>Duration of</b> [insert the whole period (start and end dates) for which this position engaged]		
	Time commitment: for	[insert the number of days/week/months/ that has been scheduled for this	
	this position:	position]	
	<b>Expected time schedule</b>	[insert the expected time schedule for this position (e.g. attach high level Gantt	
	for this position:	chart]	
4.	Title of position: []		
	Name of candidate:		
	Duration of	[insert the whole period (start and end dates) for which this position will be	
	appointment:	engaged]	
	Time commitment: for	[insert the number of days/week/months/ that has been scheduled for this	
	this position:	position]	
	Expected time schedule	[insert the expected time schedule for this position (e.g. attach high level Gantt	
	for this position:	chart]	
5.	Title of position: [insert	title]	
	Name of candidate		
	Duration of	[insert the whole period (start and end dates) for which this position will be	
	appointment:	engaged]	
	Time commitment: for	[insert the number of days/week/months/ that has been scheduled for this	
	this position:	position]	
	Expected time schedule	[insert the expected time schedule for this position (e.g. attach high level Gantt	
	for this position:	chart]	

### 3. FORM PER-2:

Resume and Declaration - Contractor's Representative and Key Personnel.

Summarize professional experience in reverse chronological order. Indicate particular technical and managerial experience relevant to the project.

Name of Tend	erer	
Position [#1]:	title of position from Form PER-	1]
Personnel information	Name:	Date of birth:
	Address:	E-mail:
	Professional qualifications:	
	Academic qualifications:	
	Language proficiency: [language	age and levels of speaking, reading and writing skills]
Details	Address of Procuring Entity:	
	Telephone:	Contact (manager / personnel officer):
	Fax:	
	Job title:	Years with present Procuring Entity:

Summarize professional experience in reverse chronological order. Indicate particular technical and managerial experience relevant to the project.

Project	Role	Duration of involvement	Relevant experience
[main project details]	[role and responsibilities on the project]	[time in role]	[describe the experience relevant to this position]

#### **Declaration**

I, the undersigned [insert either "Contractor's Representative" or "Key Personnel" as applicable], certify that to the best of my knowledge and belief, the information contained in this Form PER-2 correctly describes myself, my qualifications and my experience.

I confirm that I am available as certified in the following table and throughout the expected time schedule for this position as provided in the Tender:

Commitment	Details
Commitment to duration of contract:	[insert period (start and end dates) for which this Contractor's
	Representative or Key Personnel is available to work on this
	contract]
Time commitment:	[insert period (start and end dates) for which this Contractor's
	Representative or Key Personnel is available to work on this
	contract]

I understand that any misrepresentation or omission in this Form may:

- a) be taken into consideration during Tender evaluation;
- b) result in my disqualification from participating in the Tender;
- c) result in my dismissal from the contract.

Name of Contractor's Representative of Rey Personner. [insert name]
Signature:
Deter (deer month are a)
Date: (day month year):
Countersignature of authorized representative of the Tenderer:
Signature: Date: (day month year):

## 4. TENDERER'S QUALIFICATION WITHOUT PRE-QUALIFICATION

To establish its qualifications to perform the contract in accordance with Section III, Evaluation and Qualification Criteria the Tenderer shall provide the information requested in the corresponding Information Sheets included hereunder.

#### 4.1 FORM ELI -1.1

Tenderer Information Form  Date:
ITT No. and title:
Tenderer's name
In case of Joint Venture (JV), name of each member:
Tenderer's actual or intended country of registration:
[indicate country of Constitution]
Tenderer's actual or intended year of incorporation:
Tenderer's legal address [in country of registration]:
Tenderer's authorized representative information
Name:
Address:
Telephone/Fax numbers:
E-mail address:
1. Attached are copies of original documents of
Articles of Incorporation (or equivalent documents of constitution or association), and/or documents of registration of the legal entity named above, in accordance with ITT 3.6
In case of JV, letter of intent to form JV or JV agreement, in accordance with ITT 3.5
In case of state-owned enterprise or institution, in accordance with ITT 3.8, documents establishing:
Legal and financial autonomy
Operation under commercial law
Establishing that the Tenderer is not under the supervision of the Procuring Entity
2. Included are the organizational chart, a list of Board of Directors, and the beneficial ownership.

#### 4.2 FORM ELI -1.2

## **Tenderer's JV Information Form** (to be completed for each member of Tenderer's JV) Date: ITT No. and title: \_\_\_\_\_ Tenderer's JV name: JV member's name: JV member's country of registration: JV member's year of constitution: JV member's legal address in country of constitution: JV member's authorized representative information Name: Address: \_ Telephone/Fax numbers: E-mail address: \_ 1. Attached are copies of original documents of Articles of Incorporation (or equivalent documents of constitution or association), and/or registration documents of the legal entity named above, in accordance with ITT 3.6. In case of a state-owned enterprise or institution, documents establishing legal and financial autonomy, operation in accordance with commercial law, and that they are not under the supervision of the Procuring Entity, in accordance with ITT 3.8.

2. Included are the organizational chart, a list of Board of Directors, and the beneficial ownership.

## 4.3 <u>FORM CON</u> <u>– 2</u>

## Historical Contract Non-Performance, Pending Litigation and Litigation History

	r's Name:		
Date:			
JV Mem	iber's Name		
ITT No.	and title:		
Non-Per	formed Contracts in	accordance with Section III, Evaluation and Qualification	Criteria
and Quali	Contract non-performatification Criteria, Sub-	ance did not occur since 8 <sup>th</sup> December 2020 <i>specified</i> in Section Factor 2.1.	III, Evaluation
	Contract(s) not perfoation Criteria, requir	ormed since 8 <sup>th</sup> December 2020 <i>specified</i> in Section III, Exement 2.1	valuation and
Year	Non- performed	Contract Identification	Total Contract
	portion of		Amount (current
	contract		value, currency,
			exchange rate and
			Kenya Shilling
			equivalent)
[insert	[insert amount	Contract Identification: [indicate complete contract name/	[insert amount]
year]	and percentage]	number, and any other identification]	
		Name of Procuring Entity: [insert full name]	
		Address of Procuring Entity: [insert street/city/country]	
		Reason(s) for nonperformance: [indicate main reason(s)]	
Pending	Litigation, in accorda	ance with Section III, Evaluation and Qualification Criteria	
Factor 2.3	No pending litigation is	in accordance with Section III, Evaluation and Qualification Crit	teria, Sub-
		ccordance with Section III, Evaluation and Qualification Criteria	a, Sub-Factor 2.3
			·

Year of dispute	Amount in dispute (currency)	Contract Identification	Total Contract Amount (currency), Kenya Shilling Equivalent (exchange rate)		
		Contract Identification:			
		Name of Procuring Entity:			
		Address of Procuring Entity:			
		Matter in dispute:			
		Party who initiated the dispute:			
		Status of dispute:			
		Contract Identification:			
		Name of Procuring Entity:			
		Address of Procuring Entity:			
		Matter in dispute:			
		Party who initiated the dispute:			
		Status of dispute:			
	y in accordance with S	ection III, Evaluation and Qualification Criteria	a		
No Litigation History in accordance with Section III, Evaluation and Qualification Criteria, Sub-Factor					
2.4.  Litigation History in accordance with Section III, Evaluation and Qualification Criteria, Sub-Factor 2.4					

Year of award	Outcome as percentage of Net Worth	Contract Identification	Total Contract Amount (currency), Kenya Shilling Equivalent (exchange rate)
[insert year]	[insert percentage]	Contract Identification: [indicate complete contract name, number, and any other identification]  Name of Procuring Entity: [insert full name]  Address of Procuring Entity: [insert street/city/country]  Matter in dispute: [indicate main issues in dispute]  Party who initiated the dispute: [indicate "Procuring Entity" or "Contractor"]  Reason(s) for Litigation and award decision [indicate main reason(s)]	[insert amount]

## 4.4 <u>FORM FIN – 3.1:</u>

Financial	Situation	and P	erformance
-----------	-----------	-------	------------

Tenderer's Name:	
Date:	<del></del>
JV Member's Name	
ITT No. and title:	

### 4.4.1. Financial Data

Type of Financial information	Historic information for previousyears,				
in (currency)	(amount in currency, currency, exchange rate*, USD equivalent)				
	Year 1	Year 2	Year 3	Year 4	Year 5
Statement of Financial Position (Inf	ormation from I	Balance Sheet)			
Total Assets (TA)					
Γotal Liabilities (TL)					
Γotal Equity/Net Worth (NW)					
Current Assets (CA)					
Current Liabilities (CL)					
Working Capital (WC)					
nformation from Income Statement	t				

Type of Financial information in (currency)	Historic information for previousyears,  (amount in currency, currency, exchange rate*, USD equivalent)					
	Year 1	Year 2	Year 3	Year 4	Year 5	
Total Revenue (TR)						
Profits Before Taxes (PBT)						
Cash Flow Information				I		
Cash Flow from Operating Activities						

#### 4.4.2 Sources of Finance

Specify sources of finance to meet the cash flow requirements on works currently in progress and for future contract commitments.

No.	Source of finance	Amount (Kenya Shilling equivalent)
1		
2		
3		

#### 4.4.3 Financial documents

- (a) reflect the financial situation of the Tenderer or in case of JV member, and not an affiliated entity (such as parent company or group member).
- (b) be independently audited or certified in accordance with local legislation.
- (c) be complete, including all notes to the financial statements.
- (d) correspond to accounting periods already completed and audited.

<sup>\*</sup>Refer to ITT 15 for the exchange rate

<sup>&</sup>lt;sup>1</sup> If the most recent set of financial statements is for a period earlier than 12 months from the date of Tender, the reason for this should be justified.

### 4.5 <u>FORM FIN – 3.2:</u>

#### **Average Annual Construction Turnover**

Tenderer's Name:	
Date:	
JV Member's Name	
ITT No. and title:	

	Annual turnover data (construction only)				
Year	Amount Currency	Exchange rate	Kenya Shilling equivalent		
[indicate year]	[insert amount and indicate currency]				
Average Annual					
Construction Turnover *					

<sup>\*</sup> See Section III, Evaluation and Qualification Criteria, Sub-Factor 3.2.

### 4.6 <u>FORM FIN – 3.3:</u>

#### **Financial Resources**

Specify proposed sources of financing, such as liquid assets, unencumbered real assets, lines of credit, and other financial means, net of current commitments, available to meet the total construction cash flow demands of the subject contract or contracts as specified in Section III, Evaluation and Qualification Criteria

Fina	ncial Resources	
No.	Source of financing	Amount (Kenya Shilling equivalent)
1		
2		
3		

### 4.7 <u>FORM FIN – 3.4:</u>

## **Current Contract Commitments / Works in Progress**

Tenderers and each member to a JV should provide information on their current commitments on all contracts that have been awarded, or for which a letter of intent or acceptance has been received, or for contracts approaching completion, but for which an unqualified, full completion certificate has yet to be issued.

	Current Co	ontract Commitments			
No.	Name of Contract	Procuring Entity's Contact Address, Tel,	Value of Outstanding Work [Current Kenya Shilling /Month Equivalent]	Estimated Completion Date	Average Monthly Invoicing Over Last Six Months [Kenya Shilling /month)
1					
2					
3					
4					
5					

## 4.8 <u>FORM EXP - 4.1</u>

## **General Construction Experience**

Tenderer's Name:		
Date:		
JV Member's Name		
ITT No. and title:		
Page	of	pages

Starting Year	Ending Year	Contract Identification	Role of Tenderer
i eai			
		Contract name: Brief Description of the Works performed by the Tenderer: Amount of contract: Name of Procuring Entity:	
		Address:  Contract name: Brief Description of the Works performed by the Tenderer: Amount of contract: Name of Procuring Entity: Address:	
		Contract name:	

## 4.9 <u>FORM EXP - 4.2(a)</u>

## Specific Construction and Contract Management Experience

Tenderer's Name:				
Date:				
JV Member's Name				
ITT No. and title:				
Similar Contract No.	Information			
Contract Identification				
Award date				
Completion date				
Role in Contract	Prime Contractor ⊔	Member in JV □	Management Contractor □	Sub- contractor
Total Contract Amount		I	Kenya Shilling	
If member in a JV or sub-contractor,				
specify participation in total Contract				
amount				
Procuring Entity's Name:				
Address:				
Telephone/fax number				
E-mail:				

## 4.10 FORM EXP - 4.2 (a) (cont.)

## **Specific Construction and Contract Management Experience (cont.)**

Simila	r Contract No.	Information
Descri	ption of the similarity in accordance	
with S	ub-Factor 4.2(a) of Section III:	
1.	Amount	
2.	Physical size of required works	
items	-	
3.	Complexity	
4.	Methods/Technology	
5.	Construction rate for key activities	
6	Other Characteristics	

## 4.11 FORM EXP - 4.2(b)

Tenderer's Name: \_\_\_\_\_

Date: \_

## **Construction Experience in Key Activities**

Tenderer's JV Member Name:				
Sub-contractor's Name <sup>2</sup> (as per ITT 34):				
ITT No. and title:	_			
All Sub-contractors for key activities mulification Criterians.  1. Key Activity No One: _			in this form a	s per ITT 34 an
	Information			
Contract Identification				
Award date				
Completion date				
Role in Contract	Prime Contractor □	Member in JV □	Management Contractor □	Sub-contractor  □
Total Contract Amount		<u>I</u>	Kenya Shilling	g
Quantity (Volume, number or rate of production, as applicable) performed under the contract per year or part of the year	Total quantity i the contract (i)	in Percentage participatio (ii)	on	Actual Quantity Performed (i) x (ii)
Year 1				
Year 2				
Year 3				
Year 4				
Procuring Entity's Name:		•		
Address: Telephone/fax number E-mail:				

<sup>&</sup>lt;sup>2</sup> If applicable

	Information
Description of the key activities in accordance with Sub-Factor 4.2(b) of Section III:	

#### **OTHER FORMS**

#### 5. FORM OF TENDER

#### INSTRUCTIONS TO TENDERERS

- i) The Tenderer must prepare this Form of Tender on stationery with <u>its letterhead</u> clearly showing the Tenderer's complete name and business address.
- *ii)* All italicized text is to help Tenderer in preparing this form.
- iii) Tenderer must complete and sign CERTIFICATE OF INDEPENDENT TENDER DETERMINATION and the SELF DECLARATION OF THE TENDERER attached to this Form of Tender.
- iv) The Form of Tender shall include the following Forms duly completed and signed by the Tenderer.
  - Tenderer's Eligibility- Confidential Business Questionnaire
  - Certificate of Independent Tender Determination
  - Self-Declaration of the Tenderer

Date of this Tender submission: [1	insert date (as	day, month and ye	ear) of Tender submission]
Request for Tender No.: [insert id	lentification]		

Name and description of Tender (Insert as per ITT)

**Alternative No.:** [insert identification No if this is a Tender for an alternative]

To: [insert complete name of Procuring Entity] Dear Sirs

	10. [insert compare name of Frocuring Linuxy] bear ons,
1.	In accordance with the Conditions of Contract, Specifications, Drawings and Bills of Quantities for the execution of the above named Works, we, the undersigned offer to construct and complete the Works and remedy any defects therein for the sum of Kenya Shillings [[Amount in figures] Kenya Shillings [amount in words]
	The above amount includes foreign currency amount (s) of [state figure or a percentage and currency] [figures]
	The percentage or amount quoted above does not include provisional sums, and only allows not more than two foreign currencies.
2.	We undertake, if our tender is accepted, to commence the Works as soon as is reasonably possible after the receipt of the Project Manager's notice to commence, and to complete the whole of the Works comprised in the Contract within the time stated in the Special Conditions of Contract.

- 3. We agree to adhere by this tender until \_\_\_\_\_\_[Insert date], and it shall remain binding upon us and may be accepted at any time before that date.
- 4. Unless and until a formal Agreement is prepared and executed this tender together with your written acceptance thereof, shall constitute a binding Contract between us. We further understand that you are not bound to accept the lowest or any tender you may receive.
- 5. We, the undersigned, further declare that:
  - i) <u>No reservations</u>: We have examined and have no reservations to the tender document, including Addenda issued in accordance with ITT 28;
  - ii) <u>Eligibility:</u> We meet the eligibility requirements and have no conflict of interest in accordance with ITT 3 and 4;
  - iii) <u>Tender-Securing Declaration</u>: We have not been suspended nor declared ineligible by the Procuring Entity based on execution of a Tender-Securing or Proposal-Securing Declaration in the Procuring Entity's Country in accordance with ITT 19.8;

- *Conformity*: We offer to execute in conformity with the tendering documents and in accordance with the implementation and completion specified in the construction schedule, the following Works: [insert a brief description of the Works];
- v) <u>Tender Price:</u> The total price of our Tender, excluding any discounts offered in item 1 above is: [Insert one of the options below as appropriate]
- vi Option 1, in case of one lot: Total price is: [insert the total price of the Tender in words and figures, indicating the various amounts and the respective currencies]; Or

#### Option 2, in case of multiple lots:

- a) Total price of each lot [insert the total price of each lot in words and figures, indicating the various amounts and the respective currencies]; and
- b) <u>Total price of all lots</u> (sum of all lots) [insert the total price of all lots in words and figures, indicating the various amounts and the respective currencies];
- vii) <u>Discounts:</u> The discounts offered and the methodology for their application are:
- viii) The discounts offered are: [Specify in detail each discount offered.]
- ix) The exact method of calculations to determine the net price after application of discounts is shown below: [Specify in detail the method that shall be used to apply the discounts];
- x) <u>Tender Validity Period</u>: Our Tender shall be valid for the period specified in TDS 18.1 (as amended, if applicable) from the date fixed for the Tender submission deadline specified in TDS 22.1 (as amended, if applicable), and it shall remain binding upon us and may be accepted at any time before the expiration of that period;
- xi) <u>Performance Security:</u> If our Tender is accepted, we commit to obtain a Performance Security in accordance with the Tendering document;
- xii) <u>One Tender Per Tender</u>: We are not submitting any other Tender(s) as an individual Tender, and we are not participating in any other Tender(s) as a Joint Venture member or as a subcontractor, and meet the requirements of ITT 3.4, other than alternative Tenders submitted in accordance with ITT 13.3;
- xiii) <u>Suspension and Debarment</u>: We, along with any of our subcontractors, suppliers, Project Manager, manufacturers, or service providers for any part of the contract, are not subject to, and not controlled by any entity or individual that is subject to, a temporary suspension or a debarment imposed by the Public Procurement Regulatory Authority or any other entity of the Government of Kenya, or any international organization.
- xiv) <u>State-owned enterprise or institution:</u> [select the appropriate option and delete the other] [We are not a state-owned enterprise or institution] / [We are a state-owned enterprise or institution but meet the requirements of ITT 3.8];
- xv) <u>Commissions, gratuities, fees</u>: We have paid, or will pay the following commissions, gratuities, or fees with respect to the tender process or execution of the Contract: [insert complete name of each Recipient, its full address, the reason for which each commission or gratuity was paid and the amount and currency of each such commission or gratuity].

Name of Recipient	Address	Reason	Amount

(If none has been paid or is to be paid, indicate "none.")

- xvi) <u>Binding Contract</u>: We understand that this Tender, together with your written acceptance thereof included in your Letter of Acceptance, shall constitute a binding contract between us, until a formal contract is prepared and executed;
- xvii) Not Bound to Accept: We understand that you are not bound to accept the lowest evaluated cost Tender, the Most Advantageous Tender or any other Tender that you may receive;

xviii) Fraud and Corruption: We hereby certify that we have taken steps to ensure that no person acting for us or on our behalf engages in any type of Fraud and Corruption;
56

- xix) <u>Collusive practices</u>: We hereby certify and confirm that the tender is genuine, non-collusive and made with the intention of accepting the contract if awarded. To this effect we have signed the "Certificate of Independent Tender Determination" attached below.
- We undertake to adhere by the Code of Ethics for Persons Participating in Public Procurement and Asset Disposal, copy available from \_\_\_\_\_\_\_(specify website) during the procurement process and the execution of any resulting contract.
- xxi) We, the Tenderer, have completed fully and signed the following Forms as part of our Tender:
  - a) Tenderer's Eligibility; Confidential Business Questionnaire to establish we are not in any conflict to interest.
  - b) Certificate of Independent Tender Determination to declare that we completed the tender without colluding with other tenderers.
  - c) Self-Declaration of the Tenderer to declare that we will, if awarded a contract, not engage in any form of fraud and corruption.
  - d) Declaration and commitment to the Code of Ethics for Persons Participating in Public Procurement and Asset Disposal

Further, we confirm that we have read and understood the full content and scope of fraud and corruption as informed in "Appendix 1- Fraud and Corruption" attached to the Form of Tender.

Name of the Tenderer: \*[insert complete name of person signing the Tender]

Name of the person duly authorized to sign the Tender on behalf of the Tenderer: \*\*[insert complete name of person duly authorized to sign the Tender]

**Title of the person signing the Tender**: [insert complete title of the person signing the Tender]

**Signature of the person named above**: [insert signature of person whose name and capacity are shown

above] Date signed [insert date of signing] day of [insert month], [insert year]

Date signed	1 C	
Linta cianad	day of	
Date Statien	Uav OI	

#### Notes

<sup>\*</sup> In the case of the Tender submitted by joint venture specify the name of the Joint Venture as Tenderer \*\* Person signing the Tender shall have the power of attorney given by the Tenderer to be attached with the Tender.

## A. TENDERER'S ELIGIBILITY- CONFIDENTIAL BUSINESS QUESTIONNAIRE

### Instruction to Tenderer

Tender is instructed to complete the particulars required in this Form, *one form for each entity if Tender is a JV*. Tenderer is further reminded that it is an offence to give false information on this Form.

#### (a) Tenderer's details

	ITEM	DESCRIPTION
1	Name of the Procuring Entity	
2	Reference Number of the Tender	
3	Date and Time of Tender Opening	
4	Name of the Tenderer	
5	Full Address and Contact Details of the Tenderer.	<ol> <li>Country:</li> <li>City</li> <li>Location</li> <li>Building</li> <li>Postal Address</li> <li>Floor</li> <li>Name and email of contact person.</li> </ol>
6	Current Trade License Registration Number and Expiring date	
7	Name, country and full address (postal and physical addresses, email, and telephone number) of Registering Body/Agency	
8	Description of Nature of Business	
9	Maximum value of business which the Tenderer handles.	
10	State if Tenders Company is listed in stock exchange, give name and full address (postal and physical addresses, email, and telephone number) of state which stock exchange	

### **General and Specific Details**

	b) Sole Propi	<b>rietor,</b> provid	e the following deta	ails.			
	Name in full			Age			Nationality
				Country	of Origin		Citizenshi
				<del></del>			
	c) Partnersh	<b>ip,</b> provide th	e following details.				
1	Names of Partner	S	Nationality	Citiz	enship	% Shares owned	
2							
3							
	I) ID 14		.1 4 6 11 .	1 . 11			
	_		provide the following				
	i) Privat	e or public C	ompany				
	ii) State	the nominal a	nd issued capital of	the Comp	pany		
	Nomi	nal Kenya Sh	illings (Equivalent)				Issued
	Kenya	a Shillings (E	quivalent)				
	iii) Give d	etails of Direc	ctors as follows.				
	Names of Director	<u> </u>	Nationality	Citiz	enship	% Shares owned	
1					•		
3							
<u> </u>							
(e)	DISCLOSURE	OF INTERI	EST- Interest of th	ne Firm in	n the Procuring	Entity.	
			rsons inn this firm? Yes/No			ring Entity) who ha	as/have an
	If yes, provide of	letails as fol	lows.				
	Names of Person	Designation	on in the Procuring	Entity	Interest or Relat	ionship with Tender	rer
1							
3							
3							
ii)	Conflict of intere	st disclosure	;				
	Type of Conflict				Disclosure YES OR NO	If YES provide d relationship with	
1			controls, is contro	lled by or	125 OK III	- Carroning With	_ 01140101
	is under common o						
2	Tenderer receives subsidy from anoth		ed any direct or indi	rect			
3	<del>• • • • • • • • • • • • • • • • • • • </del>		resentative as anoth	er tendere	er		

Tender Document-Drilling of Al-Zakhat Borehole in Isiolo county

Tender has a relationship with another tenderer, directly or through common third parties, that puts it in a position to influence the tender of another tenderer, or influence the decisions of the Procuring Entity regarding this tendering

	Type of Conflict	Disclosure YES OR NO	If YES provide details of the relationship with Tenderer
	process.		
5	Any of the Tenderer's affiliates participated as a consultant in the preparation of the design or technical specifications of the works that are the subject of the tender.		
6	Tenderer would be providing goods, works, non-consulting services or consulting services during implementation of the contract specified in this Tender Document.		
7	Tenderer has a close business or family relationship with a professional staff of the Procuring Entity who are directly or indirectly involved in the preparation of the Tender document or specifications of the Contract, and/or the Tender evaluation process of such contract.		
8	Tenderer has a close business or family relationship with a professional staff of the Procuring Entity who would be involved in the implementation or supervision of the such Contract.		
9	Has the conflict stemming from such relationship stated in item 7 and 8 above been resolved in a manner acceptable to the Procuring Entity throughout the tendering process and execution of the Contract.		

### f) Certification

(Signature)

On behalf of the Tenderer, I certify that the information given above is complete, current and accur at the date of submission.	ate as
Full Name	_Title or
Designation	_

(Date)

## B. CERTIFICATE OF INDEPENDENTTENDER DETERMINATION

I, the	e undersigned, in submitting the accompanying Letter of Tender to the	
	[Name of Procuring Entity]	
	Name and number of tender	-
	onse to the request for tenders made by: [Name of Tenderer] do hereby make the following stateme I certify to be true and complete in every respect:	nts
I cer	rtify, on behalf of [Name of Tenderer] that:	
1.	I have read and I understand the contents of this Certificate;	
2.	I understand that the Tender will be disqualified if this Certificate is found not to be true and complete in every respect;	
3.	I am the authorized representative of the Tenderer with authority to sign this Certificate, and to submit the Tender on behalf of the Tenderer;	
4.	For the purposes of this Certificate and the Tender, I understand that the word "competitor" shall include any individual or organization, other than the Tenderer, whether or not affiliated with the Tenderer, who:  a) has been requested to submit a Tender in response to this request for tenders;  b) could potentially submit a tender in response to this request for tenders, based on their qualifications, abilities or experience;	
5.	<ul> <li>The Tenderer discloses that [check one of the following, as applicable:</li> <li>a) The Tenderer has arrived at the Tender independently from, and without consultation, communication, agreement or arrangement with, any competitor;</li> <li>b) the Tenderer has entered into consultations, communications, agreements or arrangements with or more competitors regarding this request for tenders, and the Tenderer discloses, in the atta document(s), complete details thereof, including the names of the competitors and the nature of reasons for, such consultations, communications, agreements or arrangements;</li> </ul>	iched
6.	In particular, without limiting the generality of paragraphs (5)(a) or (5)(b) above, there has been no consultation, communication, agreement or arrangement with any competitor regarding:  a) prices; b) methods, factors or formulas used to calculate prices; c) the intention or decision to submit, or not to submit, a tender; or d) the submission of a tender which does not meet the specifications of the request for Tenders; except as specifically disclosed pursuant to paragraph (5)(b) above;	
7.	In addition, there has been no consultation, communication, agreement or arrangement with any comperegarding the quality, quantity, specifications or delivery particulars of the works or services to which request for tenders relates, except as specifically authorized by the procuring authority or as specifically disclosed pursuant to paragraph (5)(b) above;	this
8.	the terms of the Tender have not been, and will not be, knowingly disclosed by the Tenderer, directly indirectly, to any competitor, prior to the date and time of the official tender opening, or of the awarding of Contract, whichever comes first, unless otherwise required by law or as specifically disclosed pursua paragraph (5)(b) above.	of the
	NameTitle_Date	
	[Name, title and signature of authorized agent of Tenderer and Date].	

## C. <u>SELF - DECLARATION FORMS</u>

## FORM SD1

	LF DECLARATION THAT THE PERSON/TENDERER IS NOT DEBARRED IN IE MATTER OF THE PUBLIC PROCUREMENTAND ASSET DISPOSALACT 2015.
	, of Post Office Box being a resident of do hereby make a tement as follows: -
1.	THAT I am the Company Secretary/ Chief Executive/Managing Director/Principal Officer/Director of
2.	THAT the aforesaid Bidder, its Directors and subcontractors have not been debarred from participating in procurement proceeding under Part IV of the Act.
3.	THAT what is deponed to herein above is true to the best of my knowledge, information and belief.
	(Signature) (Date)
	Bidder Official Stamp

### FORM SD2

## SELF DECLARATION THAT THE PERSON/TENDERER WILL NOT ENGAGE IN ANY CORRUPT OR FRAUDULENT PRACTICE

of	of P. O. Box being a resident in the Republic of do hereby make a statement as ws: -
1.	THAT I am the Chief Executive/Managing Director/Principal Officer/Director of
2.	THAT the aforesaid Bidder, its servants and/or agents /subcontractors will not engage in any corrupt or fraudulent practice and has not been requested to pay any inducement to any member of the Board, Management, Staff and/or employees and/or agents of
3.	THAT the aforesaid Bidder, its servants and/or agents /subcontractors have not offered any inducement to any member of the Board, Management, Staff and/or employees and/or agents of
4.	THAT the aforesaid Bidder will not engage /has not engaged in any corrosive practice with other bidders participating in the subject tender
5.	THAT what is deponed to herein above is true to the best of my knowledge information and belief.
	(Signature) (Date)

Bidder's Official Stamp

## DECLARATION AND COMMITMENT TO THE CODE OF ETHICS

I (perso	on) on behalf of (Name of the Business/
Company/Firm)	
understood the contents of the Public Procurement & Asset Dispo	osal Act, 2015, Regulations and the Code of
Ethics for persons participating in Public Procurement and Asset	t Disposal and my responsibilities under the
Code.	
I do hereby commit to abide by the provisions of the Code of Ethic	ics for persons participating in
Public Procurement and Asset Disposal.	
Name of Authorized signatory	
Sign	
Position	
Office address	
Telephone E-	
mail	
Name of the	
Firm/Company	
Date	(Company Seal/
Rubber Stamp where applicable)	
Witness	
Name Si	1gn
Date	

#### A. APPENDIX 1- FRAUD AND

#### **CORRUPTION** (Appendix 1 shall not be

modified)

#### 1. Purpose

2. The Government of Kenya's Anti-Corruption and Economic Crime laws and their sanction's policies and procedures, Public Procurement and Asset Disposal Act (no. 33 of 2015) and its Regulation, and any other Kenya's Acts or Regulations related to Fraud and Corruption, and similar offences, shall apply with respect to Public Procurement Processes and Contracts that are governed by the laws of Kenya.

#### 3. Requirements

The Government of Kenya requires that all parties including Procuring Entities, Tenderers, (applicants/proposers), Consultants, Contractors and Suppliers; any Sub-contractors, Sub-consultants, Service providers or Suppliers; any Agents (whether declared or not); and any of their Personnel, involved and engaged in procurement under Kenya's Laws and Regulation, observe the highest standard of ethics during the procurement process, selection and contract execution of all contracts, and refrain from Fraud and Corruption and fully comply with Kenya's laws and Regulations as per paragraphs 1.1 above.

Kenya's public procurement and asset disposal act (no. 33 of 2015) under Section 66 describes rules to be followed and actions to be taken in dealing with Corrupt, Coercive, Obstructive, Collusive or Fraudulent practices, and Conflicts of Interest in procurement including consequences for offences committed. A few of the provisions noted below highlight Kenya's policy of no tolerance for such practices and behavior: -

- 1) a person to whom this Act applies shall not be involved in any corrupt, coercive, obstructive, collusive or fraudulent practice; or conflicts of interest in any procurement or asset disposal proceeding;
- 2) A person referred to under subsection (1) who contravenes the provisions of that subsection commits an offence;
- 3) Without limiting the generality of the subsection (1) and (2), the person shall be:
  - a) disqualified from entering into a contract for a procurement or asset disposal proceeding; or
  - b) if a contract has already been entered into with the person, the contract shall be voidable:
- 4) The voiding of a contract by the procuring entity under subsection (7) does not limit any legal remedy the procuring entity may have;
- 5) An employee or agent of the procuring entity or a member of the Board or committee of the procuring entity who has a conflict of interest with respect to a procurement:
  - a) shall not take part in the procurement proceedings;
  - b) shall not, after a procurement contract has been entered into, take part in any decision relating to the procurement or contract; and
- c) shall not be a subcontractor for the bidder to whom was awarded contract, or a member of the group of bidders to whom the contract was awarded, but the subcontractor appointed shall meet all the requirements of this Act.

An employee, agent or member described in subsection (1) who refrains from doing

6)

anything prohibited under that subsection, but for that subsection, would have been within his or her duties shall disclose the conflict of interest to the procuring entity;

7) If a person contravenes subsection (1) with respect to a conflict of interest described in subsection (5)(a) and the contract is awarded to the person or his relative or to another person in whom one of them had a direct or indirect pecuniary interest, the contract shall be terminated and all costs incurred by the public entity shall be made good by the awarding officer. Etc.

In compliance with Kenya's laws, regulations and policies mentioned above, the Procuring Entity:

- a) Defines broadly, for the purposes of the above provisions, the terms set forth below as follows:
  - i) "corrupt practice" is the offering, giving, receiving, or soliciting, directly or indirectly, of anything of value to influence improperly the actions of another party;
  - ii) "fraudulent practice" is any act or omission, including misrepresentation, that knowingly or recklessly misleads, or attempts to mislead, a party to obtain financial or other benefit or to avoid an obligation;
  - iii) "collusive practice" is an arrangement between two or more parties designed to achieve an improper purpose, including to influence improperly the actions of another party;
  - iv) "coercive practice" is impairing or harming, or threatening to impair or harm, directly or indirectly, any party or the property of the party to influence improperly the actions of a party;
  - v) "obstructive practice" is:
    - deliberately destroying, falsifying, altering, or concealing of evidence material
      to the investigation or making false statements to investigators in order to
      materially impede investigation by Public Procurement Regulatory Authority
      (PPRA) or any other appropriate authority appointed by Government of Kenya
      into allegations of a corrupt, fraudulent, coercive, or collusive practice; and/or
      threatening, harassing, or intimidating any party to prevent it from disclosing
      its knowledge of matters relevant to the investigation or from pursuing the
      investigation; or
    - acts intended to materially impede the exercise of the PPRA's or the appointed authority's inspection and audit rights provided for under paragraph 2.3 e. below.
- b) Defines more specifically, in accordance with the above procurement Act provisions set forth for fraudulent and collusive practices as follows:
  - "fraudulent practice" includes a misrepresentation of fact in order to influence a procurement or disposal process or the exercise of a contract to the detriment of the procuring entity or the tenderer or the contractor, and includes collusive practices amongst tenderers prior to or after tender submission designed to establish tender prices at artificial non-competitive levels and to deprive the procuring entity of the benefits of free and open competition.
- Rejects a proposal for award of a contract if PPRA determines that the firm or individual recommended for award, any of its personnel, or its agents, or its sub-consultants, sub-contractors, service providers, suppliers and/or their employees, has, directly or indirectly, engaged in corrupt, fraudulent, collusive, coercive, or obstructive practices in competing for the contract in question;
- d) Pursuant to the Kenya's above stated Acts and Regulations, may sanction or recommend to appropriate authority (ies) for sanctioning and debarment of a firm or individual, as applicable under the Acts and Regulations;

- Requires that a clause be included in Tender documents and Request for Proposal documents requiring (i) Tenderers (applicants/proposers), Consultants, Contractors, and Suppliers, and their Sub-contractors, Sub- consultants, Service providers, Suppliers, Agents personnel, permit the PPRA or any other appropriate authority appointed by Government of Kenya to inspect all accounts, records and other documents relating to the procurement process, selection and/or contract execution, and to have them audited by auditors appointed by the PPRA or any other appropriate authority appointed by Government of Kenya; and
- f) Pursuant to Section 62 of the above Act, requires Applicants/Tenderers to submit along with their Applications/Tenders/Proposals a "Self-Declaration Form" as included in the procurement document declaring that they and all parties involved in the procurement process and contract execution have not engaged/will not engage in any corrupt or fraudulent practices.

# FORM OF TENDER SECURITY-[Option 1-Demand Bank Guarantee]

Bene	eficiary:						
Requ	iest	for	Tenders	No:			
 Date	:						
TEN	DER GUAR	ANTEE No.:					
Gua	rantor:						
S	ubmitted or wi		Beneficiary its Tender (her under				
		ve understand that Tender guarante	at, according to the Bene ee.	ficiary's cond	itions, Tend	lers must be	
a c	any sum or sun complying den	ns not exceeding nand, supported l	we, as Guarantor, hereby in total an amount of by the Beneficiary's state mpanying or identifying	() upon ement, whether	receipt by u	us of the Benefic nand itself or a	iary's
			g the period of Tender va eriod"), or any extension	•		•	of
P	Period or any e	extension there to	otance of its Tender by the provide by the Applica furnish the Performance.	nt, (i) has faile	_	•	7
tl is n	he contract agr	reement signed b cessful Tenderer the Applicant of	f the Applicant is the such that the Applicant and the Property, upon the earlier of (at the results of the Tender)	Performance Se i) our receipt	ecurity and, of a copy	or (b) if the App	olicant ciary's
		any demand for e on or before th	payment under this guar at date.	antee must be	received by	y us at the office	÷
- [:	signature(s)]		_				

# **FORMAT OF TENDER SECURITY [Option 2–Insurance Guarantee]**

TEN	DER GUARANTEE No.:	
	(hereinafter called "the tender] for thethe tender] (hereinafter called "	
2.	(Currency and guarantee amou	presents that WE
	Sealed with the Common Seal	of the said Guarantor thisday of20
3.		NDITION OF THIS OBLIGATION is such that if the Applicant: during the period of Tender validity set forth in the Principal's Letter
	of Tender ("the Tender V	alidity Period"), or any extension thereto provided by the Principal; or
	Validity Period or any ext agreement; or (ii) has faile	ne acceptance of its Tender by the Procuring Entity during the Tendernsion thereto provided by the Principal; (i) failed to execute the Contract to furnish the Performance Security, in accordance with the Instruction Procuring Entity's Tendering document.
	receipt of the Procuring Entity's its demand, provided that in its	o immediately pay to the Procuring Entity up to the above amount upon first written demand, without the Procuring Entity having to substantiat demand the Procuring Entity shall state that the demand arises from the events, specifying which event(s) has occurred.
4.	copies of the contract agreement if the Applicant is not the	The Applicant is the successful Tenderer, upon our receipt of a signed by the Applicant and the Performance Security and, or (b) successful Tenderer, upon the earlier of (i) our receipt of a copy of to the Applicant of the results of the Tendering process; or (ii) twenty the Tender Validity Period.
5.	Consequently, any demand for indicated above on or before that	payment under this guarantee must be received by us at the office t date.
	[Date ]	[Signature of the Guarantor]
	[Witness]	[Seal]

# TENDER-SECURING DECLARATION FORM

[The	Bidder shall complete this Form in accordance with the instructions indicated]
Tenc	:
<i>proc</i> To:	ess j [insert oj
	complete name
Purc	chaser] I/We, the undersigned, declare that:
1.	I/We understand that, according to your conditions, bids must be supported by a Tender- Securing Declaration.
2.	I/We accept that I/we will automatically be suspended from being eligible for tendering in any contract with the Purchaser for the period of time of [insert number of months or years] starting on [insert date], if we are in breach of our obligation(s) under the bid conditions, because we – (a) have withdrawn our tender during the period of tender validity specified by us in the Tendering Data Sheet; or (b) having been notified of the acceptance of our Bid by the Purchaser during the period of bid validity, (i) fail or refuse to execute the Contract, if required, or (ii) fail or refuse to furnish the Performance Security, in accordance with the instructions to tenders.
3.	I/We understand that this Tender Securing Declaration shall expire if we are not the successful Tenderer(s), upon the earlier of:  a) our receipt of a copy of your notification of the name of the successful Tenderer; or b) thirty days after the expiration of our Tender.
4.	I/We understand that if I am/we are/in a Joint Venture, the Tender Securing Declaration must be in the name of the Joint Venture that submits the bid, and the Joint Venture has not been legally constituted at the time of bidding, the Tender Securing Declaration shall be in the names of all future partners as named in the letter of intent.
	Signed:
	Capacity / title (director or partner or sole proprietor, etc.)
	Duly
	authorized to sign the bid for and on behalf of: [insert complete name of Tenderer]
	Dated on day of [Insert date of signing]
	Seal or stamp

# **Appendix to Tender**

# **Schedule of Currency requirements**

Summary of currencies of the Tender for drilling, development and test pumping of Al-Zakhat Borehole in Isiolo County.

Name of currency	Amounts payable
Local currency:	
Foreign currency #1:	
Foreign currency #2:	
Foreign currency #3:	
Provisionalsums expressed in local currency	[To be entered by the Procuring Entity]



## **SECTION V - DRAWINGS**

A list of drawings should be inserted here. The actual drawings including Site plans should be annexed in a separate booklet.

# SECTION VI – TECHNICAL SPECIFICATIONS –Borehole Drilling

#### 1.1 **GENERAL**

Wherever reference is made in the Contract to specific standards and codes to be met by the goods and materials to be furnished, and work performed or tested, the provisions of the latest current edition or revision of the relevant standards and codes in effect shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national, or relate to a particular country or region, other authoritative standards that ensure a substantially equal or higher quality than the standards and codes specified will be accepted subject to the Project Manager's prior review and written consent.

This contract comprises the drilling, construction, development; test pumping, water quality analysis and erection of a gantry. The drill sites are indicated in the zone allocation list.

## 1.2 REGULATIONS AND STANDARDS

The borehole shall be drilled at the site to be identified by the Project Manager. Each borehole shall be drilled to a depth specified in the hydrogeological survey report. It shall be drilled through all strata encountered taking all remedial measures to prevent caving in.

The Contractor will acquire the relevant permits and Government authorizations and handover to the Employer upon completion of Works.

# 1.2 MOBILIZATION, DEMOBILIZATION AND RESTITUTION

- 1.2.1 The Contractor shall mobilize to the site in accordance with the Agreed Programme. The sum for mobilization/demobilization shall include transportation of machinery, erection, dismantling and preparation of temporary camps as the Contractor deems necessary, provision of drilling and development fluids (bentonite, foam, water), water for camping, personnel sanitary facilities.
- 1.2.2 The Contractor shall minimize disturbance to neighboring plots. This shall particularly include ensuring that bailed fines and pumped test water are discharged in a manner that does not create a nuisance either to the public or private property.
- 1.2.3 Site re-instatement under the conditions of contract shall include the removal of all hydrocarbons spilled, leaked or otherwise released and associated packaging and cotton waste. Site re-instatement is deemed an integral part of mobilization. This activity shall be costed taking into account the items above and expressed as a lump sum.

# 1.3. DRILLING

- 1.3.1 Unless otherwise approved by the Project Manager, drilling shall be by the Mud drilling method. Drilling shall continue through all strata encountered. Drilling fluids and additives used must be approved by the Project Manager prior to use. The Contractor shall provide the appropriate tools and equipment and maintain them in good condition capable of operating to the manufacturer's rating to ensure a smooth, a smooth, straight hole.
- 1.3.2 Drilling shall continue to the stipulated total depth at a minimum diameter of 10 inches diameter to provide for a finished borehole of a cased internal diameter of 6 inches diameter after allowing for 100mm thick gravel pack and temporary casings as found necessary. The Project Manager reserves the right to stop drilling operation if he considers that further drilling is unlikely to be advantageous. In this event payment shall only be made for the amount of work actually executed.
- 1.3.3 All materials used in the borehole construction other than temporary works shall comply with the relevant standard specifications. A tolerance in dimensions will be permitted provided that the material quality is not inferior to specification and work is in no way impaired.
- 1.3.4 The boreholes shall be drilled straight and vertical.

# 1.4 SAMPLE COLLECTION, STORAGE AND RECORD KEEPING

- 1.4.1 Samples of the drill cuttings returned to the surface shall be collected at two (2) metre intervals, dried and bagged. Each bag shall be clearly marked with the sample depth interval and borehole number. The Contractor shall record the depth and any zone of lost circulation for which no sample was taken.
- 1.4.2 The Contractor shall maintain a log of the penetration rate on a metre-by-metre basis, in minutes per meter drilled. A stopwatch shall be used for this purpose so that only the net drilling time is recorded, excluding any time taken in drilling disruptions.
- 1.4.3 The depth of any voids, or of particular rapid penetration, or significant changes in rig noise shall also be noted.
- 1.4.4 Water level shall be measured and recorded at the start and end of every shift, after significant breaks in activity (such as meal breaks), and during periods of plant downtime (as appropriate). The water levels shall be measured using a sounding and/or lighting dipper approved for use by the Project Manager.

## 1.5 SUPPLY AND INSTALLATION OF CASINGS AND SCREENS

#### 1.5.1 CASING AND SCREEN SPECIFICATIONS

a). Casings shall be new, 152.4mm (6 inches) internal diameter, black pipe class B, with a minimum wall thickness of 4.0mm in 6-meter lengths.

**b**). Mill slotted screens shall be constructed from new 152.4mm internal diameter black pipe class B with a minimum wall thickness of 4.0mm. Slots shall not exceed 1.0 mm in width, and should constitute not less than 6.0% open space area. Gas slotted casing screens are not acceptable.

## 1.5.2 CASINGS AND SCREEN INSTALLATION

- a). Before installation of the plain casings and screens, the Contractor shall ensure that the hole is clear to the total depth and shall flush out any backfilled materials present. The Project Manager shall provide the design of the casings and screens string prior to installation by the Contractor.
- b). Casing jointing shall be by either flush square-section threading or tree pass electric arc welding. Screens may be welded to casing, or screw-jointed by means of flush square-section threads. Externally socket joints may be welded to the casing, or screw-jointed by means of flush square-section threads. Externally socketed joints will not be accepted. Where screwed joints are deemed by the Project Manager to be below standard, joint shoulders shall be spot welded at 900mm interval around the casing circumference at no extra cost. If screens and casing are to be welded, the appropriate welding electrode must be used.
- c). During welding, casing and screen lengths must be held absolutely vertical in order to ensure a plumb installation. All joints to be welded must be levelled at the butt end; three continuous weld passes must be made to ensure a sound joint and the oxide coating be removed before the second and third passes.
- d). Burn-through and subsequent deposition of metal on the inside of the casings and screens must be avoided. The base of the casing shall be sealed, unless otherwise directed by the Project Manager, with a circular plate of black pipe class B of thickness not less than 4.0mm (1/4 inch) fixed with a continuous weld to the casing strip. The appropriate welding electrode shall be used. The weld passes will be made, with oxide coating removed prior to the second and third passes. The top of the casing straight shall terminate not less than 600mm above the highest recorded level of ground at the site.
- e). The contractor shall be responsible for the provision of temporary casings as necessary, including the insertion and removal. Where the Project Manager deems it necessary to have temporary casings left in the borehole as a measure of securing the borehole, this will be indicated in the item for other works in the bill of quantity.

#### 1.5.3 ADMISSIBLE RATES

a). Rates shall be expressed as supply and installation of casing or screen per Unit Linear Metre.

#### SUPPLY AND INSTALLATION OF GRAVEL PACK

#### 1.6.1 SPECIFICATIONS

a). The Contractor shall supply and install filter pack/formation stabilizer. The material shall be 2-4 mm diameter, clean well rounded riverbed siliceous gravel with no more than 5.0% non-siliceous material. The pack must be approved by the Project Manager prior to installation. Granular calcium hypochlorite will be introduced into the annular space along the pack material at a concentration of 500 grammes per cubic metre of pack.

The gravel pack shall be placed in the production boreholes to a thickness of 50mm around the casing upto where all screen zones are covered with the gravel as per the Project Manager's satisfaction.

This will initiate the process of sterilizing the wellbore. The Contractor shall provide the Project Manager with the bulk density of the pack material (Kg/M3).

b). Installation of the filter pack/formation stabiliser may be water wash down or reverse circulation methods. In the latter case a pump set or airlift string shall be installed in the bore so as to encourage material settlement. The filter pack shall terminate not less than 10.0 metres below the ground level or above the uppermost screen when stabilized, or as otherwise directed by the Project Manager. The Contractor shall provide a means by which this level shall be measured.

#### 1.6.2 ADMISSIBLE RATES

Rates shall be expressed as supply and installation of gravel pack per Unit Cubic Metre.

## 1.7 INSTALLATION OF BACKFILL

#### 1.7.1 SPECIFICATIONS

- a). Backfill material shall comprise of fine clayey drill cuttings and shall be installed from the top of the filter pack to 10.0 metres below ground level unless otherwise directed by the Project Manager. The installation method must ensure that no bridging occurs within the annular space.
- b). The Contractor shall measure the depth to the top of the backfill and provide the means by which this level may be measured.

#### 1.7.2 ADMISSIBLE RATES

Rates shall be expressed as installation of backfill per Unit Linear Metre.

## 1.8 DEVELOPMENT

Development shall comprise both Physical and Chemical development, and shall include the following operations:-

#### 1.8.1 BOREHOLE CLEANING

below	or as otherwise authorized by the Project Manager:-
	By bailer with percussion drilling rig By means of airlift, which may use a light or stable foam to assist in the removal of materials from
the bo	rehole.
	By means of educator airlift, with or without light or stable foam.

The Contractor shall clean the borehole to its "completed depth" using any of the methods listed

- b). Bailers and other down hole plant shall adopt diameter limits of half a normal size or smaller (12.5mm or ½ inch) than the smallest casing or screen diameter.
- c). Water levels shall be measured and recorded at the start and end of every shift, at significant breaks in activity (such as meal breaks), and during periods of plant downtime (as appropriate). Water levels be measured using a sounding and/or lighting dipper previously approved by the Project Manager.
- d). The borehole shall be deemed clean when measured drilled depth has been reached and when insignificant or no materials is removed from the base of the borehole. Cleaning costs shall be expressed as a rate Per Hour.

#### 1.8.2 CHEMICAL DEVELOPMENT

a)

- a). When the Project Manager has deemed the borehole clean; he may instruct the Contractor to commence with Chemical development. Chemical development shall comprise of an approved Polyphosphate as a desaggregate that shall break down the silty concentrations, any buildup clay or silts, or other fine materials within and adjacent to the borehole. The decision as whether chemical development shall be adopted and what dosage rates shall be made by the Project Manager.
- b). Typical dosage shall comprise of powdered Sodium Hexametaphosphate dissolve in hot water. The polyphosphate shall be dosed at 10 to 15 Kg/m3 of water depending on the concentration of clays in the aquifer matrix. This shall be mixed with calcium hypochlorite at a dose of 200grammes per cubic metre to inhibit bacteria activity. The volume of polyphosphate dosed water shall be one and a half times the Volume of water within the screen section.
- a) Both polyphosphate and added water shall be introduced by means of a pipe, the bottom end of that shall be located in the middle of the screen section of the borehole. The Contractor may get the liquids into the screened section using a jetting head if he wishes.
- d). After dosing, the borehole shall be left overnight to allow disaggregation to occur. The borehole shall then be subject to physical development.
- e). Chemical development costs shall be expressed as an Hour rate, and include all labour and materials (including clean water) required for the operation. Chemical development undertaken by a Contractor familiar with the technique shall take no longer than three (3) hours.

## 1.8.3 PHYSICAL DEVELOPMENT

a). Physical development may adopt any of the commonly used methods, including but not necessarily restricted to the following:-

Surging
Bailing
High Velocity Water Jetting
Airlift raw hiding
Airlift raw hiding with educator pipe.

- b). Development shall be considered complete when the water discharged is clear and contains no more than an estimated 5 parts per million of suspended solids and the borehole has been restored to the cleaned total depth or as otherwise directed by the Project Manager.
- c) The Contractor shall describe the method he proposes to adopt and the plant required for physical development in his method statement. Over pumping shall not be considered a development method. The rate submitted by the Contractor for physical development is deemed to include installation and removal of necessary plant. The quantities given in the bills of quantities only apply to actual development time. Costs for physical development shall be expressed as an Hour Rate.

# 1.9 AQUIFER TESTING

le testing will be conducted according to British Standard BS 6316 (1992) e for Test Pumping of Water Wells). The following elements are required.	(Code of
A pre-test A step drawdown test A constant discharge test A recovery test	

# 1.9.1 INSTALLATION, PLANT AND METHODOLOGY

Pumping plant and dipping tube shall be installed in the borehole to be tested. The Contractor shall investigate and agree with the Project Manager the anticipated discharge and pump intake depth.

## A. PUMPING PLANT

- a) Pumps used for test pumping should be electrical submersible.
- b) The pump used in tests must have a fully functioning non-return valve either in the pump itself or in the rising main immediately above the top of the pump.
- c) The Contractor must have pumps covering the anticipated discharge range.
- d) The water pumped from the borehole shall be discharged to waste at a distance and in such a manner that it does not pond or flow back towards the borehole.
- e) The Contractor must provide a generator or other prime mover for powering the pump, as power is not necessarily available at the sites.

#### B. <u>DISCHARGE MEASUREMENT AND CONTROL</u>

Discharge measurements shall be by an approved accurate method, such as an Orifice Plate, calibrated flow meter or a V-notch weir. If volumetric methods are proposed, the Contractor will ensure the container to be used has been calibrated. When time to fill measurements is made, each discharge measurement shall be calculated from the average of three time measurements. Discharge shall vary by no more than 15% across each step of step drawdown test, and across the constant discharge test.

# C. WATER LEVEL MEASUREMENT

Water level measurements shall be by electric sounding and/or lighting dipper, and shall be made in a dipper tube installed alongside the test pump rising main and tied securely to it. The Project Manager will check the dipper for stretch and any other inaccuracies prior to accepting its use. Accuracy measurements must not be less than 1.0 cm. Water level measurements using an air line will not be acceptable on the grounds of poor precision.

## D. TIME MEASUREMENT

All times shall be measured by means of a stopwatch. The Contractor shall ensure that spare batteries etc for all equipment are available prior to commencing tests.

## E. CONSTANT DISCHARGE TEST

Constant discharge test shall typically last not less than twenty four (24) hours,or as otherwise determined by the Project Manager. A water sample will be procured towards the end of the test for subsequent analysis by a competent laboratory.

## F. RECOVERY TEST AND REMOVAL OF PLANT

Recovery tests shall not continue for more than twenty four (24) hours, or as otherwise directed by the Project Manager. Only after the completion of recovery data collection may pumping and ancillary plant be removed from the borehole, though above ground components may be dismantled during the recovering phase.

#### **G.ADMISSIBLE RATES**

Rates of pumping and recovery are deemed to include the cost of plant installation and removal. The rates are deemed inclusive of installation, removal, plant use, testing and data collection.

#### 1.10 WATER SAMPLING AND ANALYSIS

for chemic	n the closing hour of the constant discharge test a water sample cal and bacteriological analysis by a competent laboratory. The water s in containers supplied by the laboratory, in the manner conventionally y.	samples shall be	ed
Tansporta	the Contractor's unit rate of sampling and analysis will include the cost ation to and from the laboratory for the sampling exercise.	t of analysis and	

#### 1.11 BOREHOLE DISINFECTION

After removal of test equipment, the borehole shall be disinfected with Chlorine/water solution at a concentration of 50 milligrams per litre or greater of free chlorine. This will be sprayed into the borehole so as to ensure that all exposed borehole wall surfaces are coated. In preparing their Tenders, Contractors should allow for one (1) cubic metre of solution per borehole. This item shall be costed as a unit Lump Sum

# 1.12 BOREHOLE HEAD WORKS

#### a) SANITARY SEAL CASING

A sani	tary seal shall be constructed at the wellhead. This shall comprise the following elements:
_ sanitar	A 3.2 metre length of internal diameter 254mm (10 inch) plain black pipe class B y steel casing installed around the permanent casing string.
string.	A grout seal between the 254mm sanitary seal casing and the 203mm permanent casing
□ Sanitaı	A 1.0x1.0x1.0 metre reinforced concrete block (Y8/1:2:4) cast around the ry seal casings.
	A lockable steel cap.

# b). GROUT SEAL

A sanitary ground seal shall be installed between the 152 mm (6 inch) and 205 mm (8 inch) casings and grouted into place. Grout shall be a cement slurry, or cement and fine sand and shall have a density of at least 1175 Kg/lt. This shall be introduced into the annular space from the top of the inert backfill to the ground level, using a method that must be approved by the Project Manager.

# a) CONCRETE PLINTH

The ground surface at the wellhead shall be excavated to a depth of one (1) metre, and be one metre square, to allow s Concrete Plinth to be cast. The 1.0x1.0x1.0 metre pit will be filled with concrete, to be finished flush with the ground surface. Concrete shall be 1:2:4 OPC: sand: half- inch ballast. This must be cast with two 0.8 metre lengths of 12 mm reinforcing steel bar welded to the 205 mm (8 inch) casing, 0.7 metre below ground level.

# d). TEMPORARY CAP

The top of the borehole shall be sealed with a cap that shall comprise a round plate of mild steel, of thickness not less than 3.0mm. This will be continuously welded in single pass to the mild steel borehole casing or should be lockable.

#### 1.13 RECORDS

Project I	Manager within four (4) days a complete document with the following additions:-
	Water Resources Authority (WRA) Permit
	Environmental Impact assessment Report and Permit
	Drilling penetration Log
	Geological Log
	WRA Borehole Completion Record (Three Complete Sets of
	Completion Reports shall be submitted.
	Test pumping Report
	Water quality Analysis report from an accredited Water testing Laboratory

# 1.14 TECHNICAL LITERATURE

- a) A Tenderer must submit the following information together with the Tender documents to assist in fair evaluation:-
- Technical specifications on drilling rig and other ancillary equipment (make model, rated capacity etc)
- Particulars and specifications of materials used in the construction of the borehole.

After completion of all works at the borehole, the Contractor shall submit to the

- Any other information the tenderer may deem is important in evaluation as well as BOOSTING his/her chances of winning the tender.

# **BOREHOLE GANTRY**

The gantry shall be fabricated from double flanged GI class 'B' water pipes. The total length of the gantry shall be 8.7 metres while the height above the ground shall be 7.5 metres. The top cross bar shall have a movable hook of capacity 4.0 tons. The gantry shall be held together using high tensile strength galvanized steel bolts and nuts. The access steps to the top cross bar shall be made from DN13 GI class 'B' water pipes firmly welded at 350mm interval along the entire length of the two vertical pipe columns starting from 600mm height above the ground level. The gantry shall be installed in square holes of size 1200x1200x1200mm depth using concrete of mix ration 1:2:4.

# **SECTION VII- BILLS OF QUANTITIES**

BILL (	OF QUANTITIES FOR DRILLING, DEVELOPME ISIOLO NORTH CONS				ARD BOREHOLE-3 IN
TENDER	NO: NWWDA/T/DB/020/2023-2024				
ITEM	DESCRIPTION	UNIT	QUANTITY	RATE (KES.)	TOTAL COST (KES.)
	BILL NO. 1: PRELIMINARY AND GENERAL			, ,	, ,
	ITEMS				
A1	CONTRACTUAL REQUIREMENTS				
1120.1	Dura inicard some for the consequence	C		50.000	F0.000
A120.1	Provisional sum for Insurance against loss or damage to the works, plant and	Sum		50,000	50,000
	materials, in accordance with clause 13				
	of the Conditions of Contract				
A120.2	Provisional sum for Insurance against	Sum		50,000	50,000
	loss or damage to equipment in				
	accordance with clause a3 of the				
	Conditions of contract				
A120.3	Provisional sum for insurance against	Sum		50,000	50,000
	loss of or damage to property (except				
	the Works, Plant, Materials, and				
	Equipment) in connection with the				
	Contract and in accordance with clause				
	13 of the Conditions of Contract				
A4	PROVISIONAL SUMS				
A420.1	Provisional Sum for Preliminary	Sum		150,000	150,000
	requirements; NEMA EIA, WRA licenses				
A420.2	Provisional sum for	Sum		70,000	70,000
	maintenance/running costs for the				
A 420 2	vehicle provided by the Employer	Sum		50,000	F0.000
A420.3	Provisional sum for Site Meeting Expenses	Sum		50,000	50,000
A420.4	Provisional sum for Employers Office	Sum		50,000	50,000
7112011	expenses			55,555	33,000
A420.5	Allow for daily supervision of Works by	Sum		200,000	200,000
	NWWDA Hydrogeologist				
A420.6	Adjustment on contractor's attendance	%			
	on provisional sum item A420.1- A420.6				
	above				
	SUB TOTAL BILL 1 CARRIED TO SUMMARY PAGE				
	BILL NO.2: DRILLING, DEVELOPMENT				
	AND TEST PUMPING				
	Mobilization, setting up and				-
	Demobilization				
2.1	Mobilization, transportation of	sum	1		
	machinery and personnel, erection of				
	camps and sanitary facilities and				
	demobilization of drilling rig to and from				
	site.	1			
2.2	Mobilization and demobilization of test	No.	1		
	pumping unit to and from site.				
	Drill bit of 10" and casing of 6"				
	DRILLING OF BOREHOLE				

### Section and dismantling of drilling equipment and allied machinery at site including drilling of borehole, 254 mm minimum diameter through all types of strata, taking remedial measures to prevent caving in from 0m to 100 m meters below the ground level.  ### 3.2 Drilling of borehole, 254 mm diameter, average depth 100 m to 200m.  ### 3.3 Drilling of boreholes, 254 mm diameter, average depth 100 m to 200m.  ### 3.4 Allow for taking samples of borehole drill cuttings at 2-meter intervals.  ### WELL CONSTRUCTION  ### 4.1 Plain Casing, Mild Steel Casings, 154 mm diameter - OD 4mm-Minimum Wall Thickness  ### 4.2 Screen Casing, Mild steel Casing, 154 mm diameter - OD 4mm-Minimum Wall Thickness  ### 4.3 Supply and installation of bottom plug	1			•		•	
including drilling of borehole, 254 mm minimum diameter through all types of strata, taking remedial measures to prevent caving in from 0m to 100 m meters below the ground level.  3.2 Drilling of borehole, 254 mm diameter, average depth 100 m to 200m.  3.3 Drilling of boreholes, 254 mm diameter, average depth 200 m to 300m(Provisional)  3.4 Allow for taking samples of borehole drill cuttings at 2-meter intervals.  WELL CONSTRUCTION  4.1 Plain Casing, Mild Steel casings, 154 mm diameter - 0D 4mm-Minimum Wall Thickness  WELL CONSTRUCTION  4.2 Screen Casing, Mild steel Casing, 154 mm diameter - 0D 4mm-Minimum Wall Thickness  4.3 Supply and installation of bottom plug  4.4 Supply and installation of fortom plug  4.5 Clay sealing, back fill and grouting m 10  4.6 Well development Hr. 8  TEST PUMPING  5.1 Step testing, 3 duty points, each 3 hours  5.2 24-th- constant discharge test using of pump size recommended by the hydrogeologist Supervising the project  5.3 Ghr recovery test  F. WELL COMPLETION  6.1 Submit Borehole completion records and test pumping reports giving pump duty points.  5.2 SANITARY SEAL; - Form concrete surface plug around casing with dimensions 2000 x 2000 x 1000 mm  6. WELL HAD GANITY  7.1 Fabricate and install standard borehole gantry  7.2 Provision, fixing and maintaining a publicity Sign Board  7.3 Allow for making good surface reinstatement at the borehole to the Project Manager's Sastifaction  From Changer's Sastifaction of the project of the project Manager's Sastifaction of the Project Manager's Sastifac	3.1	-	m	100			
minimum diameter through all types of strata, taking remedial measures to prevent caving in from 0m to 100 m meters below the ground level.  2. Drilling of borehole, 254 mm diameter, average depth 100 m to 200m.  3.3 Drilling of boreholes, 254 mm diameter, average depth 200 m to 300m(Provisional)  3.4 Allow for taking samples of borehole drill cuttings at 2-meter intervals.  4.1 Plain Casing, Mild Steel casings, 154 mm diameter or 100 mm meters average. Mild Steel casings, 154 mm diameter - 00 4 mm-Minimum Wall Thickness  4.2 Screen Casing, Mild steel Casing, 154 mm diameter - 00 4 mm-Minimum Wall Thickness  4.3 Supply and installation of bottom plug Mall Thickness  4.4 Supply and installation of gravel pack mm 100 mm 10		· <u>· ·     ·                            </u>					
strata, taking remedial measures to prevent caving in from Om to 100 m meters below the ground level.  3.2 Drilling of borehole, 254 mm diameter, average depth 100 m to 200m.  3.3 Drilling of boreholes, 254 mm diameter, average depth 200 m to 300m(Provisional)  3.4 Allow for taking samples of borehole drill cuttings at 2-meter intervals.  4.1 Allow for taking samples of borehole drill cuttings at 2-meter intervals.  4.2 Screen Casing, Mild Steel casings, 154 mm diameter - OD 4mm-Minimum Wall Thickness  4.3 Supply and installation of fortom plug No. 1 mm diameter - OD 4mm-Minimum Wall Thickness  4.3 Supply and installation of fortom plug No. 1 mm diameter - OD 4mm-Minimum Wall Thickness  4.3 Supply and installation of fortom plug No. 1 mm diameter - OD 4mm-Minimum Wall Thickness  4.5 Clay sealing, back fill and grouting m 10 mm diameter - OD 4mm-Minimum Mall Thickness  5.1 Step testing, 3 duty points, each 3 hours Hr. 8 mm diameter - OD 4mm-Minimum Mall Thickness Mild did did to the plug did did to the plug of t							
prevent caving in from Om to 100 m meters below the ground level.  3.2 Drilling of borehole, 254 mm diameter, average depth 100 m to 200m.  3.3 Drilling of boreholes, 254 mm diameter, average depth 100 m to 200m.  3.4 Allow for taking samples of borehole drill cuttings at 2-meter intervals.  WELL CONSTRUCTION  4.1 Plain Casing, Mild Steel casings, 154mm diameter - 0D 4 mm-Minimum Wall Thickness  4.2 Screen Casing, Mild steel Casing, 154mm diameter - 0D 4 mm-Minimum Wall Thickness  4.3 Supply and installation of bottom plug Mal Thickness  4.4 Supply and installation of gravel pack Mal Supply and installation of gravel pack Mal Well Gevelopment Mr. 8  4.5 Clay sealing, back fill and grouting Mal Test PUMPING  5.1 Step testing, 3 duty points, each 3 hours Hydrogeologist Supervising the project Hydrogeologist Supervising the project Spump size recommended by the Hydrogeologist Supervising the project Spump size recommended by the Hydrogeologist Supervising the project Spump size recommended by the Hydrogeologist Supervising the project Spump size recommended by the Hydrogeologist Supervising the project Spump size recommended by the Hydrogeologist Supervising the project Spump size recommended by the Hydrogeologist Supervising the project Spump size recommended by the Hydrogeologist Supervising the project Spump size recommended by the Hydrogeologist Supervising the project Spump size recommended by the Hydrogeologist Supervising the project Spump size recommended by the Hydrogeologist Supervising the project Spump size recommended by the Hydrogeologist Supervising the project Spump size recommended by the Hydrogeologist Supervising the project Spump size recommended by the Hydrogeologist Supervising the project Spump size recommended by the Hydrogeologist Supervising the project Spump size recommended by the Hydrogeologist Supervising the project Spump size recommended by the Hydrogeologist Supervising the project Spump size recommended by the Hydrogeologist Supervising the Project Spump size recommended by the Hy		,					
meters below the ground level.							
3.2 Drilling of borehole, 254 mm diameter, average depth 100 m to 200m.  3.3 Drilling of boreholes, 254 mm diameter, average depth 200 m to 300m(Provisional)  3.4 Allow for taking samples of borehole drill cuttings at 2-meter intervals.  WELL CONSTRUCTION  4.1 Plain Casing, Mild Steel casings, 154mm diameter - OD 4mm-Minimum Wall Thickness  4.2 Screen Casing, Mild steel Casing, 154 mm diameter - OD 4mm-Minimum Wall Thickness  4.3 Supply and installation of bottom plug M. No. 1 1 10 10 10 10 10 10 10 10 10 10 10 10		' =					
average depth 100 m to 200m.    Filling of boreholes, 254 mm diameter, average depth 200 m to 300m(Provisional)		meters below the ground level.					
average depth 100 m to 200m.  Diffling of boreholes, 254 mm diameter, average depth 200 m to 300m(Provisional)  3.4 Allow for taking samples of borehole drill cuttings at 2-meter intervals.  WELL CONSTRUCTION  4.1 Plain Casing, Mild Steel casings, 154mm diameter - 0D 4mm-Minimum Wall Thickness  4.2 Screen Casing, Mild steel Casing, 154 mm diameter - OD 4mm-Minimum Wall Thickness  4.3 Supply and installation of bottom plug No.  4.4 Supply and installation of gravel pack m³ 10  4.5 Clay sealing, back fill and grouting m 10  4.6 well development Hr. 8  TEST PUMPING  5.1 Step testing, 3 duty points, each 3 hours Hr.  5.2 24-hr constant discharge test using of pump size recommended by the Hydrogeologist Supervising the project Hr.  5.3 6-hr recovery test Hr.  6.1 Submit Borehole completion records and test pumping reports giving pump duty points.  6.2 SANTARY SEAL; - Form concrete surface plug around casing with dimensions 2000 x 2000 x 1000 mm  6.3 Water quality report No.  6.4 WELL HEAD GANTRY  7.1 Fabricate and install standard borehole gantry  7.2 Provision, fixing and maintaining a publicity Sign Board  7.3 Allow for making good surface reinstatement at the borehole to the Project Manager's Satisfaction	3 2	Drilling of horehole, 254 mm diameter	m	100			
3.3 Drilling of boreholes, 254 mm diameter, average depth 200 m to 300m(Provisional)  3.4 Allow for taking samples of borehole drill cuttings at 2-meter intervals.  WELL CONSTRUCTION  4.1 Plain Casing, Mild Steel casings, 154mm diameter - OD 4mm-Minimum Wall Thickness  4.2 Screen Casing, Mild steel Casing, 154 mm diameter - OD 4mm-Minimum Wall Thickness  4.3 Supply and installation of bottom plug No. 1  4.4 Supply and installation of gravel pack M.5 Clay sealing, back fill and grouting m 10  4.5 Clay sealing, back fill and grouting m 10  4.6 well development Hr. 8  TEST PUMPING  5.1 Step testing, 3 duty points, each 3 hours Hr. 3  5.2 24-hr constant discharge test using of pump size recommended by the Hydrogeologist Supervising the project Hr. 6  5.3 G-hr recovery test Hr. 6  Submit Borehole completion records and test pumping reports giving pump duty points.  6.1 Submit Borehole completion records and test pumping reports giving pump duty points.  6.2 SANITARY SEAL; - Form concrete surface plug around casing with dimensions 2000 x 2000 x 1000 mm  6.3 Water quality report No. 1  6 WELL HEAD GANITRY  7.1 Fabricate and install standard borehole gantry  7.2 Provision, fixing and maintaining a publicity Sign Board  7.3 Allow for making good surface reinstatement at the borehole to the Project Manager's Satisfaction	5.2		'''	100			
average depth 200 m to 300m(Provisional)  3.4 Allow for taking samples of borehole drill cuttings at 2-meter intervals.  WELL CONSTRUCTION  4.1 Plain Casing, Mild Steel casings, 154mm diameter - OD 4mm-Minimum Wall Thickness  4.2 Screen Casing, Mild steel Casing, 154 mm diameter - OD 4mm-Minimum Wall Thickness  4.3 Supply and installation of bottom plug No. 1  4.4 Supply and installation of gravel pack m³ 10  4.5 Clay sealing, back fill and grouting m 10  4.6 well development Hr. 8  TEST PUMPING  5.1 Step testing, 3 duty points, each 3 hours Hr. 3  5.2 24-hr constant discharge test using of pump size recommended by the Hydrogeologist Supervising the project S.3 6-hr recovery test Hr. 6  5 WELL COMPLETION  6.1 Submit Borehole completion records and test pumping reports giving pump duty points.  6.2 SANITARY SEAL; - Form concrete surface plug around casing with dimensions 2000 x 2000 x 1000 mm  6.3 Water quality report No. 1  6 WELL HEAD GANTRY  7.1 Fabricate and install standard borehole gantry  7.2 Provision, fixing and maintaining a publicity Sign Board  7.3 Allow for making good surface reinstatement at the borehole to the Project Manager's Satisfaction		average depth 100 in to 200iii.					
average depth 200 m to 300m(Provisional)  3.4 Allow for taking samples of borehole drill cuttings at 2-meter intervals.  WELL CONSTRUCTION  4.1 Plain Casing, Mild Steel casings, 154mm diameter - OD 4mm-Minimum Wall Thickness  4.2 Screen Casing, Mild steel Casing, 154 mm diameter - OD 4mm-Minimum Wall Thickness  4.3 Supply and installation of bottom plug No. 1  4.4 Supply and installation of gravel pack m³ 10  4.5 Clay sealing, back fill and grouting m 10  4.6 well development Hr. 8  TEST PUMPING  5.1 Step testing, 3 duty points, each 3 hours Hr. 3  5.2 24-hr constant discharge test using of pump size recommended by the Hydrogeologist Supervising the project S.3 6-hr recovery test Hr. 6  5 WELL COMPLETION  6.1 Submit Borehole completion records and test pumping reports giving pump duty points.  6.2 SANITARY SEAL; - Form concrete surface plug around casing with dimensions 2000 x 2000 x 1000 mm  6.3 Water quality report No. 1  6 WELL HEAD GANTRY  7.1 Fabricate and install standard borehole gantry  7.2 Provision, fixing and maintaining a publicity Sign Board  7.3 Allow for making good surface reinstatement at the borehole to the Project Manager's Satisfaction	3.3	Drilling of boreholes, 254 mm diameter,	m	50			
3.4 Allow for taking samples of borehole drill cuttings at 2-meter intervals.  WELL CONSTRUCTION  Plain Casing, Mild Steel casings, 154mm diameter - OD Amm-Minimum Wall Thickness  Screen Casing, Mild steel Casing, 154 mm diameter - OD Amm-Minimum Wall Thickness  3.3 Supply and installation of bottom plug No. 1  4.4 Supply and installation of bottom plug No. 1  4.5 Clay sealing, back fill and grouting m 10  4.6 well development Hr. 8  TEST PUMPING  5.1 Step testing, 3 duty points, each 3 hours Hr. 3  5.2 24-hr constant discharge test using of Phydrogeologist Supervising the project Hr. 6  5 WELL COMPLETION  6.1 Submit Borehole completion records and test pumping reports giving pump duty points.  6.2 SANTARY SEAL; - Form concrete surface plug around casing with dimensions 2000 x 2000 x 1000 mm  6.3 Water quality report No. 1  Fabricate and install standard borehole gantry  7.2 Provision, fixing and maintaining a publicity Sign Board  7.3 Allow for making good surface reinstatement at the borehole to the Project Manager's Satisfaction							
cuttings at 2-meter intervals.  WELL CONSTRUCTION		,					
WELL CONSTRUCTION       -         4.1       Plain Casing, Mild Steel casings, 154mm diameter - OD 4mm-Minimum Wall Thickness       m       140         4.2       Screen Casing, Mild steel Casing, 154 mm diameter - OD 4mm-Minimum Wall Thickness       m       110         4.3       Supply and installation of bottom plug No.       1         4.3       Supply and installation of gravel pack Manager Statisfaction       m       10         4.4       Supply and installation of gravel pack Manager Statisfaction       m       10         4.5       Clay sealing, back fill and grouting Manager Ma							
WELL CONSTRUCTION  4.1 Plain Casing, Mild Steel casings, 154mm diameter - OD 4mm-Minimum Wall Thickness  4.2 Screen Casing, Mild steel Casing, 154 mm diameter - OD 4mm-Minimum Wall Thickness  4.3 Supply and installation of bottom plug No. 1  4.4 Supply and installation of gravel pack m³ 10  4.5 Clay sealing, back fill and grouting m 10  4.6 Well development Hr. 8  TEST PUMPING  5.1 Step testing, 3 duty points, each 3 hours Hr. 3  5.2 24-hr constant discharge test using of pump size recommended by the Hydrogeologist Supervising the project Hr. 6  5.3 6-hr recovery test Hr. 6  Submit Borehole completion records and test pumping reports giving pump duty points.  6.1 Submit Borehole completion records and test pumping reports giving pump duty points.  6.2 SANITARY SEAL; - Form concrete surface plug around casing with dimensions 2000 x 2000 x 1000 mm  6.3 Water quality report No. 1  6.4 WELL HEAD GANTRY  7.1 Fabricate and install standard borehole gantry  7.2 Provision, fixing and maintaining a publicity Sign Board  7.3 Allow for making good surface reinstatement at the borehole to the Project Manager's Satisfaction	3.4		No.	125.5			
4.1 Plain Casing, Mild Steel casings, 154mm diameter - OD 4mm-Minimum Wall Thickness 4.2 Screen Casing, Mild steel Casing, 154 mm diameter - OD 4mm-Minimum Wall Thickness 4.3 Supply and installation of bottom plug No. 1 4.4 Supply and installation of gravel pack M.5 Clay sealing, back fill and grouting M.6. Hr. 8 4.5 Clay sealing, back fill and grouting M.6. Hr. 8 4.6 Well development Hr. 8 4.7 TEST PUMPING 5.1 Step testing, 3 duty points, each 3 hours Hr. 3 5.2 24-hr constant discharge test using of pump size recommended by the Hydrogeologist Supervising the project Hr. 6 5 WELL COMPLETION Submit Borehole completion records and test pumping reports giving pump duty points. 6.1 Submit Borehole completion records and test pumping reports giving pump duty points. 6.2 SANITARY SEAL; - Form concrete surface plug around casing with dimensions 2000 x 2000 x 1000 mm 6.3 Water quality report No. 1 6 WELL HEAD GANTRY 7.1 Fabricate and install standard borehole gantry 7.2 Provision, fixing and maintaining a publicity Sign Board 7.3 Allow for making good surface reinstatement at the borehole to the Project Manager's Satisfaction		cuttings at 2-meter intervals.					
4.1 Plain Casing, Mild Steel casings, 154mm diameter - OD 4mm-Minimum Wall Thickness 4.2 Screen Casing, Mild steel Casing, 154 mm diameter - OD 4mm-Minimum Wall Thickness 4.3 Supply and installation of bottom plug No. 1 4.4 Supply and installation of gravel pack M.5 Clay sealing, back fill and grouting M.6. Hr. 8 4.5 Clay sealing, back fill and grouting M.6. Hr. 8 4.6 Well development Hr. 8 4.7 TEST PUMPING 5.1 Step testing, 3 duty points, each 3 hours Hr. 3 5.2 24-hr constant discharge test using of pump size recommended by the Hydrogeologist Supervising the project Hr. 6 5 WELL COMPLETION Submit Borehole completion records and test pumping reports giving pump duty points. 6.1 Submit Borehole completion records and test pumping reports giving pump duty points. 6.2 SANITARY SEAL; - Form concrete surface plug around casing with dimensions 2000 x 2000 x 1000 mm 6.3 Water quality report No. 1 6 WELL HEAD GANTRY 7.1 Fabricate and install standard borehole gantry 7.2 Provision, fixing and maintaining a publicity Sign Board 7.3 Allow for making good surface reinstatement at the borehole to the Project Manager's Satisfaction		WELL CONSTRUCTION					
diameter - OD 4mm-Minimum Wall Thickness  4.2 Screen Casing, Mild steel Casing, 154 mm diameter - OD 4mm-Minimum Wall Thickness  4.3 Supply and installation of bottom plug A.5 Clay sealing, back fill and grouting Mell development Hr.  5.1 Step testing, 3 duty points, each 3 hours F.2 24-hr constant discharge test using of pump size recommended by the Hydrogeologist Supervising the project Hr.  5.2 Swell COMPLETION For Mell Suppling pump duty points.  5.3 Submit Borehole completion records and test pumping reports giving pump duty points.  6.2 SANITARY SEAL; - Form concrete surface plug around casing with dimensions 2000 x 2000 x 1000 mm  6.3 Water quality report No. Fabricate and install standard borehole gantry  7.2 Provision, fixing and maintaining a publicity Sign Board Allow for making good surface reinstatement at the borehole to the Project Manager's Satisfaction		WELL CONSTRUCTION					_
diameter - OD 4mm-Minimum Wall Thickness  Screen Casing, Mild steel Casing, 154 mm diameter - OD 4mm-Minimum Wall Thickness  4.3 Supply and installation of bottom plug No. 1 Supply and installation of gravel pack m³ 10  4.5 Clay sealing, back fill and grouting m 10  4.6 well development Hr. 8 TEST PUMPING  5.1 Step testing, 3 duty points, each 3 hours F.2 24-hr constant discharge test using of pump size recommended by the Hydrogeologist Supervising the project F.3 6-hr recovery test Hr. 6  Submit Borehole completion records and test pumping reports giving pump duty points.  6.2 SANITARY SEAL; - Form concrete surface plug around casing with dimensions 2000 x 2000 x 1000 mm  6.3 Water quality report No. 1 gantry  7.2 Fabricate and install standard borehole gantry  7.3 Allow for making good surface reinstatement at the borehole to the Project Manager's Satisfaction	4.1	Plain Casing, Mild Steel casings, 154mm	m	140			
4.2 Screen Casing, Mild steel Casing, 154 mm diameter - OD 4mm-Minimum Wall Thickness  4.3 Supply and installation of bottom plug No. 1  4.4 Supply and installation of gravel pack M.5 Clay sealing, back fill and grouting M.6. Well development Hr. 8  TEST PUMPING  5.1 Step testing, 3 duty points, each 3 hours Hr. 3  5.2 24-hr constant discharge test using of pump size recommended by the Hydrogeologist Supervising the project Hr. 6  6hr recovery test Hr. 6  5 WELL COMPLETION  6.1 Submit Borehole completion records and test pumping reports giving pump duty points. 6.2 SANITARY SEAL; - Form concrete surface plug around casing with dimensions 2000 x 2000 x 1000 mm  6.3 Water quality report No. 1  Fabricate and install standard borehole gantry  7.2 Provision, fixing and maintaining a publicity Sign Board  7.3 Allow for making good surface reinstatement at the borehole to the Project Manager's Satisfaction		_					
mm diameter - OD 4mm-Minimum Wall Thickness  4.3 Supply and installation of bottom plug A.4 Supply and installation of gravel pack A.5 Clay sealing, back fill and grouting M 10  4.6 well development Hr. 8  TEST PUMPING S.1 Step testing, 3 duty points, each 3 hours F.2 24-hr constant discharge test using of pump size recommended by the Hydrogeologist Supervising the project F.3 6-hr recovery test Hr. 6  S WELL COMPLETION F.1 Submit Borehole completion records and test pumping reports giving pump duty points.  SANITARY SEAL; - Form concrete surface plug around casing with dimensions 2000 x 2000 x 1000 mm  S Water quality report No. 1 Fabricate and install standard borehole gantry  Provision, fixing and maintaining a publicity Sign Board  Allow for making good surface reinstatement at the borehole to the Project Manager's Satisfaction		Thickness					
Wall Thickness  4.3 Supply and installation of bottom plug  4.4 Supply and installation of gravel pack  4.5 Clay sealing, back fill and grouting  4.6 well development  4.6 well development  4.7 Step testing, 3 duty points, each 3 hours  5.1 Step testing, 3 duty points, each 3 hours  5.2 24-hr constant discharge test using of pump size recommended by the Hydrogeologist Supervising the project  5.3 6-hr recovery test  5.3 Submit Borehole completion records and test pumping reports giving pump duty points.  6.2 SANITARY SEAL; - Form concrete surface plug around casing with dimensions 2000 x 2000 x 1000 mm  6.3 Water quality report  6.4 WELL HEAD GANTRY  7.1 Fabricate and install standard borehole gantry  7.2 Provision, fixing and maintaining a publicity Sign Board  7.3 Allow for making good surface reinstatement at the borehole to the Project Manager's Satisfaction	4.2	Screen Casing, Mild steel Casing, 154	m	110			
4.3 Supply and installation of bottom plug 4.4 Supply and installation of gravel pack 4.5 Clay sealing, back fill and grouting 4.6 well development 4.6 Well development 4.7 TEST PUMPING 5.1 Step testing, 3 duty points, each 3 hours 5.2 24-hr constant discharge test using of pump size recommended by the Hydrogeologist Supervising the project 5.3 6-hr recovery test 4.6 WELL COMPLETION 6.1 Submit Borehole completion records and test pumping reports giving pump duty points. 6.2 SANITARY SEAL; - Form concrete surface plug around casing with dimensions 2000 x 2000 x 1000 mm 6.3 Water quality report 6.4 WELL HEAD GANTRY 7.1 Fabricate and install standard borehole gantry 7.2 Provision, fixing and maintaining a publicity Sign Board 7.3 Allow for making good surface reinstatement at the borehole to the Project Manager's Satisfaction		mm diameter - OD 4mm-Minimum					
4.4 Supply and installation of gravel pack m³ 10 4.5 Clay sealing, back fill and grouting m 10 4.6 well development Hr. 8  TEST PUMPING 5.1 Step testing, 3 duty points, each 3 hours Hr. 3 5.2 24-hr constant discharge test using of pump size recommended by the Hydrogeologist Supervising the project Hr. 6  5.3 6-hr recovery test Hr. 6  Submit Borehole completion records and test pumping reports giving pump duty points. 6.2 SANITARY SEAL; - Form concrete surface plug around casing with dimensions 2000 x 2000 x 1000 mm 6.3 Water quality report No. 1  6 WELL HEAD GANTRY 7.1 Fabricate and install standard borehole gantry 7.2 Provision, fixing and maintaining a publicity Sign Board 7.3 Allow for making good surface reinstatement at the borehole to the Project Manager's Satisfaction		Wall Thickness					
4.5 Clay sealing, back fill and grouting m 10 4.6 well development Hr. 8  TEST PUMPING 5.1 Step testing, 3 duty points, each 3 hours Hr. 3 5.2 24-hr constant discharge test using of pump size recommended by the Hydrogeologist Supervising the project Hr. 6 5.3 6-hr recovery test Hr. 6  Submit Borehole completion records and test pumping reports giving pump duty points. 6.2 SANITARY SEAL; - Form concrete surface plug around casing with dimensions 2000 x 2000 x 1000 mm 6.3 Water quality report No. 1  Fabricate and install standard borehole gantry 7.1 Fabricate and install standard borehole gantry 7.2 Provision, fixing and maintaining a publicity Sign Board 7.3 Allow for making good surface reinstatement at the borehole to the Project Manager's Satisfaction							
4.6 well development Hr. 8  TEST PUMPING  5.1 Step testing, 3 duty points, each 3 hours Hr. 3  5.2 24-hr constant discharge test using of pump size recommended by the Hydrogeologist Supervising the project Hr. 6  5.3 6-hr recovery test Hr. 6  5 WELL COMPLETION  6.1 Submit Borehole completion records and test pumping reports giving pump duty points.  6.2 SANITARY SEAL; - Form concrete surface plug around casing with dimensions 2000 x 2000 x 1000 mm  6.3 Water quality report No. 1  6 WELL HEAD GANTRY  7.1 Fabricate and install standard borehole gantry  7.2 Provision, fixing and maintaining a publicity Sign Board  7.3 Allow for making good surface reinstatement at the borehole to the Project Manager's Satisfaction	4.4		m <sup>3</sup>	10			
TEST PUMPING  5.1 Step testing, 3 duty points, each 3 hours  5.2 24-hr constant discharge test using of pump size recommended by the Hydrogeologist Supervising the project  5.3 6-hr recovery test  6.1 Submit Borehole completion records and test pumping reports giving pump duty points.  6.2 SANITARY SEAL; - Form concrete surface plug around casing with dimensions 2000 x 2000 x 1000 mm  6.3 Water quality report  6.4 Well HEAD GANTRY  7.1 Fabricate and install standard borehole gantry  7.2 Provision, fixing and maintaining a publicity Sign Board  7.3 Allow for making good surface reinstatement at the borehole to the Project Manager's Satisfaction							
5.1 Step testing, 3 duty points, each 3 hours 5.2 24-hr constant discharge test using of pump size recommended by the Hydrogeologist Supervising the project 5.3 6-hr recovery test Hr. 6  5 WELL COMPLETION 5.1 Submit Borehole completion records and test pumping reports giving pump duty points. 6.2 SANITARY SEAL; - Form concrete surface plug around casing with dimensions 2000 x 2000 x 1000 mm 6.3 Water quality report No. 1 6 WELL HEAD GANTRY 7.1 Fabricate and install standard borehole gantry 7.2 Provision, fixing and maintaining a publicity Sign Board 7.3 Allow for making good surface reinstatement at the borehole to the Project Manager's Satisfaction	4.6	·	Hr.	8			
5.2 24-hr constant discharge test using of pump size recommended by the Hydrogeologist Supervising the project  5.3 6-hr recovery test Hr. 6  5 WELL COMPLETION  6.1 Submit Borehole completion records and test pumping reports giving pump duty points.  6.2 SANITARY SEAL; - Form concrete surface plug around casing with dimensions 2000 x 2000 x 1000 mm  6.3 Water quality report No. 1  6 WELL HEAD GANTRY  7.1 Fabricate and install standard borehole gantry  7.2 Provision, fixing and maintaining a publicity Sign Board  7.3 Allow for making good surface reinstatement at the borehole to the Project Manager's Satisfaction							
pump size recommended by the Hydrogeologist Supervising the project  5.3 6-hr recovery test Hr. 6  Submit Borehole completion records and test pumping reports giving pump duty points.  6.2 SANITARY SEAL; - Form concrete surface plug around casing with dimensions 2000 x 2000 x 1000 mm  6.3 Water quality report No. 1  Fabricate and install standard borehole gantry  7.1 Fabricate and install standard borehole gantry  7.2 Provision, fixing and maintaining a publicity Sign Board  7.3 Allow for making good surface reinstatement at the borehole to the Project Manager's Satisfaction							
Hydrogeologist Supervising the project  5.3 6-hr recovery test Hr. 6  Submit Borehole completion records and test pumping reports giving pump duty points.  6.2 SANITARY SEAL; - Form concrete surface plug around casing with dimensions 2000 x 2000 x 1000 mm  6.3 Water quality report No. 1  6 WELL HEAD GANTRY  7.1 Fabricate and install standard borehole gantry  7.2 Provision, fixing and maintaining a publicity Sign Board  7.3 Allow for making good surface reinstatement at the borehole to the Project Manager's Satisfaction	5.2		Hr.	24			
5.3 6-hr recovery test Hr. 6  Submit Borehole completion records and test pumping reports giving pump duty points.  6.2 SANITARY SEAL; - Form concrete surface plug around casing with dimensions 2000 x 2000 x 1000 mm  6.3 Water quality report No. 1  6 WELL HEAD GANTRY  7.1 Fabricate and install standard borehole gantry  7.2 Provision, fixing and maintaining a publicity Sign Board  7.3 Allow for making good surface reinstatement at the borehole to the Project Manager's Satisfaction		· · · ·					
5 WELL COMPLETION  6.1 Submit Borehole completion records and test pumping reports giving pump duty points.  6.2 SANITARY SEAL; - Form concrete surface plug around casing with dimensions 2000 x 2000 x 1000 mm  6.3 Water quality report  7.1 Fabricate and install standard borehole gantry  7.2 Provision, fixing and maintaining a publicity Sign Board  7.3 Allow for making good surface reinstatement at the borehole to the Project Manager's Satisfaction	F 2		Шr	6			
6.1 Submit Borehole completion records and test pumping reports giving pump duty points.  6.2 SANITARY SEAL; - Form concrete surface plug around casing with dimensions 2000 x 2000 x 1000 mm  6.3 Water quality report  7.1 Fabricate and install standard borehole gantry  7.2 Provision, fixing and maintaining a publicity Sign Board  7.3 Allow for making good surface reinstatement at the borehole to the Project Manager's Satisfaction	5.5	6-III recovery test	п.	0			
6.1 Submit Borehole completion records and test pumping reports giving pump duty points.  6.2 SANITARY SEAL; - Form concrete surface plug around casing with dimensions 2000 x 2000 x 1000 mm  6.3 Water quality report  7.1 Fabricate and install standard borehole gantry  7.2 Provision, fixing and maintaining a publicity Sign Board  7.3 Allow for making good surface reinstatement at the borehole to the Project Manager's Satisfaction	5	WELL COMPLETION					
test pumping reports giving pump duty points.  6.2 SANITARY SEAL; - Form concrete surface plug around casing with dimensions 2000 x 2000 x 1000 mm  6.3 Water quality report No. 1  6 WELL HEAD GANTRY  7.1 Fabricate and install standard borehole gantry  7.2 Provision, fixing and maintaining a publicity Sign Board  7.3 Allow for making good surface reinstatement at the borehole to the Project Manager's Satisfaction			sum	1			
points.  6.2 SANITARY SEAL; - Form concrete surface plug around casing with dimensions 2000 x 2000 x 1000 mm  6.3 Water quality report No. 1  6 WELL HEAD GANTRY  7.1 Fabricate and install standard borehole gantry  7.2 Provision, fixing and maintaining a publicity Sign Board  7.3 Allow for making good surface reinstatement at the borehole to the Project Manager's Satisfaction		•					
plug around casing with dimensions 2000 x 2000 x 1000 mm  6.3 Water quality report No. 1  6 WELL HEAD GANTRY  7.1 Fabricate and install standard borehole gantry  7.2 Provision, fixing and maintaining a publicity Sign Board  7.3 Allow for making good surface reinstatement at the borehole to the Project Manager's Satisfaction							
x 2000 x 1000 mm  6.3 Water quality report  No. 1  6 WELL HEAD GANTRY  7.1 Fabricate and install standard borehole gantry  7.2 Provision, fixing and maintaining a publicity Sign Board  7.3 Allow for making good surface reinstatement at the borehole to the Project Manager's Satisfaction	6.2	SANITARY SEAL; - Form concrete surface	No.	1			
6.3 Water quality report No. 1  6 WELL HEAD GANTRY  7.1 Fabricate and install standard borehole gantry  7.2 Provision, fixing and maintaining a publicity Sign Board  7.3 Allow for making good surface reinstatement at the borehole to the Project Manager's Satisfaction		plug around casing with dimensions 2000					
6 WELL HEAD GANTRY 7.1 Fabricate and install standard borehole gantry 7.2 Provision, fixing and maintaining a publicity Sign Board 7.3 Allow for making good surface reinstatement at the borehole to the Project Manager's Satisfaction  1 2 2 2 3 3 4 5 5 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7		x 2000 x 1000 mm					
7.1 Fabricate and install standard borehole gantry  7.2 Provision, fixing and maintaining a publicity Sign Board  7.3 Allow for making good surface reinstatement at the borehole to the Project Manager's Satisfaction			No.	1			
7.2 Provision, fixing and maintaining a publicity Sign Board  7.3 Allow for making good surface reinstatement at the borehole to the Project Manager's Satisfaction							
7.2 Provision, fixing and maintaining a publicity Sign Board  7.3 Allow for making good surface reinstatement at the borehole to the Project Manager's Satisfaction	7.1		No.	1			
publicity Sign Board  7.3 Allow for making good surface Sum 1 reinstatement at the borehole to the Project Manager's Satisfaction	7.2	-	No	2			
7.3 Allow for making good surface Sum 1 reinstatement at the borehole to the Project Manager's Satisfaction	1.2		INO	2			
reinstatement at the borehole to the Project Manager's Satisfaction	7.3		Sum	1			
		Project Manager's Satisfaction					
			2 CARRIED	FORWARD TO	SUMMARY PA	AGE	

# TENDER NO. NWWDA/ T/DB/019/2023-2024


# SUMMARY SHEET

BILL	DESCRIPTION	AMOUNT
No.		
1	Preliminary and General Items	
2	Drilling, Development and Test Pumping	
	Sub Total	
	<b>2.0% Contingency</b> sum to be expended with a written approval from the Employer	
	Add 16% VAT	
	Gross Value of Work Done	

# **Borehole Design:**

Borehole Name: OLDONYIRO WARD BH-3

Borehole Depth: 250M



# NOTES FOR PREPARING BILLS OF QUANTITIES

- 1.0 The objectives of the Bills of Quantities are;
  - (a) to provide sufficient information on the quantities of Works to be performed to enable tenders to be prepared efficiently and accurately; and
  - (b) when a Contract has been entered into, to provide a priced Bill of Quantities for use in the periodic valuation of Works executed.

In order to attain these objectives, Works are itemized in the Bill of Quantities in sufficient detail to distinguish between the different classes of Works, or between Works of the same nature carried out in different locations or in other circumstances which may give rise to different considerations of cost.

2.0 The Bills of Quantities are divided generally into the following sections:

# (a) Preliminaries.

The preliminaries indicate the inclusiveness of the unit prices, and state the methods of measurement which have been adopted in the preparation of the Bill of Quantities and which are to be used for the measurement of any part of the Works.

The number of preliminary items to be priced by the tenderer is limited to tangible items such as site office and other temporary works, otherwise items such as security for the Works which are primarily part of the Contractor's obligations should be included in the Contractor's rates.

# (b) Work Items

- (i) The items in the Bills of Quantities should be grouped into sections to distinguish between those parts of the Works which by nature, location, access, timing, or any other special characteristics may give rise to different methods of construction, or phasing of the Works, or considerations of cost. General items common to all parts of the Works may be grouped as a separate section in the Bill of Quantities.
- (ii) Quantities are computed net from the Drawings, and no allowance has been made for bulking, shrinkage or waste. Quantities have been rounded up or down where appropriate.
- (iii) The following units of measurement and abbreviations are recommended for use.

Unit	Abbreviation
Cubic Meter	$m^3$
Hectare	На
Hour	Hr
Kilogram	Kg
Lump Sum	L.S.
Meter	M
Metric Ton (1,000 Kg)	Ton
Millimeter	Mm
Month	Mth
Number	No
Square Meter	$m^2$
Square Millimeter	mm2
Week	Wk

# (c) Day work Schedule

A Day work Schedule has been included to take care of situations where the probability of unforeseen work, outside the items **in**cluded in the Bill of Quantities, is relatively high.

# (d) As- Built Drawings and operating and maintenance manuals

The Contractor is required to prepare As-built drawings and Operating and Maintenance manuals in the general conditions of contract clause 61.1 in section V of this bidding document. Clauses 135 and 137 of the technical specifications appearing in chapter 1 (General) require that the contractor prepares Operating and Maintenance manuals and As-built drawings. As-built drawings shall be prepared as work proceeds. The number of copies to be submitted with the original is also specified.

The rates provided by the Tenderers shall be deemed to include the preparation of Operating and Maintenance manuals and As-built drawings and no separate bill item has been included

PART III - CONDITIONS	OF	CONTRACT AND	<b>CONTRACT FORMS</b>
-----------------------	----	--------------	-----------------------

## SECTION VIII - GENERAL CONDITIONS OF CONTRACT

These General Conditions of Contract (GCC), read in conjunction with the Special Conditions of Contract (SCC) and other documents listed therein, should be a complete document expressing fairly the rights and obligations of both parties.

These General Conditions of Contract have been developed on the basis of considerable international experience in the drafting and management of contracts, bearing in mind a trend in the construction industry towards simpler, more straightforward language.

The GCC can be used for both smaller admeasurement contracts and lump sum contracts.

#### **General Conditions of Contract**

#### A. General

#### 1. Definitions

- 1.1 Bold face type is used to identify defined terms.
  - a) **The Accepted Contract** Amount means the amount accepted in the Letter of Acceptance for the execution and completion of the Works and the remedying of any defects.
  - b) The Activity Schedule is a schedule of the activities comprising the construction, installation, testing, and commissioning of the Works in a lump sum contract. It includes a lump sum price for each activity, which is used for valuations and for assessing the effects of Variations and Compensation Events.
  - c) **The Adjudicator** is the person appointed jointly by the Procuring Entity and the Contractor to resolve disputes in the first instance, as provided for in GCC 23.
  - d) Bill of Quantities means the priced and completed Bill of Quantities forming part of the Bid.
  - e) Compensation Events are those defined in GCC Clause 42 hereunder.
  - f) **The Completion Date** is the date of completion of the Works as certified by the Project Manager, in accordance with GCC Sub-Clause 53.1.
  - g) The Contract is the Contract between the Procuring Entity and the Contractor to execute, complete, and maintain the Works. It consists of the documents listed in GCC Sub-Clause 2.3 below.
  - h) **The Contractor** is the party whose Bid to carry out the Works has been accepted by the Procuring Entity.
  - i) **The Contractor's Bid** is the completed bidding document submitted by the Contractor to the Procuring Entity.
  - j) **The Contract Price** is the Accepted Contract Amount stated in the Letter of Acceptance and thereafter as adjusted in accordance with the Contract.
  - k) **Days** are calendar days; months are calendar months.
  - 1) **Day work**s are varied work inputs subject to payment on a time basis for the Contractor's employees and Equipment, in addition to payments for associated Materials and Plant.
  - m) A **Defect** is any part of the Works not completed in accordance with the Contract.
  - n) **The Defects** Liability Certificate is the certificate issued by Project Manager upon correction of defects by the Contractor.
  - o) **The Defects Liability Period** is the period **named in the SCC** pursuant to Sub-Clause 34.1 and calculated from the Completion Date.

- p) <u>Drawings</u> means the drawings of the Works, as included in the Contract, and any additional and modified drawings issued by (or on behalf of) the Procuring Entity in accordance with the Contract, include calculations and other information provided or approved by the Project Manager for the execution of the Contract.
- q) **The Procuring Entity** is the party who employs the Contractor to carry out the Works, **as specified in the SCC,** who is also the Procuring Entity.
- r) **Equipment** is the Contractor's machinery and vehicles brought temporarily to the Site to construct the Works.
- s) "In writing" or "written" means hand-written, type-written, printed or electronically made, and resulting in a permanent record;
- t) The Initial Contract Price is the Contract Price listed in the Procuring Entity's Letter of Acceptance.
- u) The Intended Completion Date is the date on which it is intended that the Contractor shall complete the Works. The Intended Completion Date is specified in the SCC. The Intended Completion Date may be revised only by the Project Manager by issuing an extension of time or an acceleration order.
- v) **Materials** are all supplies, including consumables, used by the Contractor for incorporation in the Works.
- w) **Plant i**s any integral part of the Works that shall have a mechanical, electrical, chemical, or biological function.
- x) The Project Manager is the person named in the SCC (or any other competent person appointed by the Procuring Entity and notified to the Contractor, to act in replacement of the Project Manager) who is responsible for supervising the execution of the Works and administering the Contract.
- y) SCC means Special Conditions of Contract.
- z) The Site is the area of the works as defined as such in the SCC.
- aa) **Site Investigation Reports** are those that were included in the bidding document and are factual and interpretative reports about the surface and subsurface conditions at the Site.
- bb) **Specification** means the Specification of the Works included in the Contract and any modification or addition made or approved by the Project Manager.
- cc) **The Start Date** is **given in the SCC**. It is the latest date when the Contractor shall commence execution of the Works. It does not necessarily coincide with any of the Site Possession Dates.
- dd) **A Subcontractor** is a person or corporate body who has a Contract with the Contractor to carry out a part of the work in the Contract, which includes work on the Site.
- ee) **Temporary Works** are works designed, constructed, installed, and removed by the Contractor that are needed for construction or installation of the Works.
- ff) A Variation is an instruction given by the Project Manager which varies the Works.
- gg) **The Works** are what the Contract requires the Contractor to construct, install, and turn over to the Procuring Entity, **as defined in the SCC**.

# 2. Interpretation

2.1 In interpreting these GCC, words indicating one gender include all genders. Words indicating the singular also include the plural and words indicating the plural also include the singular. Headings

have no significance. Words have their normal meaning under the language of the Contract unless specifically defined. The Project Manager shall provide instructions clarifying queries about these GCC.

- 2.2 If sectional completion is specified in the SCC, references in the GCC to the Works, the Completion Date, and the Intended Completion Date apply to any Section of the Works (other than references to the Completion Date and Intended Completion Date for the whole of the Works).
- 2.3 The documents forming the Contract shall be interpreted in the following order of priority:
  - a) Agreement,
  - b) Letter of Acceptance,
  - c) Contractor's Bid,
  - d) Special Conditions of Contract,
  - e) General Conditions of Contract, including Appendices,
  - f) Specifications,
  - g) Drawings,
  - h) Bill of Quantities, and
  - i) any other document **listed in the SCC** as forming part of the Contract.

6 <u>In lump sum contracts, delete</u> "Bill of Quantities" and replace with "Activity Schedule."

# 3. Language and Law

- 3.1 The language of the Contract is English Language and the law governing the Contract are the Laws of Kenya.
- 3.2 Throughout the execution of the Contract, the Contractor shall comply with the import of goods and services prohibitions in the Procuring Entity's Country when
- a) as a matter of law or official regulations, Kenya prohibits commercial relations with that country; or
- b) by an act of compliance with a decision of the United Nations Security Council taken under Chapter VII of the Charter of the United Nations, Kenya prohibits any import of goods from that country or any payments to any country, person, or entity in that country.

## 4. Project Manager's Decisions

4.1 Except where otherwise specifically stated, the Project Manager shall decide contractual matters between the Procuring Entity and the Contractor in the role representing the Procuring Entity.

## 5. Delegation

5.1 Otherwise **specified in the SCC**, the Project Manager may delegate any of his duties and responsibilities to other people, except to the Adjudicator, after notifying the Contractor, and may revoke any delegation after notifying the Contractor.

#### 6. Communications

6.1 Communications between parties that are referred to in the Conditions shall be effective only when in writing. A notice shall be effective only when it is delivered.

# 7. Subcontracting

7.1 The Contractor may subcontract with the approval of the Project Manager, but may not assign the Contract without the approval of the Procuring Entity in writing. Subcontracting shall not alter the Contractor's obligations.

#### 8. Other Contractors

8.1 The Contractor shall cooperate and share the Site with other contractors, public authorities, utilities, and the Procuring Entity between the dates given in the Schedule of Other Contractors, as **referred to in the SCC.** The Contractor shall also provide facilities and services for them as described in the Schedule. The Procuring Entity may modify the Schedule of Other Contractors, and shall notify the Contractor of any such modification.

# 9. Personnel and Equipment

- 9.1 The Contractor shall employ the key personnel and use the equipment identified in its Bid, to carry out the Works or other personnel and equipment approved by the Project Manager. The Project Manager shall approve any proposed replacement of key personnel and equipment only if their relevant qualifications or characteristics are substantially equal to or better than those proposed in the Bid.
- 9.2 If the Project Manager asks the Contractor to remove a person who is a member of the Contractor's staff or work force, stating the reasons, the Contractor shall ensure that the person leaves the Site within seven days and has no further connection with the work in the Contract.
- 9.3 If the Procuring Entity, Project Manager or Contractor determines, that any employee of the Contractor be determined to have engaged in Fraud and Corruption during the execution of the Works, then that employee shall be removed in accordance with Clause 9.2 above.

## 10. Procuring Entity's and Contractor's Risks

10.1 The Procuring Entity carries the risks which this Contract states are Procuring Entity's risks, and the Contractor carries the risks which this Contract states are Contractor's risks.

# 11. Procuring Entity's Risks

- 11.1 From the Start Date until the Defects Liability Certificate has been issued, the following are Procuring Entity's risks:
  - a) The risk of personal injury, death, or loss of or damage to property (excluding the Works, Plant, Materials, and Equipment), which are due to
    - i) use or occupation of the Site by the Works or for the purpose of the Works, which is the unavoidable result of the Works or
    - ii) negligence, breach of statutory duty, or interference with any legal right by the Procuring Entity or by any person employed by or contracted to him except the Contractor.
  - b) The risk of damage to the Works, Plant, Materials, and Equipment to the extent that it is due to a fault of the Procuring Entity or in the Procuring Entity's design, or due to war or radioactive contamination directly affecting the country where the Works are to be executed.
- 11.2 From the Completion Date until the Defects Liability Certificate has been issued, the risk of loss of or damage to the Works, Plant, and Materials is a Procuring Entity's risk except loss or damage due to
  - aa) a Defect which existed on the Completion Date,
  - bb) an event occurring before the Completion Date, which was not itself a Procuring Entity's risk, or

cc) the activities of the Contractor on the Site after the Completion Date.

#### 12. Contractor's Risks

12.1 From the Starting Date until the Defects Liability Certificate has been issued, the risks of personal injury, death, and loss of or damage to property (including, without limitation, the Works, Plant, Materials, and Equipment) which are not Procuring Entity's risks are Contractor's risks.

#### 13. Insurance

- 13.1 The Contractor shall provide, in the joint names of the Procuring Entity and the Contractor, insurance cover from the Start Date to the end of the Defects Liability Period, in the amounts and deductibles **stated in the SCC** for the following events which are due to the Contractor's risks:
  - a) loss of or damage to the Works, Plant, and Materials;
  - b) loss of or damage to Equipment;
  - c) loss of or damage to property (except the Works, Plant, Materials, and Equipment) in connection with the Contract; and
  - d) personal injury or death.
- 13.2 Policies and certificates for insurance shall be delivered by the Contractor to the Project Manager for the Project Manager's approval before the Start Date. All such insurance shall provide for compensation to be payable in the types and proportions of currencies required to rectify the loss or damage incurred.
- 13.3 If the Contractor does not provide any of the policies and certificates required, the Procuring Entity may affect the insurance which the Contractor should have provided and recover the premiums the Procuring Entity has paid from payments otherwise due to the Contractor or, if no payment is due, the payment of the premiums shall be a debt due.
- 13.4 Alterations to the terms of an insurance shall not be made without the approval of the Project Manager.
- 13.5 Both parties shall comply with any conditions of the insurance policies.

## 14. Site Data

14.1 The Contractor shall be deemed to have examined any Site Data **referred to in the SCC**, supplemented by any information available to the Contractor.

# 15. Contractor to Construct the Works

- 15.1 The Contractor shall construct and install the Works in accordance with the Specifications and Drawings.
- 16. The Works to Be Completed by the Intended Completion Date
- 16.1 The Contractor may commence execution of the Works on the Start Date and shall carry out the Works in accordance with the Program submitted by the Contractor, as updated with the approval of the Project Manager, and complete them by the Intended Completion Date.
- 17. Approval by the Project Manager
  - 17.1 The Contractor shall submit Specifications and Drawings showing the proposed Temporary Works to the Project Manager, for his approval.
  - 17.2 The Contractor shall be responsible for design of Temporary Works.

- 17.3 The Project Manager's approval shall not alter the Contractor's responsibility for design of the Temporary Works.
- 17.4 The Contractor shall obtain approval of third parties to the design of the Temporary Works, where required.
- 17.5 All Drawings prepared by the Contractor for the execution of the temporary or permanent Works, are subject to prior approval by the Project Manager before this use.

# 18. Safety

18.1 The Contractor shall be responsible for the safety of all activities on the Site.

#### 19. Discoveries

19.1 Anything of historical or other interest or of significant value unexpectedly discovered on the Site shall be the property of the Procuring Entity. The Contractor shall notify the Project Manager of such discoveries and carry out the Project Manager's instructions for dealing with them.

#### 20. Possession of the Site

20.1 The Procuring Entity shall give possession of all parts of the Site to the Contractor. If possession of a part is not given by the date **stated in the SCC**, the Procuring Entity shall be deemed to have delayed the start of the relevant activities, and this shall be a Compensation Event.

## 21. Access to the Site

21.1 The Contractor shall allow the Project Manager and any person authorized by the Project Manager access to the Site and to any place where work in connection with the Contract is being carried out or is intended to be carried out.

## 22. Instructions, Inspections and Audits

- 22.1 The Contractor shall carry out all instructions of the Project Manager which comply with the applicable laws where the Site is located.
- 22.2 The Contractor shall keep, and shall make all reasonable efforts to cause its Subcontractors and subconsultants to keep, accurate and systematic accounts and records in respect of the Works in such form and details as will clearly identify relevant time changes and costs.
- 22.3The Contractor shall permit and shall cause its subcontractors and sub-consultants to permit, the Procuring Entity and/or persons appointed by the Public Procurement Regulatory Authority to inspect the Site and/or the accounts and records relating to the procurement process, selection and/or contract execution, and to have such accounts and records audited by auditors appointed by the Public Procurement Regulatory Authority. The Contractor's and its Subcontractors' and subconsultants' attention is drawn to Sub- Clause 25.1 (Fraud and Corruption) which provides, inter alia, that acts intended to materially impede the exercise of the Public Procurement Regulatory Authority's inspection and audit rights constitute a prohibited practice subject to contract termination (as well as to a determination of ineligibility pursuant to the Public Procurement Regulatory Authority's prevailing sanctions procedures).

## 23. Appointment of the Adjudicator

- 23.1 The Adjudicator shall be appointed jointly by the Procuring Entity and the Contractor, at the time of the Procuring Entity's issuance of the Letter of Acceptance. If, in the Letter of Acceptance, the Procuring Entity does not agree on the appointment of the Adjudicator, the Procuring Entity will request the Appointing Authority designated in the SCC, to appoint the Adjudicator within 14 days of receipt of such request.
- 23.2 Should the Adjudicator resign or die, or should the Procuring Entity and the Contractor agree that

the Adjudicator is not functioning in accordance with the provisions of the Contract, a new Adjudicator shall be jointly appointed by the Procuring Entity and the Contractor. In case of disagreement between the Procuring Entity and the Contractor, within 30 days, the Adjudicator shall be designated by the Appointing Authority designated in the SCC at the request of either party, within 14 days of receipt of such request.

# 24. Settlement of Claims and Disputes

## 24.1 Contractor's Claims

- 24.1.1 If the Contractor considers itself to be entitled to any extension of the Time for Completion and/or any additional payment, under any Clause of these Conditions or otherwise in connection with the Contract, the Contractor shall give <a href="Notice to the Project Manager">Notice to the Project Manager</a>, describing the event or circumstance giving rise to the claim. The notice shall be given as soon as practicable, and not later than 30 days after the Contractor became aware, or should have become aware, of the event or circumstance.
- 24.1.2If the Contractor fails to give notice of a claim within such period of 30 days, the Time for Completion shall not be extended, the Contractor shall not be entitled to additional payment, and the Procuring Entity shall be discharged from all liability in connection with the claim. Otherwise, the following provisions of this Sub- Clause shall apply.
- 24.1.3 The Contractor shall also submit any other notices which are required by the Contract, and supporting particulars for the claim, all as relevant to such event or circumstance.
- 24.1.4 The Contractor shall keep such contemporary records as may be necessary to substantiate any claim, either on the Site or at another location acceptable to the Project Manager. Without admitting the Procuring Entity's liability, the Project Manager may, after receiving any notice under this Sub-Clause, monitor the record- keeping and/or instruct the Contractor to keep further contemporary records. The Contractor shall permit the Project Manager to inspect all these records, and shall (if instructed) submit copies to the Project Manager.
- 24.1.5 Within 42 days after the Contractor became aware (or should have become aware) of the event or circumstance giving rise to the claim, or within such other period as may be proposed by the Contractor and approved by the Project Manager, the Contractor shall send to the Project Manager a fully detailed claim which includes full supporting particulars of the basis of the claim and of the extension of time and/or additional payment claimed. If the event or circumstance giving rise to the claim has a continuing effect:
  - a) this fully detailed claim shall be considered as interim;
  - b) the Contractor shall send further interim claims at monthly intervals, giving the accumulated delay and/or amount claimed, and such further particulars as the Project Manager may reasonably require; and
  - c) the Contractor shall send a final claim within 30 days after the end of the effects resulting from the event or circumstance, or within such other period as may be proposed by the Contractor and approved by the Project Manager.
- 24.1.6 Within 42 days after receiving a Notice of a claim or any further particulars supporting a previous claim, or within such other period as may be proposed by the Project Manager and approved by the Contractor, the Project Manager shall respond with approval, or with disapproval and detailed comments. He may also request any necessary further particulars, but shall nevertheless give his response on the principles of the claim within the above defined time period.
- 24.1.7 Within the above defined period of 42 days, the Project Manager shall proceed in accordance

- 24.1.8 [Determinations] to agree or determine (i) the extension (if any) of the Time for Completion (before or after its expiry) in accordance with Sub-Clause 8.4 [Extension of Time for Completion], and/or (ii) the additional payment (if any) to which the Contractor is entitled under the Contract.
- 24.1.9 Each Payment Certificate shall include such additional payment for any claim as has been reasonably substantiated as due under the relevant provision of the Contract. Unless and until the particulars supplied are sufficient to substantiate the whole of the claim, the Contractor shall only be entitled to payment for such part of the claim as he has been able to substantiate.
- 24.1.10 If the Project Manager does not respond within the timeframe defined in this Clause, either Party may consider that the claim is rejected by the Project Manager and any of the Parties may refer to Arbitration in accordance with Sub-Clause 24.4 [Arbitration].
- 24.1.11 The requirements of this Sub-Clause are in addition to those of any other Sub-Clause which may apply to a claim. If the Contractor fails to comply with this or another Sub- Clause in relation to any claim, any extension of time and/or additional payment shall take account of the extent (if any) to which the failure has prevented or prejudiced proper investigation of the claim, unless the claim is excluded under the second paragraph of this Sub-Clause 24.3.

#### 24.2 Amicable Settlement

24.2.1 Where a notice of a claim has been given, both Parties shall attempt to settle the dispute amicably before the commencement of arbitration. However, unless both Parties agree otherwise, the Party giving a notice of a claim in accordance with Sub-Clause 24.1 above should move to commence arbitration after the fifty-sixth day from the day on which a notice of a claim was given, even if no attempt at an amicable settlement has been made.

# 24.3 Matters that may be referred to arbitration

- 24.3.1 Notwithstanding anything stated herein the following matters may be referred to arbitration before the practical completion of the Works or abandonment of the Works or termination of the Contract by either party:
  - a) The appointment of a replacement Project Manager upon the said person ceasing to act.
  - b) Whether or not the issue of an instruction by the Project Manager is empowered by these Conditions.
  - c) Whether or not a certificate has been improperly withheld or is not in accordance with these Conditions.
  - e) Any dispute arising in respect of war risks or war damage.
  - f) All other matters shall only be referred to arbitration after the completion or alleged completion of the Works or termination or alleged termination of the Contract, unless the Procuring Entity and the Contractor agree otherwise in writing.

## 24.4 Arbitration

- 24.4.1 Any claim or dispute between the Parties arising out of or in connection with the Contract not settled amicably in accordance with Sub-Clause 24.3 shall be finally settled by arbitration.
- 24.4.2 No arbitration proceedings shall be commenced on any claim or dispute where notice of a claim or dispute has not been given by the applying party within ninety days of the occurrence or discovery of the matter or issue giving rise to the dispute.
- 24.4.3 Notwithstanding the issue of a notice as stated above, the arbitration of such a claim or dispute shall not commence unless an attempt has in the first instance been made by the parties to settle such claim or dispute amicably with or without the assistance of third parties. Proof of such attempt shall be required.

- 24.4.4 The Arbitrator shall, without prejudice to the generality of his powers, have powers to direct such measurements, computations, tests or valuations as may in his opinion be desirable in order to determine the rights of the parties and assess and award any sums which ought to have been the subject of or included in any certificate.
- 24.4.5 The Arbitrator shall, without prejudice to the generality of his powers, have powers to open up, review and revise any certificate, opinion, decision, requirement or notice and to determine all matters in dispute which shall be submitted to him in the same manner as if no such certificate, opinion, decision requirement or notice had been given.
- 24.4.6 The arbitrators shall have full power to open up, review and revise any certificate, determination, instruction, opinion or valuation of the Project Manager, relevant to the dispute. Nothing shall disqualify representatives of the Parties and the Project Manager from being called as a witness and giving evidence before the arbitrators on any matter whatsoever relevant to the dispute.
- 24.4.7 Neither Party shall be limited in the proceedings before the arbitrators to the evidence, or to the reasons for dissatisfaction given in its Notice of Dissatisfaction.
- 24.4.8 Arbitration may be commenced prior to or after completion of the Works. The obligations of the Parties, and the Project Manager shall not be altered by reason of any arbitration being conducted during the progress of the Works.
- 24.4.9 The terms of the remuneration of each or all the members of Arbitration shall be mutually agreed upon by the Parties when agreeing the terms of appointment. Each Party shall be responsible for paying one-half of this remuneration.

#### 24.5 Arbitration with National Contractors

- 24.5.1 If the Contract is with national contractors, arbitration proceedings will be conducted in accordance with the Arbitration Laws of Kenya. In case of any claim or dispute, such claim or dispute shall be notified in writing by either party to the other with a request to submit it to arbitration and to concur in the appointment of an Arbitrator within thirty days of the notice. The dispute shall be referred to the arbitration and final decision of a person to be agreed between the parties. Failing agreement to concur in the appointment of an Arbitrator, the Arbitrator shall be appointed, on the request of the applying party, by the Chairman or Vice Chairman of any of the following professional institutions;
  - i) Architectural Association of Kenya
  - ii) Institute of Quantity Surveyors of Kenya
  - iii) Association of Consulting Engineers of Kenya
  - iv) Chartered Institute of Arbitrators (Kenya Branch)
  - v) Institution of Engineers of Kenya
- 24.5.2 The institution written to first by the aggrieved party shall take precedence over all other institutions.

# 24.6 Alternative Arbitration Proceedings

24.6.1 Alternatively, the Parties may refer the matter to the Nairobi Centre for International Arbitration (NCIA) which offers a neutral venue for the conduct of national and international arbitration with commitment to providing institutional support to the arbitral process.

## 24.7 Failure to Comply with Arbitrator's Decision

- 24.7.1 The award of such Arbitrator shall be final and binding upon the parties.
- 24.7.2 In the event that a Party fails to comply with a final and binding Arbitrator's decision, then the other Party may, without prejudice to any other rights it may have, refer the matter to a competent court of law.

# 24.8 Contract operations to continue

- 24.8.1 Notwithstanding any reference to arbitration herein,
  - a) the parties shall continue to perform their respective obligations under the Contract unless they otherwise agree; and
  - b) the Procuring Entity shall pay the Contractor any monies due the Contractor.

# 25. Fraud and Corruption

- 25.1 The Government requires compliance with the country's Anti-Corruption laws and its prevailing sanctions policies and procedures as set forth in the Constitution of Kenya and its Statutes.
- 25.2 The Procuring Entity requires the Contractor to disclose any commissions or fees that may have been paid or are to be paid to agents or any other party with respect to the bidding process or execution of the Contract. The information disclosed must include at least the name and address of the agent or other party, the amount and currency, and the purpose of the commission, gratuity or fee.

#### **B.** Time Control

# 27. Program

- 26.1 Within the time stated in the SCC, after the date of the Letter of Acceptance, the Contractor shall submit to the Project Manager for approval a Program showing the general methods, arrangements, order, and timing for all the activities in the Works. In the case of a lump sum contract, the activities in the Program shall be consistent with those in the Activity Schedule.
- 26.2 An update of the Program shall be a program showing the actual progress achieved on each activity and the effect of the progress achieved on the timing of the remaining work, including any changes to the sequence of the activities.
- 26.3 The Contractor shall submit to the Project Manager for approval an updated Program at intervals no longer than the period stated in the SCC. If the Contractor does not submit an updated Program within this period, the Project Manager may withhold the amount stated in the SCC from the next payment certificate and continue to withhold this amount until the next payment after the date on which the overdue Program has been submitted. In the case of a lump sum contract, the Contractor shall provide an updated Activity Schedule within 14 days of being instructed to by the Project Manager.
- 26.4 The Project Manager's approval of the Program shall not alter the Contractor's obligations. The Contractor may revise the Program and submit it to the Project Manager again at any time. A revised Program shall show the effect of Variations and Compensation Events.

# 27. Extension of the Intended Completion Date

- 27.1 The Project Manager shall extend the Intended Completion Date if a Compensation Event occurs or a Variation is issued which makes it impossible for Completion to be achieved by the Intended Completion Date without the Contractor taking steps to accelerate the remaining work, which would cause the Contractor to incur additional cost.
- 27.2 The Project Manager shall decide whether and by how much to extend the Intended Completion Date within 21 days of the Contractor asking the Project Manager for a decision upon the effect of a Compensation Event or Variation and submitting full supporting information. If the Contractor has failed to give early warning of a delay or has failed to cooperate in dealing with a delay, the delay by this failure shall not be considered in assessing the new Intended Completion Date.

#### 28. Acceleration

- 28.1 When the Procuring Entity wants the Contractor to finish before the Intended Completion Date, the Project Manager shall obtain priced proposals for achieving the necessary acceleration from the Contractor. If the Procuring Entity accepts these proposals, the Intended Completion Date shall be adjusted accordingly and confirmed by both the Procuring Entity and the Contractor.
- 28.2 If the Contractor's priced proposals for an acceleration are accepted by the Procuring Entity, they are incorporated in the Contract Price and treated as a Variation.

## 29. Delays Ordered by the Project Manager

29.1 The Project Manager may instruct the Contractor to delay the start or progress of any activity within the Works.

# 30. Management Meetings

- 30.1 Either the Project Manager or the Contractor may require the other to attend a management meeting. The business of a management meeting shall be to review the plans for remaining work and to deal with matters raised in accordance with the early warning procedure.
- 30.2 The Project Manager shall record the business of management meetings and provide copies of the record to those attending the meeting and to the Procuring Entity. The responsibility of the parties for actions to be taken shall be decided by the Project Manager either at the management meeting or after the management meeting and stated in writing to all who attended the meeting.

# 31. Early Warning

- 31.1 The Contractor shall warn the Project Manager at the earliest opportunity of specific likely future events or circumstances that may adversely affect the quality of the work, increase the Contract Price, or delay the execution of the Works. The Project Manager may require the Contractor to provide an estimate of the expected effect of the future event or circumstance on the Contract Price and Completion Date. The estimate shall be provided by the Contractor as soon as reasonably possible.
- 31.2 The Contractor shall cooperate with the Project Manager in making and considering proposals for how the effect of such an event or circumstance can be avoided or reduced by anyone involved in the work and in carrying out any resulting instruction of the Project Manager.

# C. Quality Control

# **32. Identifying Defects**

32.1 The Project Manager shall check the Contractor's work and notify the Contractor of any Defects that are found. Such checking shall not affect the Contractor's responsibilities. The Project Manager may instruct the Contractor to search for a Defect and to uncover and test any work that the Project Manager considers may have a Defect.

#### 33. Tests

33.1 If the Project Manager instructs the Contractor to carry out a test not specified in the Specification to check whether any work has a Defect and the test shows that it does, the Contractor shall pay for the test and any samples. If there is no Defect, the test shall be a Compensation Event.

# 34. Correction of Defects

- 34.1 The Project Manager shall give notice to the Contractor of any Defects before the end of the Defects Liability Period, which begins at Completion, and is defined in the SCC. The Defects Liability Period shall be extended for as long as Defects remain to be corrected.
- 34.2 Every time notice of a Defect is given, the Contractor shall correct the notified Defect within the length of time specified by the Project Manager's notice.

# 35. Uncorrected Defects

35.1 If the Contractor has not corrected a Defect within the time specified in the Project Manager's notice, the Project Manager shall assess the cost of having the Defect corrected, and the Contractor shall pay this amount.

# **D.** Cost Control

#### 36. Contract Price

36.1 The Bill of Quantities shall contain priced items for the Works to be performed by the Contractor. The Bill of Quantities is used to calculate the Contract Price. The Contractor will be paid for the quantity of the work accomplished at the rate in the Bill of Quantities for each item.

# 37. Changes in the Contract Price

- 37.1 If the final quantity of the work done differs from the quantity in the Bill of Quantities for the particular item by more than 25 percent, provided the change exceeds 1 percent of the Initial Contract Price, the Project Manager shall adjust the rate to allow for the change. The Project Manager shall not adjust rates from changes in quantities if thereby the Initial Contract Price is exceeded by more than 15 percent, except with the prior approval of the Procuring Entity.
- 37.2 If requested by the Project Manager, the Contractor shall provide the Project Manager with a detailed cost breakdown of any rate in the Bill of Quantities.

#### 38. Variations

- 38.1 All Variations shall be included in updated Programs9 produced by the Contractor.
- 38.2 The Contractor shall provide the Project Manager with a quotation for carrying out the Variation when requested to do so by the Project Manager. The Project Manager shall assess the quotation, which shall be given within seven (7) days of the request or within any longer period stated by the Project Manager and before the Variation is ordered.
- 38.3 If the Contractor's quotation is unreasonable, the Project Manager may order the Variation and make a change to the Contract Price, which shall be based on the Project Manager's own forecast of the effects of the Variation on the Contractor's costs.
- 38.4 If the Project Manager decides that the urgency of varying the work would prevent a quotation being given and considered without delaying the work, no quotation shall be

given and the Variation shall be treated as a Compensation Event.

- 38.5 The Contractor shall not be entitled to additional payment for costs that could have been avoided by giving early warning
- 38.6 If the work in the Variation corresponds to an item description in the Bill of Quantities and if, in the opinion of the Project Manager, the quantity of work above the limit stated in Sub-Clause 39.1 or the timing of its execution do not cause the cost per unit of quantity to change, the rate in the Bill of Quantities shall be used to calculate the value of the Variation. If the cost per unit of quantity changes, or if the nature or timing of the work in the Variation does not correspond with items in the Bill of Quantities, the quotation by the Contractor shall be in the form of new rates for the relevant items of work
- 38.7 Value Engineering: The Contractor may prepare, at its own cost, a value engineering proposal at any time during the performance of the contract. The value engineering proposal shall, at a minimum, include the following;
  - a) the proposed change(s), and a description of the difference to the existing contract requirements;
  - a full cost/benefit analysis of the proposed change(s) including a description and estimate of costs (including life cycle costs) the Procuring Entity may incur in implementing the value engineering proposal; and
  - c) a description of any effect(s) of the change on performance/functionality.

- 38.8 The Procuring Entity may accept the value engineering proposal if the proposal demonstrates benefits that:
  - a) accelerate the contract completion period; or
  - b) reduce the Contract Price or the life cycle costs to the Procuring Entity; or
  - c) improve the quality, efficiency, safety or sustainability of the Facilities; or
  - d) yield any other benefits to the Procuring Entity, without compromising the functionality of the Works.
- 38.9 If the value engineering proposal is approved by the Procuring Entity and results in:
  - a) a reduction of the Contract Price; the amount to be paid to the Contractor shall be the
     percentage specified in the SCC of the reduction in the Contract Price; or
  - b) an increase in the Contract Price; but results in a reduction in life cycle costs due to any benefit described in
    - (a) to (d) above, the amount to be paid to the Contractor shall be the full increase in the Contract Price.

#### 39. Cash Flow Forecasts

39.1 When the Program 1, is updated, the Contractor shall provide the Project Manager with an updated cash flow forecast. The cash flow forecast shall include different currencies, as defined in the Contract, converted as necessary using the Contract exchange rates.

#### 40. Payment Certificates

- 40.1 The Contractor shall submit to the Project Manager monthly statements of the estimated value of the work executed less the cumulative amount certified previously.
- 40.2 The Project Manager shall check the Contractor's monthly statement and certify the amount to be paid to the Contractor.
- 40.3 The value of work executed shall be determined by the Project Manager.
- 40.4The value of work executed shall comprise the value of the quantities of work in the Bill of Quantities that have been completed 12.
- 40.5 The value of work executed shall include the valuation of Variations and Compensation Events.
- 40.6 The Project Manager may exclude any item certified in a previous certificate or reduce the proportion of any item previously certified in any certificate in the light of later information.
- 40.7 Where the contract price is different from the corrected tender price, in order to ensure the contractor is not paid less or more relative to the contract price (which would be the tender price), payment valuation certificates and variation orders on omissions and additions valued based on rates in the Bill of Quantities or schedule of rates in the Tender, will be adjusted by a plus or minus percentage. The percentage already worked out during tender evaluation is worked out as follows: (corrected tender price tender price)/tender price X 100.

### 41. Payments

41.1 Payments shall be adjusted for deductions for advance payments and retention. The Procuring Entity shall pay the Contractor the amounts certified by the Project Manager within 30 days of the date of each certificate. If the Procuring Entity makes a late payment, the Contractor shall be paid interest on the late payment in the next payment. Interest shall be calculated from the date by which the payment should have been made up to the date when the late payment is made at the prevailing rate of interest for commercial borrowing for each of the currencies in which payments are made.

- 41.2 If an amount certified is increased in a later certificate or as a result of an award by the Adjudicator or an Arbitrator, the Contractor shall be paid interest upon the delayed payment as set out in this clause. Interest shall be calculated from the date upon which the increased amount would have been certified in the absence of dispute.
- 41.3 Unless otherwise stated, all payments and deductions shall be paid or charged in the proportions of currencies comprising the Contract Price.
- 41.4 Items of the Works for which no rate or price has been entered in shall not be paid for by the Procuring Entity and shall be deemed covered by other rates and prices in the Contract.

#### **42.** Compensation Events

- 42.1 The following shall be Compensation Events:
  - d) The Procuring Entity does not give access to a part of the Site by the Site Possession Date pursuant to GCC Sub-Clause 20.1.
  - e) The Procuring Entity modifies the Schedule of Other Contractors in a way that affects the work of the Contractor under the Contract.
  - f) The Project Manager orders a delay or does not issue Drawings, Specifications, or instructions required for execution of the Works on time.
  - g) The Project Manager instructs the Contractor to uncover or to carry out additional tests upon work, which is then found to have no Defects.
  - h) The Project Manager unreasonably does not approve a subcontract to be let.
  - i) Ground conditions are substantially more adverse than could reasonably have been assumed before issuance of the Letter of Acceptance from the information issued to bidders (including the Site Investigation Reports), from information available publicly and from a visual inspection of the Site.
  - j) The Project Manager gives an instruction for dealing with an unforeseen condition, caused by the Procuring Entity, or additional work required for safety or other reasons.
  - k) Other contractors, public authorities, utilities, or the Procuring Entity does not work within the dates and other constraints stated in the Contract, and they cause delay or extra cost to the Contractor.
  - 1) The advance payment is delayed.
  - m) The effects on the Contractor of any of the Procuring Entity's Risks.
  - n) The Project Manager unreasonably delays issuing a Certificate of Completion.
- 42.2 If a Compensation Event would cause additional cost or would prevent the work being completed before the Intended Completion Date, the Contract Price shall be increased and/or the Intended Completion Date shall be extended. The Project Manager shall decide whether and by how much the Contract Price shall be increased and whether and by how much the Intended Completion Date shall be extended.
- 42.3As soon as information demonstrating the effect of each Compensation Event upon the Contractor's forecast cost has been provided by the Contractor, it shall be assessed by the Project Manager, and the Contract Price shall be adjusted accordingly. If the Contractor's forecast is deemed unreasonable, the Project Manager shall adjust the Contract Price based on the Project Manager's own forecast. The Project Manager shall assume that the
- 42.4 The Contractor shall not be entitled to compensation to the extent that the Procuring Entity's interests are adversely affected by the Contractor's not having given early warning or not having cooperated

#### 43. Tax

43.1 The Project Manager shall adjust the Contract Price if taxes, duties, and other levies are changed between the date 30 days before the submission of bids for the Contract and the date of the last Completion certificate. The adjustment shall be the change in the amount of tax payable by the Contractor, provided such changes are not already reflected in the Contract Price or are a result of GCC Clause 44.

#### 44. Currency y of Payment

44.1 All payments under the contract shall be made in Kenya Shillings

#### 45. Price Adjustment

45.1 Prices shall be adjusted for fluctuations in the cost of inputs only if **provided for in the SCC.** If so provided, the amounts certified in each payment certificate, before deducting for Advance Payment, shall be adjusted by applying the respective price adjustment factor to the payment amounts due in each currency. A separate formula of the type specified below applies:

#### P = A + B Im/Io

where: P is the adjustment factor for the portion of the Contract Price payable.

A and B are coefficients specified in the SCC, representing the non-adjustable and adjustable portions, respectively, of the Contract Price payable and Im is the index prevailing at the end of the month being invoiced and IOC is the index prevailing 30 days before Bid opening for inputs payable.

45.2 If the value of the index is changed after it has been used in a calculation, the calculation shall be corrected and an adjustment made in the next payment certificate. The index value shall be deemed to take account of all changes in cost due to fluctuations in costs.

#### 46. Retention

- 46.1 The Procuring Entity shall retain from each payment due to the Contractor the proportion stated in the **SCC** until Completion of the whole of the Works.
- 46.2 Upon the issue of a Certificate of Completion of the Works by the Project Manager, in accordance with GCC 53.1, half the total amount retained shall be repaid to the Contractor and half when the Defects Liability Period has passed and the Project Manager has certified that all Defects notified by the Project Manager to the Contractor before the end of this period have been corrected. The Contractor may substitute retention money with an "on demand" Bank guarantee.

#### 47. Liquidated Damages

- 47.1 The Contractor shall pay liquidated damages to the Procuring Entity at the rate per day stated in the SCC for each day that the Completion Date is later than the Intended Completion Date. The total amount of liquidated damages shall not exceed the amount defined in the SCC. The Procuring Entity may deduct liquidated damages from payments due to the Contractor. Payment of liquidated damages shall not affect the Contractor's liabilities.
- 47.2 If the Intended Completion Date is extended after liquidated damages have been paid, the Project Manager shall correct any overpayment of liquidated damages by the Contractor by adjusting the next payment certificate. The Contractor shall be paid interest on the overpayment, calculated from the date of payment to the date of repayment, at the rates specified in GCC Sub-Clause 41.1.

### **48. Bonus**

48.1 The Contractor shall be paid a Bonus calculated at the rate per calendar day stated in the SCC for

each day (less any days for which the Contractor is paid for acceleration) that the Completion is earlier than the Intended Completion Date. The Project Manager shall certify that the Works are complete, although they may not be due to be complete.

#### 49. Advance Payment

- 49.1 The Procuring Entity shall make advance payment to the Contractor of the amounts stated in the **SCC** by the date stated in the **SCC**, against provision by the Contractor of an Unconditional Bank Guarantee in a form and by a bank acceptable to the Procuring Entity in amounts and currencies equal to the advance payment. The Guarantee shall remain effective until the advance payment has been repaid, but the amount of the Guarantee shall be progressively reduced by the amounts repaid by the Contractor. Interest shall not be charged on the advance payment.
- 49.2 The Contractor is to use the advance payment only to pay for Equipment, Plant, Materials, and mobilization expenses required specifically for execution of the Contract. The Contractor shall demonstrate that advance payment has been used in this way by supplying copies of invoices or other documents to the Project Manager.
  - 49.3 The advance payment shall be repaid by deducting proportionate amounts from payments otherwise due to the Contractor, following the schedule of completed percentages of the Works on a payment basis. No account shall be taken of the advance payment or its repayment in assessing valuations of work done, Variations, price adjustments, Compensation Events, Bonuses, or Liquidated Damages.

#### **50. Securities**

50.1 The Performance Security shall be provided to the Procuring Entity no later than the date specified in the Letter of Acceptance and shall be issued in an amount **specified in the SCC**, by a bank or surety acceptable to the Procuring Entity, and denominated in the types and proportions of the currencies in which the Contract Price is payable. The Performance Security shall be valid until a date 28 day from the date of issue of the Certificate of Completion in the case of a Bank Guarantee, and until one year from the date of issue of the Completion Certificate in the case of a Performance Bond.

#### 51. Dayworks

- 51.1 If applicable, the Dayworks rates in the Contractor's Bid shall be used only when the Project Manager has given written instructions in advance for additional work to be paid for in that way.
- 51.2 All work to be paid for as Dayworks shall be recorded by the Contractor on forms approved by the Project Manager. Each completed form shall be verified and signed by the Project Manager within two days of the work being done.
- 51.3 The Contractor shall be paid for Dayworks subject to obtaining signed Dayworks forms.

### **52.** Cost of Repairs

52.1 Loss or damage to the Works or Materials to be incorporated in the Works between the Start Date and the end of the Defects Correction periods shall be remedied by the Contractor at the Contractor's cost if the loss or damage arises from the Contractor's acts or omissions.

#### E. Finishing the Contract

#### **53.** Completion

53.1 The Contractor shall request the Project Manager to issue a Certificate of Completion of the Works, and the Project Manager shall do so upon deciding that the whole of the Works is completed.

### 54. Taking Over

54.1 The Procuring Entity shall take over the Site and the Works within seven days of the Project Manager's issuing a certificate of Completion.

#### 55. Final Account

55.1 The Contractor shall supply the Project Manager with a detailed account of the total amount that the Contractor considers payable under the Contract before the end of the Defects Liability Period. The Project Manager shall issue a Defects Liability Certificate and certify any final payment that is due to the Contractor within 56 days of receiving the Contractor's account if it is correct and complete. If it is not, the Project Manager shall issue within 56 days a schedule that states the scope of the corrections or additions that are necessary. If the Final Account is still unsatisfactory after it has been resubmitted, the Project Manager shall decide on the amount payable to the Contractor and issue a payment certificate.

#### **56.** Operating and Maintenance Manuals

- 56.1 If "as built" Drawings and/or operating and maintenance manuals are required, the Contractor shall supply them by the dates stated in the SCC.
- 56.2 If the Contractor does not supply the Drawings and/or manuals by the dates stated in the SCC pursuant to GCC Sub-Clause 56.1, or they do not receive the Project Manager's approval, the Project Manager shall withhold the amount **stated in the SCC** from payments due to the Contractor.

#### 57. Termination

- 57.1 The Procuring Entity or the Contractor may terminate the Contract if the other party causes a fundamental breach of the Contract.
- 57.2 Fundamental breaches of Contract shall include, but shall not be limited to, the following:
  - a) the Contractor stops work for 30 days when no stoppage of work is shown on the current Program and the stoppage has not been authorized by the Project Manager;
  - b) the Project Manager instructs the Contractor to delay the progress of the Works, and the instruction is not withdrawn within 30 days;
  - c) the Procuring Entity or the Contractor is made bankrupt or goes into liquidation other than for a reconstruction or amalgamation;
  - d) a payment certified by the Project Manager is not paid by the Procuring Entity to the Contractor within 84 days of the date of the Project Manager's certificate;
  - e) the Project Manager gives Notice that failure to correct a particular Defect is a fundamental breach of Contract and the Contractor fails to correct it within a reasonable period of time determined by the Project Manager;
  - f) the Contractor does not maintain a Security, which is required;
  - g) the Contractor has delayed the completion of the Works by the number of days for which the maximum amount of liquidated damages can be paid, as **defined in the SCC**; or
  - h) if the Contractor, in the judgment of the Procuring Entity has engaged in Fraud and Corruption, as defined in paragraph 2.2 a of the Appendix A to the GCC, in competing for or in executing the Contract, then the Procuring Entity may, after giving fourteen
    - (14) days written notice to the Contractor, terminate the Contract and expel him from the Site.
- 57.3 Notwithstanding the above, the Procuring Entity may terminate the Contract for convenience.
- 57.4 If the Contract is terminated, the Contractor shall stop work immediately, make the Site safe and secure, and leave the Site as soon as reasonably possible.

57.	5 When	either pa	arty to th	e Contract	gives	notice of	of a bi	reach (	of Co	ntract t	to the I	Project 1	Manag	er for
a	cause o	other than	those li	sted under	GCC	Sub-Cla	ause 5	6.2 ab	ove,	the Pro	ject M	lanager	shall d	lecide

#### 58. Payment upon Termination

- 58.1 If the Contract is terminated because of a fundamental breach of Contract by the Contractor, the Project Manager shall issue a certificate for the value of the work done and Materials ordered less advance payments received up to the date of the issue of the certificate and less the percentage to apply to the value of the work not completed, as specified in the SCC. Additional Liquidated Damages shall not apply. If the total amount due to the Procuring Entity exceeds any payment due to the Contractor, the difference shall be a debt payable to the Procuring Entity.
- 58.2 If the Contract is terminated for the Procuring Entity's convenience or because of a fundamental breach of Contract by the Procuring Entity, the Project Manager shall issue a certificate for the value of the work done, Materials ordered, the reasonable cost of removal of Equipment, repatriation of the Contractor's personnel employed solely on the Works, and the Contractor's costs of protecting and securing the Works, and less advance payments received up to the date of the certificate.

#### 59. Property

59.1 All Materials on the Site, Plant, Equipment, Temporary Works, and Works shall be deemed to be the property of the Procuring Entity if the Contract is terminated because of the Contractor's default.

#### 60. Release from Performance

60.1 If the Contract is frustrated by the outbreak of war or by any other event entirely outside the control of either the Procuring Entity or the Contractor, the Project Manager shall certify that the Contract has been frustrated. The Contractor shall make the Site safe and stop work as quickly as possible after receiving this certificate and shall be paid for all work carried out before receiving it and for any work carried out afterwards to which a commitment was made.

# **SECTION IX - SPECIAL CONDITIONS OF CONTRACT**

Number GC Clause	of Amendments of, and Supplements to, Clauses in the General Conditions of Contract				
A. General					
GCC 1.1 (q	The Procuring Entity is NORTHERN WATER WORKS DEVELOPMENT AGENCY				
GCC 1.1 (u	The Intended Completion Date for the whole of the Works shall be Six Months from the date of order to commence works by the Project Manager.				
GCC 1.1 (x)	The Project Manager  General Manager-Infrastructure Development				
	Northern Water Works Development Agency				
	Maji House, Kismayo Road				
	P.O. Box 495-70100 Garissa, Kenya				
	Mobile No. 0711 559995				
	E-mail: info@nwwda.go.ke				
GCC 1.1 (z)	The Site is located in Oldonyiro ward, Isiolo North constituency, Isiolo County				
GCC 1.1 (co	The Start Date shall be the date the project Manager orders to commence works/or possession of site.				
	1.1 The Works consist of;				
(gg)	1.Drilling, Development, Test pumping and capping of the borehole				
Number	Amendments of, and Supplements to, Clauses in the General Conditions of				
	Contract				
of GC					
Clause	Sectional Completions and N/A				
GCC 2.2	Sectional Completions are: <i>N/A</i>				
GCC 5.1	The Project manager <i>may</i> delegate any of his duties and responsibilities.				
GCC 8.1	Schedule of other contractors: N/A				

Number of GC Clause	Amendments of, and Supplements to, Clauses in the General Conditions of Contract				
GCC 13.1	The minimum insurance amounts and deductibles shall be:				
	((a) loss of or damage to the Works, Plant, and Materials <b>Kshs 100,000</b> ,				
	<b>(b)</b> loss of or damage to Equipment Kshs 100,000				
	(c) loss of or damage to property (except the Works, Plant, Materials, and Equipment) in connection with the Contract Kshs <b>500,000</b>				
	(d) personal injury or death:				
	(i) Of contractor's Employees: Kshs 200,000 for one incidence, number of incidences unlimited.				
	(i) Of other people: Kshs200,000 for one incidence, number of incidences unlimited.				
GCC 14.1	Site Data are: The Bidder shall conduct own site inspections and investigations				
GCC 20.1	The Site Possession Date(s) shall be seven days after the date of order to commence				
GCC 9.1	Key Personnel GCC 9.1 is replaced with the following:				
	Key Personnel are the Contractor's personnel named in this GCC 9.1 of the Special Conditions of Contract. The Contractor shall employ the Key Personnel and use the equipment identified in its Bid, to carry out the Works or other personnel and equipment approved by the Project Manager. The Project Manager shall approve any proposed replacement of Key Personnel and equipment only if their relevant qualifications or characteristics are substantially equal to or better than those proposed in the Bid.				
	Key Personnel.  Geologist - Plumber Foreman				
Number GC Clause	of Amendments of, and Supplements to, Clauses in the General Conditions of Contract				
	works.				
GCC 23.1 & GCC 23.2	Appointing Authority for the Adjudicator: Chartered Institute of Arbitrators (Kenya Chapter)				

	Hourly rate and types of reimbursable expenses to be paid to the Adjudicator: <b>Kshs 20,000</b>
	Types of reimbursable expenses to be paid to the Adjudicator include: the reimbursable expenses shall include: travelling, accommodation, report writing and communication expenses.  (a) Travelling expenses (b) accommodation expenses (c) report production and mailing expenses communication expenses
	Arbitration will take place at <b>Nairobi</b> in accordance with the <b>current</b> rules and regulations published of the <b>Chartered Institute of Arbitrators</b> ( <b>Kenya Chapter</b> )
B. Time Control	I
GCC 26.1	The Contractor shall submit for approval a Program for the Works within 7 days from the date of the Letter of Acceptance.
GCC 26.3	The period between Program updates is 30 days.
	The amount to be withheld for late submission of an updated Program is <b>Ksh One Hundred Thousand</b> (100,000).
C. Quality Cont	rol
GCC 34.1	The Defects Liability Period is ( <b>180 days</b> ). From date of issuance of substantial completion certificate.
D. Cost Control	
GCC 38.9	If the value engineering proposal is approved by the Procuring Entity the amount to be paid to the Contractor shall be Minimum Amount of Interim Payment Certificate of Kenya Shillings Five Million (Kshs <b>5,000,000</b> ) of the reduction in the Contract Price.
GCC 44.1	The currency of the Procuring Entity's Country is: Kenya Shillings
GCC 45.1	The Contract <i>IS NOT</i> subject to price adjustment in accordance with GCC Clause 45, and the following information regarding coefficients <i>DOES NOT</i> apply.
	[Price adjustment is mandatory for contracts which provide for time of completion exceeding 18 months]
Number of GC Clause	Amendments of, and Supplements to, Clauses in the General Conditions of Contract

(a) * [insert percentage]* percent nonadjustable element (coefficient A). (ib)  [insert percentage]* percent adjustable element (coefficient B).  (c) The Index I for shall be [insert index].  GCC 46.1 The proportion of payments retained is: 10% of value of works of Interim Payment Certificate.  GCC 47.1 The liquidated damages for the whole of the Works are 0.1% of final Contract Price] per day. The maximum amount of liquidated damages for the whole of the Works is 10% of the final Contract Price.  GCC 48.1 The Bonus for the whole of the Works is [insert percentage of final Contract Price] per day. The maximum amount of Bonus for the whole of the Works is [insert percentage] of the final Contract Price. NOT APPLICABLE  GCC 49.1 The amount of advance payment shall be NOT APPLICABLE  GCC 50.1 The Performance Security - 10% of the contract sum in the form of unconditional Bank Guarantee  (b) Performance Security - in the amount(s) of 10 percent of the Accepted Contract Amount and in the same currency (ies) of the Accepted Contract Amount.  7. Finishing the Contract  GCC 56.1 The date by which operating and maintenance manuals are required is least 10 days to prior taking over of completed project  The date by which "as built" drawings are required is 30 days after taking over of completed project.  GCC 56.2 The amount to be withheld for failing to produce "as built" drawings and/or operating and maintenance manuals by the date required in GCC 58.1 is Kshs. Two hundred and fifty thousand Only (250,000).  GCC 57.2 (g)  The maximum number of days is: 30 days  Amendments of, and Supplements to, Clauses in the General Conditions of Contract		
[insert percentage] percent adjustable element (coefficient B).   (c) The Index I for shall be [insert index].   GCC 46.1 The proportion of payments retained is: 10% of value of works of Interim Payment Certificate'.   The liquidated damages for the whole of the Works are 0.1% of final Contract Price] per day. The maximum amount of liquidated damages for the whole of the Works is 10% of the final Contract Price.   GCC 48.1 The Bonus for the whole of the Works is [insert percentage of final Contract Price] per day. The maximum amount of Bonus for the whole of the Works is [insert percentage] of the final Contract Price. NOT APPLICABLE   GCC 49.1 The amount of advance payment shall be NOT APPLICABLE   GCC 50.1 The Performance Security - 10% of the contract sum in the form of unconditional Bank Guarantee   (b) Performance Security - in the amount(s) of 10 percent of the Accepted Contract Amount and in the same currency (ies) of the Accepted Contract Amount.   C. Finishing the Contract   The date by which operating and maintenance manuals are required is least 10 days to prior taking over of completed project   The date by which "as built" drawings are required is 30 days after taking over of completed project.   GCC 56.2 The amount to be withheld for failing to produce "as built" drawings and/or operating and maintenance manuals by the date required in GCC 58.1 is Kshs. Two hundred and fifty thousand Only (250,000).   GCC 57.2 (g) The maximum number of days is: 30 days   Number of GC   The percentage to apply to the value of the work not completed, representing the Procuring Entity's additional cost for completing the Works, is 30% of the value of work procuring Entity's additional cost for completing the Works, is 30% of the value of work procuring Entity's additional cost for completing the Works, is 30% of the value of work procuring Entity's additional cost for completing the Works, is 30% of the value of work procuring Entity's additional cost for completing the Works, is 30% of the value of work procuring		The coefficients for adjustment of prices are:
(c) The Index I for shall be [insert index].  GCC 46.1 The proportion of payments retained is: 10% of value of works of Interim Payment Certificate'.  The liquidated damages for the whole of the Works are 0.1% of final Contract Price] per day. The maximum amount of liquidated damages for the whole of the Works is 10% of the final Contract Price.  GCC 48.1 The Bonus for the whole of the Works is [insert percentage of final Contract Price] per day. The maximum amount of Bonus for the whole of the Works is [insert percentage] of the final Contract Price. NOT APPLICABLE  GCC 49.1 The amount of advance payment shall be NOT APPLICABLE  GCC 50.1 The Performance Security - 10% of the contract sum in the form of unconditional Bank Guarantee  (b) Performance Security - in the amount(s) of 10 percent of the Accepted Contract Amount and in the same currency (ies) of the Accepted Contract Amount.  C. Finishing the Contract  GCC 56.1 The date by which operating and maintenance manuals are required is least 10 days to prior taking over of completed project  The date by which "as built" drawings are required is 30 days after taking over of completed project.  GCC 56.2 The amount to be withheld for failing to produce "as built" drawings and/or operating and maintenance manuals by the date required in GCC 58.1 is Kshs. Two hundred and fifty thousand Only (250,000).  GCC 57.2 (g) The maximum number of days is: 30 days  Amendments of, and Supplements to, Clauses in the General Conditions of Contract  Clause  GCC 58.1 The percentage to apply to the value of the work not completed, representing the Procuring Entity's additional cost for completing the Works, is 30% of the value of work		(a) [insert percentage] percent nonadjustable element (coefficient A). (ib)
GCC 46.1 The proportion of payments retained is: 10% of value of works of Interim Payment Certificate'.  GCC 47.1 The liquidated damages for the whole of the Works are 0.1% of final Contract Price] per day. The maximum amount of liquidated damages for the whole of the Works is 10% of the final Contract Price.  GCC 48.1 The Bonus for the whole of the Works is  insert percentage of final Contract Price] per day. The maximum amount of Bonus for the whole of the Works is  insert percentage] of the final Contract Price. NOT APPLICABLE  GCC 49.1 The amount of advance payment shall be NOT APPLICABLE  GCC 50.1 The Performance Security - 10% of the contract sum in the form of unconditional Bank Guarantee  (b) Performance Security - in the amount(s) of 10 percent of the Accepted Contract Amount and in the same currency (ies) of the Accepted Contract Amount.  2. Finishing the Contract  GCC 56.1 The date by which operating and maintenance manuals are required is least 10 days to prior taking over of completed project  The date by which "as built" drawings are required is 30 days after taking over of completed project.  GCC 56.2 The amount to be withheld for failing to produce "as built" drawings and/or operating and maintenance manuals by the date required in GCC 58.1 is Kshs. Two hundred and fifty thousand Only (250,000).  GCC 57.2 (g) The maximum number of days is: 30 days  Amendments of, and Supplements to, Clauses in the General Conditions of Contract  Clause  GCC 58.1 The percentage to apply to the value of the work not completed, representing the Procuring Entity's additional cost for completing the Works, is 30% of the value of work		[insert percentage] percent adjustable element (coefficient B).
Certificate'.  GCC 47.1 The liquidated damages for the whole of the Works are 0.1% of final Contract Price] per day. The maximum amount of liquidated damages for the whole of the Works is 10% of the final Contract Price.  GCC 48.1 The Bonus for the whole of the Works is [insert percentage of final Contract Price] per day. The maximum amount of Bonus for the whole of the Works is [insert percentage] of the final Contract Price. NOT APPLICABLE  GCC 49.1 The amount of advance payment shall be NOT APPLICABLE  GCC 50.1 The Performance Security - 10% of the contract sum in the form of unconditional Bank Guarantee  (b) Performance Security - in the amount(s) of 10 percent of the Accepted Contract Amount and in the same currency (ies) of the Accepted Contract Amount.  C. Finishing the Contract  GCC 56.1 The date by which operating and maintenance manuals are required is least 10 days to prior taking over of completed project  The date by which "as built" drawings are required is 30 days after taking over of completed project.  GCC 56.2 The amount to be withheld for failing to produce "as built" drawings and/or operating and maintenance manuals by the date required in GCC 58.1 is Kshs. Two hundred and fifty thousand Only (250,000).  GCC 57.2 (g) The maximum number of days is: 30 days  Number of GC Clause  GCC 58.1 The percentage to apply to the value of the work not completed, representing the Procuring Entity's additional cost for completing the Works, is 30% of the value of work		(c) The Index I for shall be [insert index].
day. The maximum amount of liquidated damages for the whole of the Works is 10% of the final Contract Price.  GCC 48.1 The Bonus for the whole of the Works is [insert percentage of final Contract Price] per day. The maximum amount of Bonus for the whole of the Works is [insert percentage] of the final Contract Price. NOT APPLICABLE  GCC 49.1 The amount of advance payment shall be NOT APPLICABLE  GCC 50.1 The Performance Security - 10% of the contract sum in the form of unconditional Bank Guarantee  (b) Performance Security – in the amount(s) of 10 percent of the Accepted Contract Amount and in the same currency (ies) of the Accepted Contract Amount.  C. Finishing the Contract  GCC 56.1 The date by which operating and maintenance manuals are required is least 10 days to prior taking over of completed project  The date by which "as built" drawings are required is 30 days after taking over of completed project.  GCC 56.2 The amount to be withheld for failing to produce "as built" drawings and/or operating and maintenance manuals by the date required in GCC 58.1 is Kshs. Two hundred and fifty thousand Only (250,000).  GCC 57.2 (g) The maximum number of days is: 30 days  Number of GC Clause  The percentage to apply to the value of the work not completed, representing the Procuring Entity's additional cost for completing the Works, is 30% of the value of work	GCC 46.1	
day. The maximum amount of Bonus for the whole of the Works is [insert percentage] of the final Contract Price. NOT APPLICABLE  GCC 49.1 The amount of advance payment shall be NOT APPLICABLE  GCC 50.1 The Performance Security - 10% of the contract sum in the form of unconditional Bank Guarantee  (b) Performance Security –in the amount(s) of 10 percent of the Accepted Contract Amount and in the same currency (ies) of the Accepted Contract Amount.  E. Finishing the Contract  The date by which operating and maintenance manuals are required is least 10 days to prior taking over of completed project  The date by which "as built" drawings are required is 30 days after taking over of completed project.  GCC 56.2 The amount to be withheld for failing to produce "as built" drawings and/or operating and maintenance manuals by the date required in GCC 58.1 is Kshs. Two hundred and fifty thousand Only (250,000).  GCC 57.2 (g) The maximum number of days is: 30 days  Number of GC Clause  GCC 58.1 The percentage to apply to the value of the work not completed, representing the Procuring Entity's additional cost for completing the Works, is 30% of the value of work	GCC 47.1	day. The maximum amount of liquidated damages for the whole of the Works is $10\%$ of
GCC 50.1 The Performance Security - 10% of the contract sum in the form of unconditional Bank Guarantee  (b) Performance Security –in the amount(s) of 10 percent of the Accepted Contract Amount and in the same currency (ies) of the Accepted Contract Amount.  C. Finishing the Contract  GCC 56.1 The date by which operating and maintenance manuals are required is least 10 days to prior taking over of completed project  The date by which "as built" drawings are required is 30 days after taking over of completed project.  GCC 56.2 The amount to be withheld for failing to produce "as built" drawings and/or operating and maintenance manuals by the date required in GCC 58.1 is Kshs. Two hundred and fifty thousand Only (250,000).  GCC 57.2 (g) The maximum number of days is: 30 days  Number of GC Clause  GCC 58.1 The percentage to apply to the value of the work not completed, representing the Procuring Entity's additional cost for completing the Works, is 30% of the value of work	GCC 48.1	day. The maximum amount of Bonus for the whole of the Works is [insert percentage]
Bank Guarantee  (b) Performance Security –in the amount(s) of 10 percent of the Accepted Contract Amount and in the same currency (ies) of the Accepted Contract Amount.  C. Finishing the Contract  GCC 56.1 The date by which operating and maintenance manuals are required is least 10 days to prior taking over of completed project  The date by which "as built" drawings are required is 30 days after taking over of completed project.  GCC 56.2 The amount to be withheld for failing to produce "as built" drawings and/or operating and maintenance manuals by the date required in GCC 58.1 is Kshs. Two hundred and fifty thousand Only (250,000).  GCC 57.2 (g) The maximum number of days is: 30 days  Number of GC Clause  Clause The percentage to apply to the value of the work not completed, representing the Procuring Entity's additional cost for completing the Works, is 30% of the value of work	GCC 49.1	The amount of advance payment shall be <b>NOT APPLICABLE</b>
GCC 56.1 The date by which operating and maintenance manuals are required is least 10 days to prior taking over of completed project  The date by which "as built" drawings are required is 30 days after taking over of completed project.  GCC 56.2 The amount to be withheld for failing to produce "as built" drawings and/or operating and maintenance manuals by the date required in GCC 58.1 is Kshs. Two hundred and fifty thousand Only (250,000).  GCC 57.2 (g) The maximum number of days is: 30 days  Number of GC Clause Amendments of, and Supplements to, Clauses in the General Conditions of Contract  The percentage to apply to the value of the work not completed, representing the Procuring Entity's additional cost for completing the Works, is 30% of the value of work	GCC 50.1	Bank Guarantee  (b) Performance Security –in the amount(s) of 10 percent of the Accepted Contract
prior taking over of completed project  The date by which "as built" drawings are required is 30 days after taking over of completed project.  GCC 56.2  The amount to be withheld for failing to produce "as built" drawings and/or operating and maintenance manuals by the date required in GCC 58.1 is Kshs. Two hundred and fifty thousand Only (250,000).  GCC 57.2 (g)  The maximum number of days is: 30 days  Number  of GC  Clause  Amendments of, and Supplements to, Clauses in the General Conditions of Contract  The percentage to apply to the value of the work not completed, representing the Procuring Entity's additional cost for completing the Works, is 30% of the value of work	E. Finishing the	e Contract
completed project.  GCC 56.2 The amount to be withheld for failing to produce "as built" drawings and/or operating and maintenance manuals by the date required in GCC 58.1 is Kshs. Two hundred and fifty thousand Only (250,000).  GCC 57.2 (g) The maximum number of days is: 30 days  Number of GC Contract  Clause  GCC 58.1 The percentage to apply to the value of the work not completed, representing the Procuring Entity's additional cost for completing the Works, is 30% of the value of work	GCC 56.1	1 , 1 ,
and maintenance manuals by the date required in GCC 58.1 is Kshs. Two hundred and fifty thousand Only (250,000).  GCC 57.2 (g) The maximum number of days is: 30 days  Number of GC Contract  Clause  GCC 58.1 The percentage to apply to the value of the work not completed, representing the Procuring Entity's additional cost for completing the Works, is 30% of the value of work		
Number of GC Clause  Amendments of, and Supplements to, Clauses in the General Conditions of Contract  GCC 58.1  The percentage to apply to the value of the work not completed, representing the Procuring Entity's additional cost for completing the Works, is 30% of the value of work	GCC 56.2	and maintenance manuals by the date required in GCC 58.1 is Kshs. Two hundred and
of GC Clause  Clause  The percentage to apply to the value of the work not completed, representing the Procuring Entity's additional cost for completing the Works, is 30% of the value of work	GCC 57.2 (g)	The maximum number of days is: 30 days
Procuring Entity's additional cost for completing the Works, is 30% of the value of work	Number of GC Clause	,
Procuring Entity's additional cost for completing the Works, is 30% of the value of work		
	GCC 58.1	Procuring Entity's additional cost for completing the Works, is 30% of the value of work

# FORM No 1: NOTIFICATION OF INTENTION TO AWARD

	nat be	low.		Representative nar			ation Form on the	
<u>FO</u>	RMA'	<u>T</u>						
1.	For the attention of Tenderer's Authorized Representative							
	i)	Name:			[insert Au	thorized Repr	esentative's name]	
	ii)	Address:			[insert	Authorized	Representative's	
	iii)	Telephone: telephone/fax n			[insert Auti	horized Repres	sentative's	
	iv)	Email Address: address]			[insert Aı	thorized Repr	esentative's email	
	be s			s Notification is tro ly. This means on th			e Notification must to the same time as	
2.Da	ate of	f transmission: [	[email]		. on [ <i>date</i> ]		. (local	
	time	<del>)</del>	••••					
	This	Notification is se	ent by ( <i>Name and</i>	l designation)				
3.	<u>Noti</u>	fication of Intent	ion to Award					
	i)	Procuring Entit <i>Entity</i> ]	ty:		[inse	rt the name of	the Procuring	
	ii)	Project:			[inse	ert name of pro	oject]	
	iii)	Contract title:			[ins	ert the name o	of the contract]	
	iv)	Country:			[inse	ert country whe	ere ITT is issued]	
	v)	ITT No:  Procurement P			[insert l	TT reference 1	number from	
	con						to award the above ring the Standstill	
4.	Req	uest a debriefing	in relation to the	evaluation of your	tender			
	Sub	mit a Procuremen	nt-related Compla	aint in relation to th	ne decision to	o award the co	ntract.	
	a)	The successful	tenderer					
		i) Name of	successful Tende	er				
		ii) Address	of the successful	Tender				

This Notification of Intention to Award shall be sent to each Tenderer that submitted a Tender. Send this

iii)Contract price of the successful Tender Kenya Shillings	(i	n
Words)		

#### b) Other Tenderers

Names of all Tenderers that submitted a Tender. If the Tender's price was evaluated include the evaluated price as well as the Tender price as read out. For Tenders not evaluated, give one main reason the Tender was unsuccessful.

SNo	Name of Tender	Tender Price as	Tender's evaluated price	One Reason Why not Evaluated
		read out	(Note a)	
1				
2				
3				
4				
5				
6				

(Note a) State NE if not evaluated

### 5. How to request a debriefing

- a) DEADLINE: The deadline to request a debriefing expires at midnight on [insert date] (local time).
- b) You may request a debriefing in relation to the results of the evaluation of your Tender. If you decide to request a debriefing your written request must be made within three (5) Business Days of receipt of this Notification of Intention to Award.
- c) Provide the contract name, reference number, name of the Tenderer, contact details; and address the request for debriefing as follows:
  - i) Attention: [insert full name of person, if applicable]
  - ii) Title/position: [insert title/position]
  - ii) Agency: [insert name of Procuring Entity]
  - iii) Email address: [insert email address]
- d) If your request for a debriefing is received within the 3 Days deadline, we will provide the debriefing within five (3) Business Days of receipt of your request. If we are unable to provide the debriefing within this period, the Standstill Period shall be extended by five
  - (3) Days after the date that the debriefing is provided. If this happens, we will notify you and confirm the date that the extended Standstill Period will end.
- e) The debriefing may be in writing, by phone, video conference call or in person. We shall promptly advise you in writing how the debriefing will take place and confirm the date and time.
- f) If the deadline to request a debriefing has expired, you may still request a debriefing. In this case, we will provide the debriefing as soon as practicable, and normally no later than fifteen (15) Days from the date of publication of the Contract Award Notice.

g)

#### 6. How to make a complaint

a) Period: Procurement-related Complaint challenging the decision to award shall be

submitted by midnight, [insert date] (local time).

- b) Provide the contract name, reference number, name of the Tenderer, contact details; and address the Procurement-related Complaint as follows:
  - i) Attention: [insert full name of person, if applicable]
  - ii) Title/position: [insert title/position]
  - iii) Agency: [insert name of Procuring Entity]
  - iv) Email address: [insert email address]
- c) At this point in the procurement process, you may submit a Procurement-related Complaint challenging the decision to award the contract. You do not need to have requested, or received, a debriefing before making this complaint. Your complaint must be submitted within the Standstill Period and received by us before the Standstill Period ends.
- d) Further information: For more information refer to the Public Procurement and Disposals Act 2015 and its Regulations available from the Website <a href="mailto:info@ppra.go.ke">info@ppra.go.ke</a> or <a href="mailto:complaints@ppra.go.ke">complaints@ppra.go.ke</a>.
  - You should read these documents before preparing and submitting your complaint.
- e) There are four essential requirements:
  - You must be an 'interested party'. In this case, that means a Tenderer who submitted a Tender in this tendering process, and is the recipient of a Notification of Intention to Award.
  - ii) The complaint can only challenge the decision to award the contract.
  - iii) You must submit the complaint within the period stated above.
  - iv) You must include, in your complaint, all of the information required to support your complaint.

#### 7. Standstill Period

- i) DEADLINE: The Standstill Period is due to end at midnight on [insert date] (local time).
- ii) The Standstill Period lasts ten (14) Days after the date of transmission of this Notification of Intention to Award.
- iii) The Standstill Period may be extended as stated in paragraph Section 5 (d) above.

If you have any questions regarding this Notification please do not hesitate to contact us. On behalf of the Procuring Entity:

Signature:	Name:
Title/position:	Telephone:_ Email:

# FORM NO. 2 - REQUEST FOR REVIEW

# $FORM\ FOR\ REVIEW\ (r.203(1))$

APPLICATION NOOF20
BETWEEN
APPLICANT
AND
Request for review of the decision of the (Name of the Procuring Entity of
REQUEST FOR REVIEW
I/We,the above named Applicant(s), of address: Physical address
1.
2.
By this memorandum, the Applicant requests the Board for an order/orders that: 1.  2.
SIGNED(Applicant) Dated onday of/20
FOR OFFICIAL USE ONLY Lodged with the Secretary Public Procurement Administrative Review Board onday of20
SIGNED

**Board Secretary** 

### **FORM NO 3: LETTER OF AWARD**

[letterhead paper of the Procuring Entity] [date]

To: [name and address of the Contractor]

You are requested to furnish the Performance Security within 30 days in accordance with the Conditions of Contract, using, for that purpose, one of the Performance Security Forms included in Section VIII, Contract Forms, of the Tender Document.

Authorized Signature:
Name and Title of Signatory:
Name of Procuring Entity
Attachment: Contract Agreement

<u>FOF</u>	<u>RM 1</u>	NO 4: CONTRACT AGREEME	<u>NT</u>			
		GREEMENT made the		day of	<u>,2</u> 0,	
betw	veen		of		(here in after	"the
Proc		g of the one part, and		of		
Liter	· <i>j</i> ),					
1				(herei	nafter "the Contractor"), of t	he
othe	-					
		AS the Procuring Entity desires the				d be
		by the Contractor, and has accepte on of these Works and the remedying			or the execution and	
The	Proc	uring Entity and the Contractor ag	ree as fol	llows:		
1.		this Agreement words and expressing igned to them in the Contract documents the contract documents and the contract documents are supplied to the contract documents.			gs as are respectively	
2.		e following documents shall be dec s Agreement. This Agreement shal			-	
	a)	the Letter of Acceptance				
	b)	the Letter of Tender				
	c)	the addenda Nos(if any)				
	d)	the Special Conditions of Contra	ct			
	e)	the General Conditions of Contra	ıct;			
	f)	the Specifications				
	g)	the Drawings; and				
	h)	the completed Schedules and any	other do	ocuments forming part	of the contract.	
3.	this	consideration of the payments to be Agreement, the Contractor herebyemedy defects therein in conformi	y covena	ints with the Procuring	Entity to execute the Works	
4.	cor ma	e Procuring Entity hereby covenant impletion of the Works and the remains become payable under the provision Contract.	edying of	defects therein, the Co	ontract Price or such other su	m as
		NESS whereof the parties hereto hat ce with the Laws of Kenya on the		_		
Sign	ed ar	nd sealed by		(	(for the Procuring Entity)	
Sign	ed ar	nd sealed by			_ (for the Contractor).	

# FORM NO. 5 - PERFORMANCE SECURITY

# [Option 1 - Unconditional Demand Bank Guarantee]

[Gu	arantor letterhead]
Ben	reficiary:[insert name and Address of Procuring Entity] Date:
	[Insert date of issue]
Gua	arantor: [Insert name and address of place of issue, unless indicated in the letterhead]
1.	We have been informed that
2.	Furthermore, we understand that, according to the conditions of the Contract, a performance guarantee is required.
3.	At the request of the Contractor, we as Guarantor, hereby irrevocably undertake to pay the Beneficiary any sum or sums not exceeding in total an amount of
4.	This guarantee shall expire, no later than the Day of, 2, and any demand for payment under it must be received by us at the office indicated above on or before that date.
5.	The Guarantor agrees to a one-time extension of this guarantee for a period not to exceed [six months] [one year], in response to the Beneficiary's written request for such extension, such request to be presented to the Guarantor before the expiry of the guarantee."
	[Name of Authorized Official, signature(s) and seals/stamps].
	<b>Note:</b> All italicized text (including footnotes) is for use in preparing this form and shall be deleted from the final product.

#### FORM No. 6 - PERFORMANCE SECURITY

### [Option 2– Performance Bond]

[Note: Procuring Entities are advised to use Performance Security – Unconditional Demand Bank Guarantee instead of Performance Bond due to difficulties involved in calling Bond holder to action]

[G	Guarantor letterhead or SWIFT identifier code]			
Be	eneficiary:	[insert name and Ad	Entity]	
Da	ate:[In:	sert date of issue].		
PE	ERFORMANCE BOND No.:			
Gu	uarantor: [Insert name and address of place of iss	sue, unless indicated in t	the letterhead]	
1.	By this Bond Contractor") and	as Principal	(hereinafter	called "the
	Surety (hereinafter called "the Surety"), are he Obligee (hereinafter called "the Procuring Entity	•	unto	
	the payment of which sum well and truly to be r which the Contract Price is payable, the Contract executors, administrators, successors and assign	ctor and the Surety bind	themselves, their	heirs,
2.	WHEREAS the Contractor has entered into a value day of, 20 , for plans, specifications, and amendments thereto, reference made part hereof and are hereinafter	in acc	ordance with the ein provided for, a	e documents,

- 3. NOW, THEREFORE, the Condition of this Obligation is such that, if the Contractor shall promptly and faithfully perform the said Contract (including any amendments thereto), then this obligation shall be null and void; otherwise, it shall remain in full force and effect. Whenever the Contractor shall be, and declared by the Procuring Entity to be, in default under the Contract, the Procuring Entity having performed the Procuring Entity's obligations thereunder, the Surety may promptly remedy the default, or shall promptly:
  - 1) complete the Contract in accordance with its terms and conditions; or
  - 2) obtain a tender or tenders from qualified tenderers for submission to the Procuring Entity for completing the Contract in accordance with its terms and conditions, and upon determination by the Procuring Entity and the Surety of the lowest responsive Tenderers, arrange for a Contract between such Tenderer, and Procuring Entity and make available as work progresses (even though there should be a default or a succession of defaults under the Contract or Contracts of completion arranged under this paragraph) sufficient funds to pay the cost of completion less the Balance of the Contract Price; but not exceeding, including other costs and damages for which the Surety may be liable hereunder, the amount set forth in the first paragraph hereof. The term "Balance of the Contract Price," as used in this paragraph, shall mean the total amount payable by Procuring Entity to Contractor; or
  - 3) pay the Procuring Entity the amount required by Procuring Entity to complete the Contract in accordance with its terms and conditions up to a total not exceeding the amount of this Bond.

# FORM NO. 7 - ADVANCE PAYMENT SECURITY

[Dei	mand Bank Guarantee]			
[Gu	arantor letterhead]			
Ben Date	eficiary:e:	[Insert name and Ac[Insert date of issue	ddress of Procuring Entity] ]	
ADV	VANCE PAYMENT GUARA	NTEE No.:	[Insertguaranteereferencenumb	er]
Gua	rantor:	[Insert name and	address of place of issue, unless indicated in	the
lette	rhead]			
1.	We have been informed that Contract No (hereins	(hereing dated after called "the Contract	after called "the Contractor") has entered into with the Beneficiary, for the execution of the contractor.	f
2.	in the sum	that, according to the co	nditions of the Contract, an advance payment nce payment guarantee.	
3.	At the request of the Contract Beneficiary any sum or sums r	tor, we as Guarantor, here	reby irrevocably undertake to pay the amount of(in	
	words		amount of ${}$ upon receipt by us of the	
		•	eneficiary's statement, whether in the demand or identifying the demand, stating either that	
	a) has used the advance pa the Works; or	nyment for purposes other	er than the costs of mobilization in respect of	
		dvance payment in acco	rdance with the Contract conditions, specifying pay.	ng
4.	_	ary's bank stating that tl	as from the presentation to the Guarantor one advance payment referred to above has be	
5.	payment repaid by the Contra which shall be presented to u the interim payment certifican	actor as specified in cop s. This guarantee shall e te indicating that ninety	gressively reduced by the amount of the advances of interim statements or payment certifications, at the latest, upon our receipt of a copy	ites of
	(90) percent of the Accepted	Contract Amount, less p	rovisional sums, has been certified for payme 2	nt,
			, 2, whichever is earlier. Consequently, received by us at this office on or before that date	
6.		se to the Beneficiary's w	this guarantee for a period not to exceed [ritten request for such extension, such request guarantee.	
	Name of Authorized Official,	signature(s) and seals/s	tamps]	

# FORM NO. 8 - RETENTION MONEY SECURITY

# [Demand Bank Guarantee]

[Gı	ıarantor letterh	ead]												
Beneficiary:					[Inse	rt nan	ne and	Add	ress o	f Proc	uring	Entity]		
Dat	te:													
Ad	vance paymen	guaran	tee no	. [Inse	ert gu	arante	ee refe	rence	e num	ber]				
Gu	arantor: [Inser	t name a	nd add	dress oj	f plac	ce of is	ssue, u	nless	indic	ated in	n the	letterhead	d]	
1.	We have been joint venture entered into	shall be	the no											as
		[inser	t refei	rence n	umbe	er of th	ne con	tract	/ dated	i		_with		Th e
	Beneficiary, contract and	for the exbrief de.	xecutio s <i>cripti</i>	on of V	Vorks	s] (hei	einaft	er cal	lled "t	he Co	ntrac	_[insert t").	name	
2.	Furthermore, retains mone the Taking-C Money has b Money] is to	ys up to ver Cert een cert	the linificate	mit set has be or payr	forth en is: nent,	in the sued u and p	Conti Inder tl Daymer	ract ( he Co nt of	"the Fontrac Inser	Retent: t and t	ion M	Ioney"), a	and that the Ret	when ention
3.	At the request Beneficiary a ([insert amore supported by document accobligation(s) or the sum sp	any sum  ant in wa  the Ber  company  under th	or sun ords neficia ving one e Con	ry's sta	excee  I _J)  nteme fying	ding i upon i ent, wl the de	n total receipt nether emand	an aby us in the, state	mount s of the se dem ing the	t of [in e Bene nand in at the	nsert eficia: tself Cont	amount  ry's compl  or in a se  ractor is in	in fig lying des parate s n breach	mand signed of its
4.	A demand ur certificate fro referred to ab name and ad	om the Boove has	enefic been	iary's b credited	oank s d to tl	stating he Co	g that t	he se	cond	half o	f the	Retention	Money	as
5.	This guarante				· ')									y of ved
	by us at the o									J	== #	. =====		
6.	The Guaranto months] [one request to be	year], i	n resp	onse to	the l	Benef	iciary's	s wri	tten re	quest	for s	uch exten		

139

 $[Name\ of\ Authorized\ Official,\ signature(s)\ and\ seals/stamps]$ 

#### FORM NO. 9 BENEFICIAL OWNERSHIP DISCLOSURE FORM

Identity of Directly or Directly or	Directly or indirectly having t
Details of beneficial ownership	
I) We here by provide the following beneficial ownership info	ormation.
In response to your notification of award dated [in award] to furnish additional information on beneficial owner applicable and delete the options that are not applicable]	nsert date of notification of ership: [select one option as
name of the assignment] to:[insert complete name of Pro	curing Entity]
identification no] Name of the Assignment:	[insert
Tender Reference No.:	[insert

Identity of Beneficial Owner	Directly or indirectly holding 25% or more of the shares (Yes / No)	Directly or indirectly holding 25 % or more of the Voting Rights (Yes / No)	Directly or indirectly having the right to appoint a majority of the board of the directors or an equivalent governing body of the Tenderer (Yes / No)
[include full name (last, middle, first), nationality, country of residence]			

OR

ii) We declare that there is no Beneficial Owner meeting one or more of the following conditions: directly or indirectly holding 25% or more of the shares. Directly or indirectly holding 25% or more of the voting rights. Directly or indirectly having the right to appoint a majority of the board of directors or equivalent governing body of the Tenderer.

OR

We declare that we are unable to identify any Beneficial Owner meeting one or more of the following conditions. [If this option is selected, the Tenderer shall provide explanation on why it is unable to identify any Beneficial Owner]

Directly or indirectly holding 25% or more of the shares. Directly or indirectly holding 25% or more of the voting rights.

Directly or indirectly having the right to appoint a majority of the board of directors or equivalent governing body of the Tenderer]"

Name of the Tenderer:	*[insert complete name of the Tenderer
Name of the person duly authorized to sign the Tender of person duly authorized to sign the Tender]	n behalf of the Tenderer: ** [insert complete nam
Title of the person signing the Tender:  person signing the Tender]	[insert complete title of the
Signature of the person named above:name and capacity are shown above]	[insert signature of person whose
Date signed [insert date of signing] day of	of[Insert month], [insert year]